

turn on your lifestyle

# SONASHI®



In today's fast changing and versatile global market, an increasingly competitive and innovative approach is required to meet the challenges of providing the consumer with the most up-to-date products and the most comprehensive service. We at SONASHI are resolved to ensure our customers satisfaction and remain at the cutting edge of the world's electronics.

SONASHI ELECTRONICS was incorporated in 1993 with the objective of manufacturing and exporting quality consumer electronics products. We have made significant progress since in the distribution of television, audio-video and home appliance worldwide.

We are operating from a global perspective. Our main objective is our customers utmost satisfaction. We lay great emphasis on quality and have stringent quality control procedures.

3  
MDA  
CATEGORY

21  
HOME  
APPLIANCES

87  
AUDIO  
VIDEO

99  
PERSONAL  
CARE

123  
LIFESTYLE /  
HOME  
IMPROVEMENT

130  
LED  
TORCH

137  
EMERGENCY  
LANTERN

TABLE OF CONTENTS

About Us	1
Table of Contents	2
<b>MDA CATEGORY</b>	<b>3</b>
Refrigerator	4
Chest Freezer	7
Washing Machine	8
Vacuum Cleaner	13
Water Dispenser	16
Microwave Oven / Electric Oven	18
<b>HOME APPLIANCES</b>	<b>21</b>
Gas Stove	22
Gas Oven	25
Hot Plate	27
Infrared Cooker	28
Deep Fryer / Air Fryer	29
Garment Steamer	33
Steam Iron	36
Dry Iron	38
Heavy Iron	39
Rice Cooker	40
Blender	41
Sports / Portable Blender	44
Mixer Grinder	45
Hand Blender	48
Hand Mixer	50
Juice Blender	52
Juice Extractor	52
Meat Grinder	53
Chopper	53
Citrus Juicer	55
Toaster	56
Kettle	56
Sandwich Grill Maker	59
Bread / Pizza / Gursaan / Naan Maker	62
Waffle Maker	63
Cake Pop / Pop Corn Maker	64
Coffee Grinder	66
Coffee Maker	67
Fans	70
Tower Fan / Air Cooler	77
Heaters	79
Pressure Cooker	82
Vacuum Flask	84
Kitchen Scale	86
<b>AUDIO / VIDEO</b>	<b>87</b>
LED Tv	88
2.1 CH Speaker Woofer Systems	91
5.1 CH / Rechargeable Trolley Speakers	93
Rechargeable Bluetooth Speakers	94
<b>PERSONAL CARE</b>	<b>99</b>
Hair Straightener	100
Hair Curler	106
Hair Dryer	107
Hair Styler	112
Lady Shaver / Fabulous Facial	114
Hair Clipper	116
Bathroom Scale	121
Luggage Scales	122
<b>LIFESTYLE / HOME IMPROVEMENT</b>	<b>123</b>
Insect Killer	124
Mosquito Swatter \ TV Wall Brackets	125
Extension Sockets	127
LED Torch	130
Emergency Lantern	137
Led Table Lamp / Bulb	148
Rechargeable LED Bulb	149
Head Light	150



**KITCHEN**  
SMART APPLIANCES

**Model No: SFD-105**



**DEFROST REFRIDGERATOR**

DOUBLE DOOR REFRIGERATOR  
GROSS CAPACITY:82L  
NET CAPACITY(REFRIGERATOR) : 58L  
NET CAPACITY(FREEZER) : 22L  
R600A GAS  
MECHANIC TEMPERATURE CONTROL  
INSIDE CONDENSER / GMCC COMPRESSOR  
WITH INTERIOR LAMP & ADJUSTABLE LEG  
WITH RECESSED HANDLE / MANUAL DE-FROST TYPE  
1 GLASS SHELF / 2 DOOR SHELVES / 1 EGG TRAY & 1 ICE TRAY  
1 VEGETABLE CRISPER / 3 STAR RATING  
WITH LOCK AND KEY  
220-240V - 50Hz



**Model No: SFD-100N1**



**DEFROST REFRIDGERATOR**

SINGLE DOOR REFRIGERATOR  
WITH 2 WIRED SHELVES  
RECESSED HANDLE  
R600A REFRIGERANT  
WITH LOCK&KEY / VEGETABLE BOX  
CAPACITY:86L  
DANFU COMPRESSOR  
INSIDE CONDENSOR  
WITH INTERIOR LAMP & ADJUSTABLE LEG  
WITH MECHANICAL CONTROL  
MANUAL DEFROST TYPE  
220-240V/50-60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SFD-105	1 PC	0.2081	6291108477533	135	280	345
SFD-100N1	1 PC	0.1829	9714226170355	150	315	375

**Model No: SFD-198**



**DEFROST REFRIDGERATOR**

NET CAPACITY 138 LITRES  
 R600A CFC FREE REFRIGERANT  
 EFFICIENT COMPRESSOR  
 ENERGY SAVING AND LOW NOISE DESIGN  
 LOCK AND KEY / INSIDE LIGHT  
 VEGETABLE BOX / EGG TRAY  
 MANUAL DEFROST / ICE TRAY  
 WIRE SHELVES & GLASS SHELVES  
 ADJUSTABLE FRONT FEET  
 SIDE-OUT SHELVES / VERTICAL HANDLE  
 220-240V, 50Hz



**Model No: SFD-260DF**



**DEFROST REFRIDGERATOR**

DOUBLE DOOR REFRIGERATOR  
 GROSS CAPACITY:220L  
 NET CAPACITY(REFRIGERATOR) : 148L  
 NET CAPACITY(FREEZER) : 58L / R600A GAS  
 MECHANIC TEMPERATURE CONTROL  
 INSIDE CONDENSER / GMCC COMPRESSOR  
 WITH INTERIOR LAMP & ADJUSTABLE LEG  
 WITH EXTERNAL HANDLE / MANUAL DE-FROST TYPE  
 2 GLASS SHELF / 3 DOOR SHELVES  
 2 EGG TRAY & 1 ICE TRAY.  
 1 VEGETABLE CRISPER / 3 STAR RATING  
 WITH LOCK AND KEY  
 220-240V ~ 50Hz



**Model No: SFD-250NF1**



**NO FROST REFRIDGERATOR**

DOUBLE DOOR REFRIGERATOR  
 GROSS CAPACITY:201L  
 NET CAPACITY(REFRIGERATOR) : 148L  
 NET CAPACITY(FREEZER) : 53L  
 R600A CFC FREE REFRIGERANT  
 EFFICIENT COMPRESSOR  
 ENERGY SAVING AND LOW NOISE DESIGN  
 LOCK AND KEY / INSIDE LIGHT  
 VEGETABLE BOX / AUTOMATIC DEFROST  
 EGG TRAY / GLASS SHELVES  
 ADJUSTABLE FRONT FEET / ICE TRAY  
 SIDE OUT SHELVES / VERTICAL HANDLE  
 220-240V ~ 50Hz



**Model No: SFD-320NF1**



**NO FROST REFRIDGERATOR**

DOUBLE DOOR REFRIGERATOR  
 GROSS CAPACITY:251L  
 NET CAPACITY(REFRIGERATOR) : 198L  
 NET CAPACITY(FREEZER) : 53L  
 R600A CFC FREE REFRIGERANT  
 EFFICIENT COMPRESSOR  
 ENERGY SAVING AND LOW NOISE DESIGN  
 LOCK AND KEY / INSIDE LIGHT  
 VEGETABLE BOX / AUTOMATIC DEFROST  
 EGG TRAY / GLASS SHELVES  
 ADJUSTABLE FRONT FEET / ICE TRAY  
 SIDE OUT SHELVES / VERTICAL HANDLE  
 FRESH ZONE COMPARTMENT  
 220-240V ~ 50Hz



**Model No: SFD-550NF2**



**NO FROST REFRIDGERATOR**

DOUBLE DOOR REFRIGERATOR  
 GROSS CAPACITY:410L  
 NET CAPACITY(REFRIGERATOR) : 310L  
 NET CAPACITY(FREEZER) : 100L  
 R600A CFC FREE REFRIGERANT  
 EFFICIENT COMPRESSOR  
 ENERGY SAVING AND LOW NOISE DESIGN  
 LOCK AND KEY / INSIDE LIGHT  
 VEGETABLE BOX / AUTOMATIC DEFROST  
 EGG TRAY / GLASS SHELVES  
 ADJUSTABLE FRONT FEET / ICE TRAY  
 SIDE OUT SHELVES / VERTICAL HANDLE  
 FRESH ZONE COMPARTMENT  
 220-240V ~ 50Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SFD-198	1 PC	0.3740	6291108473603	75	155	192
SFD-260DF	1 PC	0.5112	6291108477540	55	315	375

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SFD-250NF1	1 PC	0.55	9714226170379	50	105	124
SFD-320NF1	1 PC	0.64	9714226170386	44	90	106
SFD-550NF2	1 PC	0.77	6291108475850	30	55	74

**Model No : SCF-152**



**CHEST FREEZER**

RATED CAPACITY - 102L  
 INSIDE CONDENSER  
 WITH LIGHT / LOCK & KEY  
 WITH HANDLE & 2FEET+2WHEEL  
 INNER WHITE LINER  
 ONE DOOR & ONE BASKET  
 POWER: 220-240V; 50Hz  
 REFRIGERANT: R-600A  
 QIANJIANG COMPRESSOR  
 WITH ADJUSTABLE THERMOSTAT & STEP TYPE BOTTOM



**Model No : SCF-202**



**CHEST FREEZER**

RATED CAPACITY - 147L  
 INSIDE CONDENSER  
 WITH LIGHT / LOCK & KEY  
 WITH HANDLE & 2FEET+2WHEEL  
 INNER WHITE LINER  
 ONE DOOR & ONE BASKET  
 POWER: 220-240V; 50Hz  
 REFRIGERANT: R-600A  
 HUAYI COMPRESSOR  
 WITH ADJUSTABLE THERMOSTAT & STEP TYPE BOTTOM



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SCF-152	1 PC	0.2865	6291108474891	95	200	248
SCF-202	1 PC	0.3674	6291108474952	50	95	132

**Model No : SCF-252**



**CHEST FREEZER**

RATED CAPACITY - 202L  
 INSIDE CONDENSER  
 WITH LIGHT / LOCK & KEY  
 WITH HANDLE & 2FEET+2WHEEL  
 INNER WHITE LINER  
 ONE DOOR & ONE BASKET  
 POWER: 220-240V; 50Hz  
 REFRIGERANT: R-600A  
 HUAYI COMPRESSOR  
 WITH ADJUSTABLE THERMOSTAT & STEP TYPE BOTTOM



**Model No : SWM-1002**



**10KG SEMI AUTOMATIC WASHING MACHINE**

CAPACITY: 10KG  
 DURABLE BODY  
 UNIQUE DESIGN  
 POWERFUL CLEANING  
 LARGE PULSATOR WITH 3 IMPELLERS  
 TWO WATER INLETS  
 RATED WASH POWER: 400W  
 RATED SPIN POWER: 180W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SCF-252	1 PC	0.4725	6291108474907	60	122	149
SWM-1002	1 PC	0.4139	9714226240430	56	117	142

**Model No : SWM-1002N1**



**9.8KG SEMI-AUTOMATIC WASHING MACHINE**

DOUBLE LAYERS TUB  
ONE WATER INLET HOLE WITH WASH/SPIN WATER INLET SELECTION.  
TOUGHENED GLASS COVER  
RATED WASH CAPACITY: 9.8KG  
RATED SPIN CAPACITY: 6.0KG  
RATED WASH POWER: 500W



**Model No : SWM-6001FL**



**6KG FULL AUTOMATIC FRONT LOADING WASHING MACHINE**

ELEGANT AND COMPACT DESIGN WITH INTELLIGENT TECHNOLOGY  
POWERFUL ALUMINIUM MOTOR  
LED DISPLAY WITH 16 WASH PROGRAMS  
BIG DOOR WITH CHILD LOCK DISPLAY FUNCTION  
POWER OFF MEMORY FUNCTION  
OVERHEATING AND OVERFLOW CONTROL  
WASH CAPACITY: 6.0KG  
SPIN CAPACITY: 6.0KG  
OUTPUT WASH MOTOR POWER: 250W  
OUTPUT SPIN MOTOR POWER: 400W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWM-1002N1	1 PC	0.420	9714226240430	100	200	148
SWM-6001FL	1 PC	0.2816	6291108476987	100	200	252

**Model No : SWM-6003TL**



**6KG AUTOMATIC TOP LOADING WASHING MACHINE**

LED DISPLAY AND SMART TOUCH  
MULTIPLE WASH OPTIONS  
CHILD LOCK SAFETY  
SPIN SPEED RPM 660 P/MIN  
SINGLE WATER INLET  
TEMPERED GLASS AND DOUBLE DAMPING SURFACE COVER  
WASH POWER: 340W  
SPIN POWER: 250W



**Model No : SWM-7501**



**7.5KG SEMI AUTOMATIC WASHING MACHINE**

CAPACITY: 7.5KG  
DURABLE BODY  
UNIQUE DESIGN  
POWERFUL CLEANING  
LARGE PULSATOR WITH 3 IMPELLERS  
TWO WATER INLETS  
RATED WASH POWER: 360W  
RATED SPIN POWER: 180W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWM-6003TL	1 PC	0.318	6291108478455			204
SWM-7501	1 PC	0.3087	9714226240423	86	181	218

**Model No : SWM-7501N1**



**7KG SEMI-AUTOMATIC WASHING MACHINE**

SINGLE LAYER TUB  
 ONE WATER INLET HOLE WITH WASH/SPIN WATER INLET SELECTION.  
 OPAQUE COVER  
 SPIN COVER WITH DRY TURBO FUNCTION.  
 RATED WASH CAPACITY: 7.0KG  
 RATED SPIN CAPACITY: 5.5KG  
 RATED WASH POWER: 380W  
 RATED SPIN POWER: 150W  
 220V/50HZ



**Model No : SWM-7002FL**



**7KG FULL AUTOMATIC FRONT LOADING WASHING MACHINE**

ELEGANT AND COMPACT DESIGN  
 S/S DRUM WITH HONEYCOMB CRYSTAL DESIGN  
 LED DISPLAY WITH 16 WASH PROGRAMS  
 ERROR MESSAGE INDICATION  
 POWER-OFF MEMORY  
 UNBALANCE PROTECTION  
 MIDWAY ADD CLOTHES  
 CHILD LOCK  
 SPIN SPEED - 1200RPM  
 OUTPUT WASH MOTOR POWER: 200W  
 OUTPUT SPIN MOTOR POWER: 350W  
 220-240V ~ 50Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWM-7501N1	1 PC	0.304	9714226240423			220
SWM-7002FL	1 PC	0.3192	6291108472798	90	180	214

**Model No : SWM-13005N**



**12KG SEMI-AUTOMATIC WASHING MACHINE**

DOUBLE LAYERS TUB  
 ONE WATER INLET HOLE WITH WASH/SPIN WATER INLET SELECTION.  
 TRANSPARENT COVER  
 BUBBLE WASH  
 AIR DRY FUNCTION  
 RATED WASH CAPACITY: 12KG  
 RATED SPIN CAPACITY: 6.0KG  
 RATED WASH POWER: 500W  
 RATED SPIN POWER: 200W  
 220V/50HZ



**Model No : SWM-15003N**



**15KG SEMI AUTOMATIC WASHING MACHINE**

CAPACITY: 15KG  
 DOUBLE LAYERS TUB  
 ONE WATER INLET HOLE WITH WASH/SPIN WATER INLET SELECTION.  
 TOUGHENED GLASS COVER  
 RATED WASH CAPACITY: 15KG  
 RATED SPIN CAPACITY: 7.0KG  
 RATED WASH POWER: 500W  
 RATED SPIN POWER: 200W  
 220V/50HZ



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWM-13005N	1 PC	0.4764	6291108473870			130
SWM-15003N	1 PC	0.5682	6291108473887			114

Model No : SVC-9007DN



**18L DRUM VACUUM CLEANER**

MULTI STAGE FILTRATION SYSTEM  
 BIG DUST CAPACITY WITH 18 LITRES  
 SUPER LOW NOISE  
 STRONG SUCTION POWER  
 EFFICIENT SUCTION POWER  
 HIGH EFFICIENCY AND BIG POWER  
 BLOW FUNCTION  
 DUST FULL INDICATOR  
 EASY-TO FIT TELESCOPIC TUBE  
 SPECIAL WHEEL BENEATH THE BASEMENT FOR EASY MOVEMENT  
 2000W, 220-240V~, 50-60Hz

**2000**  
WATTS

**18**  
LITRES

Model No : SVC-9008DN



**21L DRUM VACUUM CLEANER**

MULTI STAGE FILTRATION SYSTEM  
 BIG DUST CAPACITY WITH 21 LITRES  
 SUPER LOW NOISE  
 STRONG SUCTION POWER  
 EFFICIENT CLOTH FILTER  
 HIGH EFFICIENCY AND BIG POWER  
 BLOW FUNCTION  
 DUST FULL INDICATOR  
 EASY TO FIT TELESCOPIC TUBE  
 SPECIAL WHEEL BENEATH THE BASEMENT FOR EASY MOVEMENT  
 2400W, 220-240V~, 50-60Hz

**2400**  
WATTS

**21**  
LITRES

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SVC-9007DN	1 PC	0.062271	9714226103872	432	931	1092
SVC-9008DN	1 PC	0.069819	9714226103889	401	830	974

Model No : SVC-9024



**1.5L CANISTER VACUUM CLEANER**

STRONG VACUUM POWER  
 2PCS PLASTIC INSERT TUBE  
 POWERFUL SUCTION  
 AUTOMATIC REWINDING WIRE  
 LOWER NOISE DESIGN  
 FLEXIBLE HOSE WITH AIR FLOW ON HANDLE  
 DUST BAG CAPACITY 1.5L  
 WASHABLE CLOTH DUST BAG  
 DUST FULL INDICATOR  
 220-240V~50/60Hz 1600W

**1600**  
WATTS

**1.5**  
LITRES

Model No : SVC-9028C



**3L CYCLONE VACUUM CLEANER**

STRONG VACUUM POWER  
 METAL TELESCOPIC TUBE  
 POWERFUL SUCTION  
 CAPACITY: 3.0L / SPEED CONTROL FUNCTION  
 MOTOR THERMOSTAT / 5M CABLE LENGTH  
 AUTOMATIC REWINDING WIRE  
 LOWER NOISE DESIGN  
 FLEXIBLE HOSE WITH AIR FLOW ON HANDLE  
 MULTIPLE CYCLONIC SYSTEM  
 220-240V~ 50/60Hz 2000W

**2000**  
WATTS

**3.0**  
LITRES

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SVC-9024	1 PC	0.0258	9714226106705	1085	2248	2635
SVC-9028C	1 PC	0.0348	6291108474006	700		1800



Model No : SVC-9029D



**25L DRUM VACUUM CLEANER**

MULTI STAGE FILTRATION SYSTEM  
 25L STRONG METAL TANK  
 SUPER LOW NOISE  
 STRONG SUCTION POWER  
 EFFICIENT CLOTH FILTER  
 HIGH EFFICIENCY AND BIG POWER  
 AIR FLOW CONTROL ON HANDLE  
 BLOWING FUNCTION  
 DUST FULL INDICATOR  
 METAL CHROMED TELESCOPIC TUBE  
 SPECIAL WHEEL BENEATH THE BASEMENT FOR EASY MOVEMENT

2400W, 220-240V , 50/60Hz



Model No : SVC-9032



**HANDHELD & STICK VACUUM CLEANER**

0.9L DUST CAPACITY  
 POWERFUL SUCTION  
 TRANSPARENT DUST CUP  
 CORDED HANDHELD & STICK  
 COMFORTABLE HANDLE FOR CONVENIENT USE  
 WASHABLE HEPA FILTER & STAINLESS STEEL FILTER NET



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SVC-9029D	1 PC	0.0825	6291108476277	340	700	860
SVC-9032	4 PCS	0.08	6291108477915	1600		3520

Model No : SWD-53



**3 TAP FREE STANDING WATER DISPENSER**

WITH REFRIGERATOR CABINET  
 3 TAPS (HOT, COLD & NATURAL)  
 ASBEILA COMPRESSOR  
 HOT WATER TANK CAPACITY: 1.0L  
 COLD WATER TANK CAPACITY: 2.2L  
 LED LIGHT INDICATOR  
 STAINLESS STEEL WATER TANK  
 POWER: HOT - 550W; COLD - 95W  
 POWER SUPPLY: 220V-240V~, 50Hz/60Hz  
 R-134A GAS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWD-53	1 PC	0.126	9714226270147	190	394	476
SWD-54	1 PC	0.1078	6291108475249	260	535	630

Model No : SWD-54



**FREE STANDING WATER DISPENSER**

WITH REFRIGERATOR CABINET  
 2TAPS (HOT & COLD)  
 ASBEILA COMPRESSOR  
 HOT WATER TANK CAPACITY: 1.0L  
 COLD WATER TANK CAPACITY: 2.2L  
 LED LIGHT INDICATOR  
 STAINLESS STEEL WATER TANK  
 POWER: HOT - 550W; COLD - 95W  
 POWER SUPPLY: 220V-240V~, 50Hz/60Hz  
 R-134A GAS



**Model No : SWP-55**



**RECHARGEABLE WATER DISPENSER PUMP**

WATER DISPENSER PUMP  
 USB CHARGING FOR CORDLESS CONVENIENCE  
 ONE BUTTON CONTROL, WITH LED INDICATION  
 FOOD GRADE SILICONE INLET HOSE  
 STAINLESS STEEL #304 INLET SPOUT  
 SUITABLE FOR 1-5 GALLON BOTTLE WATER



**Model No : SWD-56**



**3 TAP FREE STANDING WATER DISPENSER**

WITH BOTTOM LOADING  
 3TAPS (HOT, COLD & NORMAL)  
 ASBEILA COMPRESSOR  
 HOT WATER CAPACITY: 5.0L/HR  
 COLD WATER TANK CAPACITY: 2.0L/HR  
 LED LIGHT INDICATOR  
 STAINLESS STEEL WATER TANK  
 POWER: HOT - 550W; COLD - 100W  
 POWER SUPPLY: 220V-240V~, 50-60Hz  
 R-134A GAS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWP-55	50 PCS	0.0526	6291108476055	26600		64600
SWD-56	1 PC	0.1482	6291108477519	185	390	425

**Model No : SMO-920**



**20 LITRES MICROWAVE OVEN**

MANUAL CONTROL  
 PULL HANDLE DOOR  
 6 POWER LEVELS  
 30MINS SETTING TIME  
 DEFROST SETTING  
 COOKING END SIGNAL  
 245MM TURNTABLE GLASS TRAY  
 230V~, 50Hz



**Model No : STO-730**

**21 LITRES ELECTRIC OVEN**

ROTISSERIE & CONVENTION FUNCTION  
 60 MIN. TIMER WITH BELL RING  
 100C -250C ADJUSTABLE TEMPERATURE SELECTOR  
 4 WAY HEATING SELECTION  
 GRILL 1 CHICKEN AT A TIME  
 STAINLESS STEEL HEATING ELEMENT  
 INDICATOR LIGHT / INSIDE LAMP  
 ACCESSORIES: BAKE TRAY , WIRE RACK , TRAY  
 HANDLE , TONG  
 220-240V~ 50/60Hz 1380W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SMO-920	1 PC	0.0547	9714226106804	511	1060	1243
STO-730	1 PC	0.056	9714226106712	500	1035	1215

**Model No : STO-731**



**36 LITRES ELECTRIC OVEN**

ROTISSERIE & CONVENTION FUNCTION  
 60 MIN. TIMER WITH BELL RING  
 4 HEATING SELECTION  
 100C -250C ADJUSTABLE TEMPERATURE SELECTOR  
 GRILL 1 CHICKEN AT A TIME  
 STAINLESS STEEL HEATING ELEMENT  
 INDICATOR LIGHT / INSIDE LAMP  
 ACCESSORIES: BAKE TRAY , WIRE RACK , TRAY  
 HANDLE , TONG  
 220-240V~ 50/60Hz 1500W



**Model No : STO-732**



**63 LITRES ELECTRIC OVEN**

ROTISSERIE & CONVENTION FUNCTION  
 60 MIN. TIMER WITH BELL RING  
 4 HEATING SELECTION  
 100C -250C ADJUSTABLE TEMPERATURE SELECTOR  
 GRILL 3 CHICKEN AT A TIME  
 STAINLESS STEEL HEATING ELEMENT  
 INDICATOR LIGHT / INSIDE LAMP  
 ACCESSORIES: BAKE TRAY , WIRE RACK , TRAY  
 HANDLE , TONG  
 220-240V~ 50/60Hz 2200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
STO-731	1 PC	0.085	9714226106729	330	685	800
STO-732	1 PC	0.1544	9714226106736	185	375	440

**Model No : STO-734**



**100 LITRES ELECTRIC OVEN**

BLACK COVER  
 BLACK FRONT PANEL & BLACK GLASS HOLDER  
 TEMPERATURE CONTROL: 100-250°C  
 5KNOBS(#9) / SS HANDLE  
 TIMER UPTO 60MIN WITH BELL RING WITH AUTO SHUT OFF  
 4PCS STAINLESS STEEL HEATING ELEMENT  
 WITH ROTISSERIE, CONVECTION & LAMP  
 POWER : 220-240V; 50-60HZ;2800W



**Model No : STO-735N**



**45 LITRES ELECTRIC OVEN**

BLACK BODY DOOR HANDLE WITH SS COVER  
 & KNOBS WITH SS COVER  
 TEMPERATURE CONTROL: 100-250-C  
 4 KNOBS, ONE INDIVIDUAL KNOB TO  
 REGULATE ROTISSERIE & CONVECTION  
 TIMER UPTO 60MIN WITH BELL RING WITH  
 AUTO SHUT OFF  
 4 STAGE HEAT SELECTIONS: OFF/UPPER HEATING/  
 LOWER HEATING/UPPER & LOWER HEATING.  
 WITH BAKE TRAY, WIRE RACK, TRAY HANDLE,  
 TONG, 1SETS ROTISSERIE  
 POWER : 220-240V; 50-60HZ;1800W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
STO-734	1 PC	0.2299	6291108473535	125	250	290
STO-735N	1 PC	0.1063	6291108474884	275	550	660



**MAXIMIZE**  
EFFICIENCY &  
RELIABILITY

**Model No : SGB-203SFFDN**

**DOUBLE GAS STOVE**

TWO GAS BURNER  
NO MATCHES, NO BATTERIES  
DURABLE STAINLESS STEEL BODY  
PIEZO IGNITION SYSTEM  
LPG WITH LOW GAS CONSUMPTION  
5.1KW MAXIMUM POWER  
2800Pa RATED GAS PRESSURE



**Model No : SGB-208SN**

**DOUBLE GAS STOVE**

NO MATCHES, NO BATTERIES  
DURABLE STAINLESS STEEL BODY  
PIEZO IGNITION SYSTEM  
LPG WITH LOW GAS CONSUMPTION  
5.1KW MAXIMUM POWER  
2800Pa RATED GAS PRESSURE



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGB-203SFFDN	1 PC	0.0285516	9714226105500	982	2035	2385
SGB-208SN	1 PC	0.0285516	9714226107405	982	2035	2385

**Model No : SGB-209G**



**DOUBLE GAS STOVE**

LPG GAS USE  
7MM TOUGHENED SAFETY GLASS  
CAST IRON BURNER HOLDER  
ENAMEL FIXED PAN SUPPORT  
AUTOMATIC IGNITION SYSTEM  
LOW GAS CONSUMPTION  
NO MATCHES, NO BATTERIES  
WASY TO CLEAN



**Model No : SGB-210GFFD**



**DOUBLE GAS STOVE**

LPG GAS USE  
WITH FLAME FAILURE SAFETY DEVICE  
7MM TOUGHENED SAFETY GLASS  
CAST IRON BURNER HOLDER,  
ENAMEL FIXED PAN SUPPORT  
AUTOMATIC IGNITION SYSTEM  
LOW GAS CONSUMPTION' NO MATCHES,  
NO BATTERIES



**Model No : SGB-211S**



**DOUBLE GAS STOVE**

PIEZO IGNITION SYSTEM  
DURABLE STAUNLESS STEEL BODY  
LOW GAS CONSUMPTION  
NO MATCHES, NO BATTERIES  
HIGH EFFICIENCY  
EASY TO CLEAN



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGB-209G	1 PC	0.03652992	6291108478387	765	1478	1860
SGB-210GFFD	1 PC	0.03652992	6291108478394	765	1478	1860
SGB-211S	1 PC	0.030952	6291108478400	900	1744	2195

**Model No : SGB-212SFFD**



**DOUBLE GAS STOVE**

PIEZO IGNITION SYSTEM  
DURABLE STAUNLESS STEEL BODY  
WITH FLAME FAILURE SAFETY DEVICE  
LOW GAS CONSUMPTION  
NO MATCHES, NO BATTERIES  
HIGH EFFICIENCY  
EASY TO CLEAN



**Model No : SGB-319S**



**TRIPLE GAS STOVE**

NO MATCHES, NO BATTERIES  
DURABLE STAINLESS STEEL BODY  
EASY TO CLEAN  
ELECTRONIC IGNITION SYSTEM  
HIGH EFFICIENTLY  
LOW GAS CONSUMPTION



**Model No : SGB-320GFFD**



**TRIPLE GAS STOVE**

THREE GLASS TOP GAS BURNER  
LPG GAS USE / WITH FLAME FAILURE SAFETY DEVICE  
7MM TOUGHENED SAFETY GLASS  
CAST IRON BURNER HOLDER / ENAMEL PAN SUPPORT  
AUTOMATIC IGNITION SYSTEM / LOW GAS CONSUMPTION  
NO MATCHES, NO BATTERIES  
EASY TO CLEAN



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGB-212SFFD	1 PC	0.030952	6291108478417	900	1744	2195
SGB-319S	1 PC	0.0263	9714226106446	1050	2200	2550
SGB-320GFFD	1 PC	0.03751875	9714226106460	766	1588	1861

Model No : SGH-401FFD



**GAS HOB**

60CMS HOB WITH FRONT CONTROL PANEL  
 METAL CONTROL KNOBS  
 WITH CAST IRON PAN STAND  
 WIRE IGNITION SYSTEM  
 FLAME FAILURE SAFETY DEVICE ON EACH BURNER  
 TOP QUALITY STAINLESS STEEL AND BRUSH FINISH  
 EUROPEAN DESIGN BURNER WITH HIGH EFFICIENCY  
 REMOVABLE INTEGRATED CONTROL KNOBS  
 VOLTAGE 220-240V



Model No : SGO-5050



**50X50 FREE STANDING GAS OVEN**

FULL WHITE FINISHING  
 4 GAS EURO PIPE TYPE BURNERS  
 STANDARD BLACK ENAMELED TOP GRIDS  
 GLASS COVER / DOUBLE BURNERS IN THE OVEN  
 UP GAS GRILL / DOWN GAS BURNER  
 SINGLE KNOB CONTROL  
 1 TRAY 1 GRID IN THE OVEN / 5 KNOBS  
 ALUMINIUM HANDLE  
 SINGLE DOOR OVEN GLASS  
 STANDARD BLACK COLOR OVEN DOOR GLASS  
 LPG ADJUSTED / YELLOW INSULATION  
 STANDARD BLACK ENAMEL CAVITY  
 ADJUSTABLE OVEN LEGS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGH-401FFD	1 PC	0.0681	6291108475959	428	850	1000
SGO-5050	1 PC	0.2506	6291108476284	110	230	276

Model No : SGO-6060FFD



**60X60 FREE STANDING GAS OVEN**

STAINLESS STEEL TOP TABLE  
 FRONT PANEL + DOWN PANEL + SIDES ARE STAINLESS PAINTED  
 4 GAS EURO POOL BURNERS  
 FULL SAFETY BOTH HOB AND OVEN PARTS  
 FULL IGNITION BOTH HOB AND OVEN PARTS  
 SEMI CAST IRON PAN SUPPORT  
 TOP GLASS LID / MECHANICAL TIMER  
 DOUBLE KNOB CONTROL (UP & DOWN BURNERS)  
 DOUBLE BURNERS IN THE OVEN  
 FULL CLOSED DOOR / OVEN LAMP / CHICKEN ROTISSERIE  
 1 DEEP ENAMEL TRAY + 1 GRID IN THE OVEN  
 FIXED DRAWER / DOUBLE DOOR OVEN GLASS  
 REMOVABLE INNER GLASS  
 STANDARD BLACK COLOR OVEN DOOR GLASS  
 LPG ADJUSTED / NG CONVERSATION KIT  
 A CLASS WHITE INSULATION /  
 STANDARD BLACK ENAMEL CAVITY  
 ADJUSTABLE OVEN LEGS / MADE IN TURKEY



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGO-6060FFD	1 PC	0.03989	6291108473849	70	145	166
SGO-9060FFD	1 PC	0.5520	6291108476796	50	105	123

Model No : SGO-9060FFD



**90X60 FREE STANDING GAS OVEN**

STAINLESS STEEL TOP TABLE (304 QUALITY- PURESTAINLESS)  
 FRONT PANEL DOWN PANEL SIDES ARE STAINLESS PAINTED  
 \*5 GAS EURO POOL BURNERS ORIGINAL ITALIAN SABAF  
 TRIPLE BURNER / FULL SAFETY BOTH HOB AND OVEN PARTS  
 FULL IGNITION BOTH HOB AND OVEN PARTS  
 HEAVY CAST IRON PAN SUPPORT - 8 FINGERS  
 TOP GLASS LID WITH ALUMINIUM PROFILE / MECHANICAL TIMER  
 DOUBLE KNOB CONTROL (UP AND DOWN BURNERS)  
 DOUBLE BURNERS IN THE OVEN / FULL CLOSED DOOR  
 DOUBLE OVEN LAMP / DOUBLE CHICKEN ROTISSERIE  
 TURBOFAN, DEEP ENAMEL TRAY GRID IN THE OVEN  
 FIXED DRAWER DOUBLE DOOR OVEN GLASS  
 REMOVABLE INNER GLASS  
 STANDARD BLACK COLOR OVEN DOOR GLASS  
 LPG ADJUSTED / NG CONVERSATION KIT PACKAGING WITH POLYFOAM  
 A CLASS WHITE INSULATION / BS PLUG  
 STANDARD BLACK ENAMEL CAVITY  
 ADJUSTABLE OVEN LEGS



**Model No : SHP-609CN**



**SINGLE SPIRAL HOT PLATE**

145MM PLATE DIAMETER  
ADJUSTABLE TEMPERATURE CONTROL  
ON/OFF INDICATOR LIGHT  
AUTO THERMOSTAT  
220-240V~, 50-60Hz, CLASS I, 1500W



**Model No : SHP-612**



**SINGLE ELECTRIC HOT PLATE**

185MM PLATE DIAMETER  
ADJUSTABLE TEMPERATURE CONTROL  
ON/OFF INDICATOR LIGHT  
AUTO THERMOSTAT  
NON-SLIP RUBBER FEET  
220-240V~, 50-60Hz, CLASS I, 1500W



**Model No : SHP-613**



**DOUBLE ELECTRIC HOT PLATE**

185MM + 155MM PLATE DIAMETER  
ADJUSTABLE TEMPERATURE CONTROL  
ON/OFF INDICATOR LIGHT  
AUTO THERMOSTAT  
NON-SLIP RUBBER FEET  
220-240V~, 50-60Hz, CLASS I, 2500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHP-609CN	12 PCS	0.052	9714226160172	4800	7376	8648
SHP-612	12 PCS	0.0464	6291108477700	7248		17580
SHP-613	5 PCS	0.072	6291108477717	1940		4725

**INFRARED CERAMIC COOKER**

TOUCH BUTTON CONTROL  
4 DIGITAL DISPLAY  
10 LEVELS OF POWER  
CONSTANT TEMPERATURE MAX 560-580°C  
3HOURS TIMER  
MULTI-SAFETY PROTECTION FUNCTION  
220-240V~ 50-60Hz 2000W



**Model No : SIS-014C**



**Model No : SIS-015C**



**INFRARED CERAMIC COOKER**

TOUCH SENSOR CONTROL  
4 DIGITAL DISPLAY  
10 LEVELS OF POWER  
CONSTANT TEMPERATURE MAX 560-580°C  
6COOKING FUNCTION  
3HOURS TIMER  
MULTI-SAFETY PROTECTION FUNCTION  
220-240V~ 50-60Hz 2000W



**Model No : SIS-016C**



**INFRARED CERAMIC COOKER**

INFRARED HEATING ELEMENT  
NO RADIATION TO THE USER  
STRONG ANTI-PRESSURE CRYSTALLITE GLASS PLATE  
COOL TOUCH HANDLE  
MULTI COOKING FUNCTION : WATER/SOUP/  
BBQ/STIP-FRY/HOT POT  
220-240V~ 50-60Hz 2000W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SIS-014C	6 PCS	0.0808	6291108476352	2076		5052
SIS-015C	6 PCS	0.0808	6291108476369	2076		5052
SIS-016C	6 PCS	0.0934	6291108476376	1800		4368

**Model No : SIS-017C**



**INFRARED CERAMIC COOKER**

DOUBLE CERAMIC COOKER  
 MICRO CRYSTAL TEMPERED GLASS  
 4 DIGIT LED DISPLAY  
 KNOB CONTROL AND TOUCH CONTROL  
 ALUMINIUM ALLOY HOUSING BODY  
 ALUMINIUM MATERIAL FOR HANDLE  
 MULTI-STAGE POWER SETTING  
 AUTOMATIC SAFETY SWITCH OFF  
 220-240V~ 50/60HZ, 1200 + 1800W



**Model No : SDF-5011**



**DEEP FRYER**

CAPACITY: 3L  
 STAINLESS STEEL HOUSING  
 ADJUST THERMOSTAT WITH LIGHT INDICATOR  
 1 BIG FRYING BASKET / REMOVABLE ENAMELED INNER PAN  
 IMMERSED OIL HEATING ELEMENT  
 WITH 30MIN TIMER FUNCTION / LID WITH EASY VIEWING WINDOW / OVER HEAT PROTECTION  
 COOL TOUCH, HEAT RESISTANT HANDLES  
 ALL PARTS ARE DISHWASHER SAFE, EXCEPT FOR THE HEATING ELEMENTS  
 EASY TO CLEAN / NON-SLIP FEET  
 220-240V~ 50/60Hz 2100W



**Model No : SAF-320N**



**AIR FRYER**

4.0L NON-STICK COATING BASKET  
 TEMPERATURE CONTROL: 80-200  
 TIMER: 1-60 MINUTES  
 WITH TEMPERATURE KNOB CONTROL  
 OVER-HEAT PROTECTION  
 AUTOMATIC SHUT-OFF  
 POWER SUPPLY: 220-240V,50/60HZ,1200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SIS-017C	3 PCS	0.127	6291108478318	660	1344	2031
SDF-5011	4 PCS	0.112	9714226106217	1000	1800	2500
SAF-320N	4 PCS	0.1316	6291108474730	1272	1760	2072

**Model No : SAF-350**



**DIGITAL AIR FRYER**

3.5L POT CAPACITY & 2.5L FOOD BASKET  
 TEMPERATURE CONTROL: 50-200C / TIMER: 1-60 MINUTES  
 HIGH SPEED AIR CIRCULATION TECHNOLOGY  
 SENSOR TOUCH DIGITAL DISPLAY WITH 8 AUTO COOK MENU FUNCTION  
 TEFLON COATING FOR BOTH PAN & BASKET  
 STAINLESS STEEL HEATING ELEMENT / OVERHEAT PROTECTION FUNCTION / AUTOMATIC SHUT-OFF WHEN YOU TAKE OUT THE DRAWER  
 BEEP SOUND FOR FLIPPING OR STIRRING THE FOOD WHEN THE TIME COMES TO THE HALF OF SET TIMER / 220-240V,50/60HZ,1200-1400W



**Model No : SAF-420**



**DIGITAL AIR FRYER**

LED DISPLAY WITH TOUCH SCREEN  
 TEMPERATURE CONTROL: 30-200C  
 TIMER UPTO 60MIN  
 4.5L POT CAPACITY  
 NON STICK COATING REMOVABLE POT  
 OVER HEAT PROTECTION  
 220-240V, 50/60Hz, 1300W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SAF-350	2 PCS	0.0666	6291108478622	820	1740	2030
SAF-420	2 PCS	0.1004	6291108474747	570	1160	1360



**Model No : SAF-620**



**DIGITAL AIR FRYER**

LED DISPLAY WITH TOUCH SCREEN  
 TEMPERATURE CONTROL: 80-200C  
 TIMER UPTO 60MIN  
 5.2L TEFLON FOOD BASKET  
 6.2L POT CAPACITY  
 NON STICK COATING REMOVABLE POT  
 OVER HEAT PROTECTION  
 220-240V, 50-60Hz, 1800W



**Model No : SAF-800**



**DIGITAL AIR FRYER**

LED DISPLAY WITH TOUCH SCREEN  
 TEMPERATURE CONTROL: 30-200C  
 TIMER UPTO 60MIN  
 6.5L FOOD BASKET  
 8.0L POT CAPACITY  
 NON STICK COATING REMOVABLE POT  
 OVER HEAT PROTECTION  
 220-240V, 50/60Hz, 1700W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SAF-620	2 PCS	0.120	6291108474488	460	960	1120
SAF-800	1 PC	0.0638	6291108474754	450	910	1070

**Model No : SAF-820**



**DIGITAL AIR FRYER**

LED DISPLAY WITH TOUCH SCREEN  
 TEMPERATURE CONTROL: 80-200C  
 TIMER UPTO 60MIN  
 7.2L TEFLON FOOD BASKET  
 8.2L POT CAPACITY  
 NON STICK COATING REMOVABLE POT  
 OVER HEAT PROTECTION  
 220-240V, 50-60Hz, 1800W



**Model No : SAF-950**



**DIGITAL AIR FRYER**

9.5L PAN CAPACITY WITH TRANSPARENT DRAWER  
 TEMPERATURE CONTROL: 50-200C  
 TIMER: 1-60 MINUTES  
 HIGH SPEED AIR CIRCULATION TECHNOLOGY  
 DIGITAL TOUCH SCREEN DISPLAY WITH  
 10 AUTO COOK MENU FUNCTION  
 TEFLON COATING FOR BOTH PAN & BRACKET  
 STAINLESS STEEL HEATING ELEMENT  
 OVERHEAT PROTECTION FUNCTION  
 AUTOMATIC SHUT-OFF WHEN YOU TAKE  
 OUT THE DRAWER / BEEP SOUND FOR FLIPPING OR  
 STIRRING THE FOOD WHEN THE TIME  
 COMES TO THE HALF OF SET TIMER  
 220-240V,50/60HZ,1600-1800W POWER



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SAF-820	1 PC	0.0696	6291108474495	400	825	975
SAF-950	2 PCS	0.13967	6291108478615	390	820	960

Model No : SGS-311 / SGS-312



SGS-311

SGS-312

**SGS-311  
GARMENT STEAMER**

MECHANICAL CONTROL  
AUTOMATIC CUT OFF WHEN WATER TANK IS EMPTY  
WATER TANK 1.8 LITER  
AUTOMATIC RE-START AND DOUBLE SAFETY SYSTEM  
EXTENDABLE ALUMINUM SUPPORTING POLE  
BOTTOM DRAIN PLUG DESIGN EASY FOR CLEANING  
AND MAINTENANCE / WATER WASH VALVE  
AUTOMATIC WATER SUPPLY LEAK PROOF VALVE  
ANTI-SLIP FOOT WHEEL  
AC220-240V ~ 50/60Hz 1800W



**SGS-312  
GARMENT STEAMER**

FOOT-ON/OFF SWITCH / MECHANICAL CONTROL  
AUTOMATIC CUT OFF WHEN WATER TANK IS EMPTY  
BIG WATER TANK OF 2.8 LITER CAPACITY  
AUTOMATIC RE-START AND DOUBLE SAFETY SYSTEM  
EXTENDABLE ALUMINUM SUPPORTING POLE  
BOTTOM DRAIN PLUG DESIGN EASY FOR CLEANING  
AND MAINTENANCE / WATER WASH VALVE  
AUTOMATIC WATER SUPPLY LEAK PROOF VALVE  
ANTI-SLIP FOOT WHEEL  
AC220-240V ~ 50/60Hz 1800W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGS-311	2 PCS	0.09540	9714226310089	586	1214	1424
SGS-312	2 PCS	0.09858	9714226310096	568	1176	1378

Model No : SGS-315



Model No : SGS-317N



**PORTABLE  
GARMENT STEAMER**

CONTINUOUS STEAM ACTION  
DETACHABLE WATER TANK CAPACITY: 250ML  
LIGHT WEIGHT AND COMPACT DESIGN  
REMOVABLE FABRIC BRUSH  
6 SMALL HOLE COME OUT NORMAL STEAM &  
STAINLESS STEEL PANEL  
220V-240V ; 50Hz-60Hz ; 900W-1100W ; Class I



**GARMENT STEAMER**

MECHANICAL CONTROL  
AUTO CUT OFF AND OVERHEAT PROTECTION  
WATER TANK CAPACITY: 1.8 LITRE  
WORKING TIME: 50-60 MINUTES  
EXTENDABLE ALUMINIUM SUPPORTING POLE AND HANGER  
BOTTOM WATER OUT LET FOR EASY MAINTENANCE  
WITH TRADITIONAL STEAM IRON PLATFORM  
ACCESSORIES: IRON BOARD, SPRAY HEAD & HOLDER, HANGER,  
TELESCOPIC POLE, STEAM PIPE & BRUSH  
AC 220-240V ~50/60Hz 2000W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGS-315	6 PCS	0.0445	9714226310126	4112	8526	9744
SGS-317N	2 PCS	0.1426	9714226310140	600	1200	1432

**Model No : SGS-321**

**SGS-321 GARMENT STEAMER**

MECHANICAL CONTROL  
 AUTOMATIC CUT OFF AND OVERHEAT PROTECTION  
 WORKING TIME : 40 MINS  
 WATER TANK CAPACITY 1.3 LITRE  
 EXTENDABLE ALLUMINIUM SUPPORTING POLE & HANGER  
 BOTTOM WATER OUTLET EASY MAINTENANCE  
 WATER WASH VALVE  
 ANTI-SLIP FOOT WHEEL  
 AC220-240V 50/60Hz 1700W

**1700**  
WATTS

**1.3**  
LITRES



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGS-321	4 PCS	0.1481	6291108474051	750	1560	1835

**Model No : SI-5067N**

**STEAM IRON**

STEAM/BURST STEAM/SPRAY/DRY IRON  
 SELF-CLEAN  
 CERAMIC COATED SOLEPLATE  
 220-240V ~ 50/60Hz 2000-2400W



**Model No : SI-5068C**

**STEAM IRON**

SPRAY/STEAM/BURST STEAM/ DRY  
 SELF CLEAN  
 CERAMIC COATED SOLEPLATE  
 220V-240V- 50Hz/60Hz 2000W - 2400W



**Model No : SI-5074N**

**STEAM IRON**

STEAM/BURST STEAM/SPRAY/DRY IRON  
 SELF-CLEAN  
 CERAMIC COATED SOLEPLATE  
 220-240V ~ 50-60Hz 2200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SI-5067N	6 PCS	0.0417	9714226340659	4026		9780
SI-5068C	6 PCS	0.05519	9714226340666	3042	6222	7298
SI-5074N	6 PCS	0.0445	9714226340734	3774		9168

Model No : SI-5075C



**STEAM IRON**

SPRAY/STEAM/BURST STEAM/ DRY  
SELF CLEAN  
LED DISPLAY WITH AUTO SHUT OFF  
ANTI CALC, ANTI DRIP FUNCTION  
CERAMIC COATED SOLEPLATE  
220V-240V ~ 50Hz/60Hz 2000W – 2400W



Model No : SI-5077T



**STEAM IRON**

STEAM/BURST STEAM/SPRAY/DRY IRON  
NON-STICK COATED SOLEPLATE  
220-240V ~ 50-60Hz 1600W



Model No : SI-5081C



**STEAM IRON**

STEAM/BURST STEAM/SPRAY/DRY IRON  
SELF-CLEAN  
CERAMIC COATED SOLEPLATE  
ANTI-CALC FUNCTION



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SI-5075C	6 PCS	0.05519	9714226340741	3042	6222	7298
SI-5077T	10 PCS	0.04232	6291108474075	6600		16060
SI-5081C	6 PCS	0.0367	6291108475348	4572	9480	11112

Model No : SI-5082C



**STEAM IRON**

STEAM / BURST STEAM /SPRAY / DRY IRON  
SELF-CLEAN  
CERAMIC COATED SOLEPLATE  
AC220-240V 50/60Hz 3000W



Model No : SDI-6010



**DRY IRON**

ALUMINUM SOLEPLATE  
OVER HEAT SAFETY PROTECTION  
EASY TEMPERATURE SETTINGS  
THERMOSTAT CONTROL  
STABLE HEEL REST  
POWER ON INDICATOR  
AC 220-240V 50/60Hz 1000-1200W



Model No : SDI-6016T



**DRY IRON**

ADJUSTABLE TEMPERATURE CONTROL  
INDICATOR LIGHT  
NON-STICK COATED SOLEPLATE  
220-240V ~ 50-60Hz 1200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SI-5082C	6 PCS	0.058	6291108477090	2892	5994	7032
SDI-6010	10 PCS	0.039	9714226340451	5680	11840	13920
SDI-6016T	10 PCS	0.051	6291108473467	5420		13160

Model No : SHI-6011



**HEAVY IRON**

GOLDEN CERAMIC COATED SOLEPLATE  
 OVER HEAT SAFETY PROTECTION  
 EASY TEMPERATURE SETTINGS  
 THERMOSTATCONTROL / STABLE HEEL REST  
 BUTTON GROOVE / POWER ON INDICATOR  
 AC 220-240V ~ 50/60Hz 1000-1200W



Model No : SHI-6012



**HEAVY IRON**

GREY CERAMIC COATED SOLEPLATE  
 OVER HEAT SAFETY PROTECTION  
 EASY TEMPERATURE SETTINGS  
 THERMOSTAT CONTROL  
 STABLE HEEL REST  
 BUTTON GROOVE  
 POWER ON INDICATOR  
 220-240V ~ 50/60Hz 1000-1200W



Model No : SHI-6020



**HEAVY IRON**

GOLDEN CERAMIC COATED SOLEPLATE  
 OVER HEAT SAFETY PROTECTION  
 EASY TEMPERATURE SETTINGS  
 THERMOSTAT CONTROL  
 STABLE HEEL REST  
 BUTTON GROOVE  
 POWER ON INDICATOR  
 AC220-240V 50/60Hz 1000-1200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHI-6011	6 PCS	0.03560	9714226340161	5400	10434	12000
SHI-6012	6 PCS	0.0358	9714226340444	4692	9720	11394
SHI-6020	6 PCS	0.03112	6291108478462	5394	11178	13110

Model No : SRC - 306 / 310 / 318 / 328

**SRC-306**



**SRC-310**



**RICE COOKER WITH STEAMER**

METAL HOUSING  
 TEMPERED GLASS LID  
 COOL TOUCH HANDLE  
 REMOVABLE COOKING POT  
 NON-STICK COATING INSIDE INNER POT  
 AUTO-POWER OFF  
 KEEP WARM FUNCTION  
 ACCESSORIES : STEAMER, MEASURING CUP & SPOON

**SRC-318**



SRC-306: 350W, 0.6L  
 SRC-310: 400W, 1.0L  
 SRC-318: 700W, 1.8L  
 SRC-328: 1000W, 2.8L

**SRC-328**



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SRC-306	6 PCS	0.0138	9714226200229	2016	4175	4898
SRC-310	6 PCS	0.01868	9714226200236	1500	3105	3640
SRC-318	4 PCS	0.0174	9714226200243	1065	2210	2595
SRC-328	4 PCS	0.0371	9714226200281	750	1560	1830

**Model No : SRC-342**



**4.2L RICE COOKER**

METAL HOUSING  
 STAINLESS STEEL LID  
 COOL TOUCH HANDLE  
 REMOVABLE COOKING POT  
 NON-STICK COATING INSIDE INNER POT  
 AUTO-POWER OFF  
 KEEP WARM FUNCTION  
 ACCESSORIES: MEASURING CUP & SPOON  
 220-240V 50-60Hz 1600W



**Model No : SRC-510**



**RICE COOKER**

COOL TOUCH BODY  
 REMOVABLE COOKING POT  
 NON-STICK COATING INSIDE INNER POT  
 AUTO SHUT OFF  
 COOK AND WARM FUNCTION  
 ACCESSORIES: PLASTIC STEAMER, MEASURING CUP  
 & SPOON  
 220-240V-50/60Hz 400W



**Model No : SRC-515**



**RICE COOKER WITH STEAMER**

COLOR STAINLESS STEEL BODY & LID  
 COOL TOUCH HANDLE  
 REMOVABLE COOKING POT  
 NON-STICK COATING INNER POT  
 AUTO-POWER OFF  
 KEEP WARM FUNCTION  
 ACCESSORIES : PLASTIC STEAMER, MEASURING  
 CUP & SPOON  
 220-240V- 50Hz /60Hz 500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SRC-342	1 PC	0.05468	6291108478561	512	1060	1243
SRC-510	6 PCS	0.0917	9714226200250	1830	3792	4446
SRC-515	6 PCS	0.0222	9714226200267	1258	2600	3056

**Model No : SB-133N**



**3 IN 1 BLENDER**

650W SUPER POWERFUL MOTOR  
 UNBREAKABLE BLENDER JAR  
 3 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.6L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220V-240V ~ 50Hz/60Hz 650W



**Model No : SB-144N**



**2 IN 1 BLENDER**

SUPER POWERFUL MOTOR  
 UNBREAKABLE BLENDER JAR  
 GRINDING CUP  
 2 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.25L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220V-240V ~ 50Hz/60Hz 350W



**Model No : SB-153N1**



**2 IN 1 BLENDER**

SUPER POWERFUL MOTOR  
 UNBREAKABLE BLENDER JAR  
 GRINDING CUP  
 2 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.5L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220V-240V ~ 50Hz-60Hz 350W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SB-133N	6 PCS	0.1369	9714226102691	1224	2538	2976
SB-144N	6 PCS	0.0862	9714226104152	1944		4728
SB-153N1	6 PCS	0.0845	9714226105555	1986		4824

**Model No : SB-154N**



**2 IN 1 BLENDER**

650W SUPER POWERFUL MOTOR  
 UNBREAKABLE BLENDER JAR  
 2 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.8L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220V-240V ~ 50Hz/60Hz 650W



**Model No : SB-160N**



**3 IN 1 BLENDER**

SUPER POWERFUL COPPPER MOTOR  
 UNBREAKABLE BLENDER JAR  
 GRINDING CUP  
 CHOPPER CUP  
 3 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.5L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220-240V ~ 50/60Hz 600W



**Model No : SB-161N**



**2 IN 1 BLENDER**

SUPER POWERFUL COPPPER MOTOR  
 UNBREAKABLE BLENDER JAR  
 GRINDING CUP  
 2 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.5L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220-240V ~ 50/60Hz 500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SB-154N	6 PCS	0.07818	9714226105562	2148	4446	5214
SB-160N	6 PCS	0.115	9714226106606	1458		3546
SB-161N	6 PCS	0.1087	9714226106613	1542		3750

**Model No : SB-164**



**SPORTS BLENDER & SMOOTHIE MAKER**

POWERFUL MOTOR  
 INCLUDING 1 EXTRA SPORT BOTTLES WITH LID 600ML  
 SPORT BOTTLE IS BPA-FREE AND DISHWASHER SAFE  
 BOTTLE CAPACITY: 600ML  
 STAINLESS STEEL 4-BLADES  
 ONE TOUCH BLENDING FOR QUICK AND EASY OPERATION  
 BLEND YOUR FAVORITE SMOOTHIES OR SHAKES RIGHT FROM THE SPORT BOTTLE  
 MOTOR OVERHEAT PROTECTION  
 AC220-240V 50/60Hz 300W



**Model No : SB-184**



**SPORTS BLENDER & SMOOTHIE MAKER**

4PCS STAINLESS STEEL BLADE FOR BLENDING  
 1 EXTRA SPORT BOTTLE WITH LID 570ML  
 SPORT BOTTLE IS BPA-FREE AND DISHWASHER SAFE  
 STAINLESS STEEL HOUSING  
 ONE BUTTON CONTROL WITH LED POWER LIGHT  
 MOTOR OVERHEAT PROTECTION  
 ANTI-SLIP FEET  
 BOTTLE CAPACITY: 570ML  
 220-240V ~ 50/60Hz 500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SB-164	6 PCS	0.066458	9714226107016	2520	5220	6120
SB-184	6 PCS	0.634	9714226107412	2646	5484	6432

Model No : SPB-194



**RECHARGEABLE PORTABLE BLENDER**

USB CHARGING FOR CORDLESS CONVENIENCE  
 STAINLESS STEEL BLADES  
 ONE BUTTON CONTROL WITH LED INDICATION  
 DETACHABLE DESIGN FOR EASY CLEANING  
 PLASTIC JAR: 350ML  
 WITH BELT FOR EASY CARRY  
 BATTERY: 1500mAh Li-Ion  
 DC 3.7V, POWER 40W



Model No : SB-151SS



**3 IN 1 MIXER GRINDER**

SUPER POWERFUL MOTOR  
 STAINLESS STEEL JAR, RAZOR SHARP STAINLESS STEEL BLADES, MOTOR OVER HEAT PROTECTION  
 SAFETY LOCK SYSTEM / HI GLOSS ABS BODY  
 3 SPEED WITH PULSE SWITCH  
 UNBREAKABLE POLYCARBONATE JAR LIDS  
 1.5L STAINLESS STEEL LIQUIDIZING JAR WITH CLIP LID  
 1.0L STAINLESS STEEL DRY/WET GRINDING JAR  
 0.4L STAINLESS STEEL DRY/WET GRINDING JAR  
 AC 220-240V 50/60Hz 750W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPB-194	40 PCS	0.0815	6291108476208	13720		33360
SB-151SS	2 SETS	0.0633	9714226105296	633	1265	1345

Model No : SB-185



**2 IN 1 MIXER GRINDER**

600W POWERFUL HYBRID MOTOR  
 FINEST QUALITY STAINLESS STEEL JAR SET  
 OVER LOAD PROTECTION FOR MOTOR  
 3 SPEED ROTARY CONTROL WITH INCHER SWIRL CONTROL REPLACEABLE BLADES  
 HARMONIC GRINDING TECHNOLOGY  
 DOUBLE OIL SEAL / OPTIMAL JAR AND BLADE FIT  
 INBUILT FLOW BREAKERS  
 1.5 LTR STAINLESS STEEL LIQUIDISER JAR  
 0.5 LTR STAINLESS STEEL CHUTNEY JAR  
 POLYCARBONATE JAR LID  
 FULL ABS BODY / AC 220-240V 50/60HZ 600W



Model No : SB-190



**3 IN 1 MIXER GRINDER**

POWERFUL COPPER MOTOR  
 PREMIUM QUALITY STAINLESS STEEL JAR SET  
 3 SUPER-EFFICIENT STAINLESS STEEL BLADES  
 OVER HEAT PROTECTION / ABS PLASTIC BODY  
 3 VARIABLE SPEED WITH INCHER  
 1.5L S/S LIQUIDIZING JAR  
 1.2L S/S DRY/WET GRINDING JAR  
 0.45L S/S CHUTNEY JAR  
 AC 220-240V,50/60HZ



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SB-185	4 PCS	0.1023	6291108473528	1152	2308	2700
SB-189	2 SETS	0.0527	6291108475614	1060	2200	2560
SB-190	2 SETS	0.04918	6291108475621	1100	2350	2750



**Model No : SB-193**



**3 IN 1 MIXER GRINDER**

POWERFUL COPPER MOTOR  
 PREMIUM QUALITY STAINLESS STEEL JARS  
 HEAT PROTECTION / HEAVY ABS PLASTIC BODY  
 3 VARIABLE SPEED WITH INCHER  
 1.75L S/S LIQUIDIZING JAR  
 1.0L S/S DRY/WET GRINDING JAR  
 0.5L S/S CHUTNEY JAR  
 AC 220-250, ~50/60Hz 750W



**Model No : SB-195**



**3 IN 1 MIXER GRINDER**

SUPER POWERFUL COPPER MOTOR  
 UNBREAKABLE BLENDER JAR  
 GRINDING CUP  
 CHOPPER CUP  
 2 SPEED SWITCH WITH PULSE CONTROL  
 BLENDER JAR CAPACITY 1.5L  
 STAINLESS STEEL BLADE  
 OVER HEAT PROTECTING SYSTEM  
 SAFETY LOCK SYSTEM  
 220-240V ~ 50/60Hz 600W



**Model No : SB-196**



**2 IN 1 MIXER GRINDER**

POWERFUL COPPER MOTOR  
 PREMIUM QUALITY STAINLESS STEEL JARS  
 OVERHEAT PROTECTION  
 HEAVY ABS PLASTIC BODY  
 3 VARIABLE SPEED WITH INCHER  
 1.75L S/S LIQUIDIZING JAR  
 0.5L S/S CHUTNEY JAR  
 AC 220-240V, ~ 50/60Hz 550W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SB-193	4 PCS	0.1283	6291108478158	860	1500	1820
SB-195	6 PCS	0.1156	6291108477854	1452	3006	3528
SB-196	4 PCS	0.1156	6291108478981	860	1500	1820

**Model No : SHB-154J**



**HAND BLENDER WITH STAINLESS STEEL SHAFT**

3 SPEED SETTINGS  
 PLASTIC JAR 1100ML  
 DISHWATER PROOF  
 ROBUST BLENDING WAND  
 DETACHABLE BLENDING ROD  
 220-240V ~ 50/60Hz 200W



**Model No : SHB-179JBCW**



**4 IN 1 HAND BLENDER WITH CHOPPER**

SPEED CONTROL  
 PLASTIC JAR 700ML  
 WITH BIG CHOPPER 500ML  
 WITH WHISK  
 DISHWATER PROOF  
 ROBUST BLENDING WAND  
 DETACHABLE BLENDING ROD  
 AC220-240V ~ 50/60Hz 600W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHB-154J	6 PCS	0.0573	9714226102639	3568	7136	8288
SHB-179JBCW	6 PCS	0.071232	9714226107054	2358	4884	5724

**Model No : SHB-184JCW**



**4 IN 1 HAND BLENDER**

HAND BLENDER WITH PLASTIC HOUSING  
STAINLESS STEEL SHAFT  
2 SPEED SETTINGS  
PLASTIC JAR 600ML  
LARGE CHOPPER 500ML  
WITH WHISK  
DETACHABLE BLENDING ROD  
220-240V ~ 50/60Hz 400W



**Model No : SHB-185JCW**



**4 IN 1 HAND BLENDER WITH CALIBRATED BEAKER**

HAND BLENDER WITH PLASTIC HOUSING  
STAINLESS STEEL SHAFT  
2 SPEED SETTINGS  
PLASTIC JAR 700ML  
LARGE CHOPPER 500ML  
WITH WHISK  
DETACHABLE BLENDING ROD  
220-240V ~ 50-60Hz 250W



**Model No : SHB-186J**



**HAND BLENDER**

HAND BLENDER WITH PLASTIC HOUSING  
STAINLESS STEEL SHAFT  
2 SPEED SETTINGS  
PLASTIC JAR 700ML  
DETACHABLE BLENDER ROD  
220-240V ~ 50-60Hz 250W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHB-184JCW	8 PCS	0.07118	6291108477656	3144		7640
SHB-185JCW	8 PCS	0.0603	6291108477793	3712	7688	9016
SHB-186J	8 PCS	0.04027	6291108477830	5560	11520	13504

**Model No : SMX-111**



**5 SPEED HAND MIXER**

2 BEATERS FOR EGGS AND CREAMS  
2 HOOKS FOR MIXING DOUGH  
TURBO SWITCH  
AC 220-240V 50/60Hz 150W



**Model No : SMX-140**



**6 SPEED STAND MIXER WITH STAINLESS STEEL BOWL**

5L STAINLESS STEEL BOWL  
6 SPEED WITH PULSE CONTROL  
REMOVABLE BOWL FOR EASY OPERATION  
TILT-BACK HEAD FOR EASY ACCESS TO MIXTURE  
DETACHABLE ALUMINIUM DOUBLE BLADE FOR EASY CLEANING  
MOTOR OVER HEAT PROTECTION  
WITH TRANSPARENT BOWL COVER  
SKID RESISTANT FEET  
STANDARD ACCESSORIES: DOUGH HOOK, WHISK, BEATER  
ABS PLASTIC HOUSING  
220-240V ~ 50/60Hz 1000W



**Model No : SMX-144**



**5 SPEED HAND MIXER**

2 BEATERS FOR EGGS AND CREAMS  
2 HOOKS FOR MIXING DOUGH  
TURBO SWITCH  
220-240V ~ 50/60Hz 200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SMX-111	12 PCS	0.05160	9714226101885	6516	13032	15816
SMX-140	1 PC	0.03859	9714226106507	720	1500	1760
SMX-144	12 PCS	0.08596896	9714226107191	3908	8095	9491

**Model No : SJB-309**



**4 IN 1 JUICER / BLENDER**

2 SPEED WITH 'PULSE' SWITCH CONTROL  
 UNBREAKABLE JAR & MILLS  
 1.5L BLENDER JAR CAPACITY  
 MINCER & GRINDER MILL  
 STAINLESS STEEL GRATER & STRAINER  
 DETACHABLE PARTS FOR EASY CLEANING  
 COPPER MOTOR  
 MOTOR OVERHEAT PROTECTION  
 AC220-240V 50/60Hz 600W



**Model No : SJB-401N**



**4 IN 1 POWERFUL JUICER / BLENDER**

2 SPEED WITH PULSE CONTROL  
 2.4L PULP CONTAINER  
 1.0L JUICER JUG  
 1.5L UNBREAKABLE BLENDER JAR  
 UNBREAKABLE CHOPPER & GRINDER  
 WHOLE FRUIT JUICE EXTRACTOR  
 MOTOR OVER HEAT PROTECTION  
 STAINLESS STEEL BLADES & FILTER BASKET  
 SAFETY INTERLOCK



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SJB-309	4 PCS	0.138	9714226102776	808		1968
SJB-401N	4 PCS	0.2103	9714226106552	532		1292

**Model No : SPJ-501**



**JUICE EXTRACTOR**

2 SPEED / 1.8L PULP CONTAINER  
 WHOLE FRUIT JUICE EXTRACTOR  
 MOTOR OVERHEAT PROTECTION  
 STAINLESS STEEL BODY & MESH STRAINER  
 220-240V 50/60Hz 850W



**Model No : SMG-021N**



**MEAT GRINDER**

SUPER MAX LOCKED POWER : 1500W  
 STAINLESS STEEL BLADE  
 REVERSE FUNCTION  
 3 CUTTING PLATES  
 KUBBE ATTACHMENT  
 LARGE CAPACITY METAL HOPPER  
 220-240V - 50/60Hz 500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPJ-501	2 PCS	0.06998	9714226102790	800	1600	1844
SMG-021N	4 PCS	0.0912	9714226220227	1276	2596	2860

**Model No : SMC-12**



**CHOPPER**

SUPER POWERFUL COPPER MOTOR  
 PLASTIC JAR SPECIAL FOR BLENDING & CHOPPING  
 2 SPEED PUSH DOWN OPERATION  
 DOUBLE BLADE SYSTEM FOR SUPERIOR RESULTS.  
 MAX CAPACITY: 500ML  
 SAFETY LOCK SYSTEM  
 220V-240V ~ 50Hz/60Hz 500W



**Model No : SMC-13**



**CHOPPER**

MAX CAPACITY 350ML  
 PLASTIC JUG SPECIAL FOR BLENDING & CHOPPING  
 2 SPEEDS SWITCH BUTTON  
 220-240V ~ 50/60Hz 120W



**Model No : SMC-15**



**RECHARGEABLE MINI CHOPPER**

BOWL CAPACITY: 350ML  
 USB CHARGING FOR CORDLESS CONVENIENCE  
 STAINLESS STEEL BLADES  
 ONE BUTTON CONTROL WITH LED INDICATION  
 DETACHABLE DESIGN FOR EASY CLEANING  
 DC 3.7V FOR BUILT-IN BATTERY  
 DC 5V, 0.3A FOR USB CHARGING  
 RATED CURRENT: 10A  
 RATED POWER: 30W CLASS III  
 BATTERY: 1300mAh LI-ION



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SMC-12	12 PCS	0.08319	9714226106620	4032	8280	9720
SMC-13	12 PCS	0.06218625	9714226107214	5403	11192	13121
SMC-15	20 PCS	0.0426	6291108475973	13140		31920

**Model No : SMC-22**



**CHOPPER**

300W SUPER POWERFUL COPPER MOTOR  
 UNBREAKABLE PC JAR  
 2 SPEED PUSH DOWN OPERATION  
 DOUBLE S/S BLADE SYSTEM FOR SUPERIOR RESULTS  
 MAX CAPACITY: 500ML  
 SAFETY LOCK SYSTEM  
 OVER HEAT PROTECTING SYSTEM  
 AC 220-240V 50-60Hz 300W



**Model No : SMC-23G**



**CHOPPER**

SUPER POWERFUL COPPER MOTOR  
 MAX CAPACITY: 3L  
 SPECIAL GLASS JAR FOR BLENDING & CHOPPING  
 2 SPEED OPERATION  
 4 LAYERS STAINLESS STEEL BLADES FOR SUPERIOR RESULTS  
 SAFETY LOCK SYSTEM  
 OVER HEAT PROTECTION SYSTEM  
 STAINLESS STEEL BODY/ GEAR AND CUTTER POLE  
 ANTI-SLIP RING  
 ACCESSORIES: 1PC SCRAPER BLADE, 1PC EGG BEATER, 1PC GARLIC PEELER  
 AC 220-240V 50-60Hz 300W



**Model No : SMC-24S**



**CHOPPER**

SUPER POWERFUL COPPER MOTOR  
 MAX CAPACITY: 3L  
 STAINLESS STEEL JAR FOR BLENDING & CHOPPING  
 3 SPEED OPERATION  
 4 LAYERS STAINLESS STEEL BLADES FOR SUPERIOR RESULTS  
 SAFETY LOCK SYSTEM  
 OVER HEAT PROTECTION SYSTEM  
 STAINLESS STEEL BODY WITH HANDLE/ GEAR AND CUTTER POLE  
 ANTI-SLIP RING  
 ACCESSORIES: 1PC SCRAPER BLADE, 1PC EGG BEATER, 1PC GARLIC PEELER  
 AC 220-240V 50-60Hz 300W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SMC-22	12 PCS	0.05933	6291108478578	5664	11736	13752
SMC-23G	6 PCS	0.1243	6291108478592	1350		3282
SMC-24S	6 PCS	0.10976	6291108478608	1530		3714

**Model No : SCJ-324**



**CITRUS JUICER**

40W MOTOR  
1.2L CAPACITY  
TWO WAY ROTATION CONES  
WITH CONES AND FILTER  
ANTI DUST COVER  
OVER HEAT PROTECTING SYSTEM  
AC220-240V ~ 50/60Hz 40W



**Model No : ST-209**



**2 SLICE BREAD TOASTER**

COOL TOUCH BODY  
ELECTRONIC HEATING CONTROL  
DEFROST, REHEAT, CANCEL BUTTON  
PILOT LAMPS  
BUN WARMER  
SLIDE OUT CRUMB TRAY  
AC220-240V 50/60Hz 730-870W



**Model No : ST-210**



**2 SLICE BREAD TOASTER**

COOL TOUCH BODY  
ELECTRONIC HEATING CONTROL  
DEFROST, REHEAT, CANCEL BUTTON  
PILOT LAMPS  
BUN WARMER  
SLIDE OUT CRUMB TRAY  
AC220-240V 50-60Hz 750W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SCJ-324	8 PCS	0.06699	6291108477052	3336	6920	8120
ST-209	6 PCS	0.0756	9714226106262	2220	4560	5340
ST-210	6 PCS	0.06687	6291108478240	2508	5202	6096

**Model No : SKT-1001**



**0.5 LITRE STAINLESS STEEL CORDLESS KETTLE**

STAINLESS STEEL BODY  
CONCEALED HEATING ELEMENT  
BOIL - DRY PROTECTION  
AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
ON/OFF SWITCH AND INDICATOR LIGHT  
220-240V 50-60Hz 1000W



**Model No : SKT-1804**



**1.8 LITRES STAINLESS STEEL CORDLESS KETTLE**

360 DEGREE CORDLESS KETTLE  
STAINLESS STEEL BODY WITH SPRAY COATING  
CONCEALED HEATING ELEMENT  
BOIL-DRY PROTECTION  
AUTOMACTICALLY TURNS OFF WHEN WATER BOILS  
ON/OFF SWITCH AND LIGHT INDICATOR  
220-240V~ 50/60Hz 1850W-2200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SKT-1001	24 PCS	0.0899	9714226105234	7560	15600	18240
SKT-1804	12 PCS	0.1014	9714226106316	3200	6800	8100

**Model No : SKT-1808N**



**1.8 LITRES CORDLESS KETTLE**

STAINLESS STEEL BODY  
 360 DEGREE ROTATION  
 DOUBLE LAYER BODY  
 CONCEALED HEATING ELEMENT  
 BOIL-DRY PROTECTION  
 AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
 ON/OFF SWITCH AND LIGHT INDICATOR  
 220-240V~ 50/60Hz 1360-1620W



**Model No : SKT-1809**



**1.8 LITRES GLASS KETTLE**

360 DEGREE CORDLESS KETTLE  
 CONCEALED HEATING ELEMENT  
 BOIL-DRY PROTECTION  
 AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
 ON/OFF SWITCH AND LIGHT INDICATOR  
 SAFETY LOCK LID  
 220-240V~ 50-60Hz 1500W



**Model No : SKT-1810**



**1.8 LITRES CORDLESS KETTLE**

304 STAINLESS STEEL BODY  
 THREE LAYER COOL TOUCH BODY  
 SEAMLESS BODY DESIGN  
 360 DEGREE ROTATION  
 CONCEALED HEATING ELEMENT  
 BOIL-DRY PROTECTION  
 AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
 ON/OFF SWITCH AND LIGHT INDICATOR



**1.8 LITRE CORDLESS KETTLE**

1.8L CAPACITY  
 360 DEGREE CORDLESS KETTLE  
 BODY MATERIAL : FOOD GRADE PP MATERIAL 0.28MM 201SUS  
 STAINLESS STEEL INNER LID  
 CONCEALED HEATING ELEMENT  
 BOIL -DRY PROTECTION  
 AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
 ON/OFF SWITCH AND INDICATOR LIGHT  
 220-240V 50-60Hz 1500W



**Model No : SKT-1811N**



**Model No : SKT-1813**



**1.8 LITRE CORDLESS KETTLE**

STAINLESS STEEL BODY  
 360 DEGREE ROTATION  
 CONCEALED HEATING ELEMENT  
 BOIL-DRY PROTECTION  
 AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
 ON/OFF SWITCH AND LIGHT INDICATOR  
 220-240V~ 50-60Hz 1500W



**Model No : SKT-1815**



**1.8 LITRE CORDLESS KETTLE**

1.8L CAPACITY  
 360 DEGREE CORDLESS KETTLE  
 STAINLESS STEEL BODY  
 CONCEALED HEATING ELEMENT  
 BOIL -DRY PROTECTION  
 AUTOMATICALLY TURNS OFF WHEN WATER BOILS  
 ON/OFF SWITCH AND INDICATOR LIGHT  
 220-240V~ 50-60Hz 1500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SKT-1808N	12 PCS	0.1162	9714226107085	2880		7020
SKT-1809	12 PCS	0.1395	6291108475928	2440		5856
SKT-1810	12 PCS	0.1337	6291108476840	2520		6096

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SKT-1811N	12 PCS	0.1875	6291108476901	3060	6240	7320
SKT-1813	12 PCS	0.0966	6291108476871	3480		8448
SKT-1815	12 PCS	0.098	6291108478851	3432	7104	8400

**Model No : SGT-842N1**



**4 SLICE GRILL MAKER**

COOL TOUCH BODY  
NON STICK GRILL PLATE FOR EASY USE AND CLEANING  
OVERHEAT PROTECTION  
TWO INDICATOR LIGHTS FOR POWER ON & READY  
CONVENIENT HANDLE LOCKING SYSTEM  
220-240V~, 50/60Hz, 1400W



**Model No : SGT-851**



**4 SLICE GRILL & SANDWICH MAKER**

VARIABLE NON-STICK TEFLON COATED PLATE  
COOL TOUCH PLATIC BODY  
THERMOSTAT CONTROL  
INDICATOR LAMPS  
OVERHEAT SAFETY PROTECTION  
POWER CORD STORAGE  
220-240V 50/60Hz 1100W  
COLOR: INJECTION BLACK COLOR



**HqModel No : SGT-853N**



**2 SLICE GRILL MAKER**

COOL TOUCH BODY  
STAINLESS STEEL TOP COVER SURFACE  
NON STICK GRILL PLATE FOR EASY USE AND CLEANING  
OVERHEAT PROTECTION  
TWO INDICATOR LIGHTS FOR POWER ON & READY  
CONVENIENT HANDLE LOCKING SYSTEM  
220-240V~, 50/60Hz, 750W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGT-842N1	6 PCS	0.0947	9714226102424	1800	3690	4290
SGT-851	4 PCS	0.0673	9714226103971	1640	3320	3792
SGT-853N	10 PCS	0.0715	9714226104428	4500	9500	11150

**Model No : SGT-854**



**DELUXE CONTACT GRILL**

NON-STICK COATED PLATES FOR EASY CLEANING  
STAINLESS STEEL BODY AND BRUSH FINISH / VARIABLE  
TEMPERATURE CONTROL WITH LOW/MID/HIGH  
DUAL INDICATOR PILOT LIGHTS FOR POWER ON AND READY  
GRILL CHANNELS CARRYING OFF GREASE AND FAT  
CORD WRAP AND STAND UPRIGHT FOR COMPACT STORAGE  
WITH DRIP TRAY TO STORE FAT  
AC220-240V 50/60Hz 2000W



**Model No : SGT-854N**



**4 SLICE CONTACT GRILL MAKER**

COOL TOUCH SS HANDLE  
STAINLESS STEEL TOP COVER SURFACE  
NON STICK GRILL PLATE FOR EASY USE AND CLEANING  
OVERHEAT PROTECTION  
ADJUSTABLE TEMPERATURE CONTROL WITH LOW/MED/HIGH  
OPEN UPTO 180°  
DUAL INDICATING PILOT LIGHTS FOR POWER ON & READY  
WITH DRIP TRAY TO STORE FAT  
220-240V~, 50/60Hz, 2000W



**Model No : SSM-856N**



**2 SLICE SANDWICH MAKER**

COOL TOUCH BODY  
NON-STICK SANDWICH PLATE  
TWO INDICATORS LIGHTS FOR POWER ON & READY  
LOCKING SYSTEM  
AUTOMATIC TEMPERATURE CONTROL  
220-240V~, 50-60Hz, 750W, CLASS I



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGT-854	4 PCS	0.07975	9714226104442	1404	2909	3410
SGT-854N	6 PCS	0.01349	9714226104442	1260	2580	3000
SSM-856N	10 PCS	0.07260	9714226104435	3994	8126	9504

**Model No : SSM-861**



**3 IN 1 MULTI SNACKS MAKER**

BAKELITE HOUSING WITH BRUSHED STAINLESS STEEL DECORATION  
 COOL TOUCH HANDLE  
 DETACHABLE SANDWICH/GRILL/WAFFLE MAKING PLATES  
 AUTO THERMOL CUT OFF  
 OVERHEAT PROTECTION  
 NON-STICK COATING PLATE FOR EASY USE AND CLEANING  
 TWO INDICATOR LIGHTS FOR POWER ON AND READY  
 SKID-RESISTANT FEET  
 STAND UPRIGHT FOR COMPACT STORAGE  
 220-240V- 50/60Hz 1400W



**Model No : SSM-862**



**7 IN 1 MULTI SNACKS MAKER**

BAKELITE HOUSING WITH BRUSHED STAINLESS STEEL DECORATION  
 COOL TOUCH HANDLE  
 DETACHABLE SANDWICH/GRILL/DONUT/WAFFLE/ CUPCAKE/NUTTY/OMELET MAKING PLATES  
 AUTO THERMOL CUT / OVERHEAT PROTECTION  
 NON-STICK COATING PLATE FOR EASY USE AND CLEANING  
 TWO INDICATOR LIGHTS FOR POWER ON AND READY  
 SKID-RESISTANT FEET  
 STAND UPRIGHT FOR COMPACT STORAGE  
 220-240V- 50/60Hz 640-760W



**Model No : SGT-880**



**2 SLICE GRILL MAKER**

COOL TOUCH SAFE HANDLE  
 NON STICK GRILL PLATE FOR EASY USE AND CLEANING  
 OVERHEAT PROTECTION  
 INDICATOR LIGHT  
 AUTOMATIC TEMPERATURE CONTROL  
 220-240V-, 50/60Hz, 700W



**2 SLICE GRILL MAKER**

COOL TOUCH HANDLE  
 STAINLESS STEEL TOP COVER SURFACE  
 NON-STICK GRILL PLATE FOR EASY USE & CLEANING  
 OVERHEAT PROTECTION  
 TWO INDICATOR LIGHTS FOR POWER ON & READY  
 CONVENIENT HANDLE LOCKING SYSTEM  
 CORD STORAGE DESIGNING AT THE BOTTOM  
 220-240V -, 50-60 Hz, 750W, CLASS I



**Model No : SGT-883**



**Model No : SSM-884**



**2 SLICE SANDWICH MAKER**

COOL TOUCH HANDLE  
 STAINLESS STEEL TOP COVER SURFACE  
 NON-STICK SANDWICH PLATE FOR EASY USE & CLEANING  
 OVERHEAT PROTECTION  
 TWO INDICATOR LIGHTS FOR POWER ON & READY  
 CONVENIENT HANDLE LOCKING SYSTEM  
 CORD STORAGE DESIGNING AT THE BOTTOM  
 220-240V -, 50-60 Hz, 750W, CLASS I



**Model No : SNM-878**



**NUTTY MAKER**

COOL TOUCH HANDLE  
 UPRIGHT FOR STORAGE  
 NON STICK PLATE FOR EASY USE AND CLEANING  
 OVERHEAT PROTECTION  
 TWO INDICATOR LIGHTS FOR POWER ON & READY  
 CONVENIENT HANDLE LOCKING SYSTEM  
 220-240V-, 50/60Hz, 1400W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SSM-861	4 PCS	0.0474	9714226106170	2350	4800	5700
SSM-862	4 PCS	0.0743	9714226106187	1500	3100	3600
SGT-880	8 PCS	0.0787	6291108477458	2880	5920	6880

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SGT-883	6 PCS	0.0366	6291108479070	4572	9504	11124
SSM-884	6 PCS	0.03525	6291108479087	4752	9864	11556
SNM-878	6 PCS	0.0852	6291108476345	1980	4080	4800



**Model No : SABM-863**



**2 IN 1 ARABIC BREAD & PIZZA MAKER**

HIGH QUALITY STAINLESS STEEL TUBE  
 DIAMETER SIZE: 30CM  
 NON-HEATING TOUCH HANDLES FOR EASY CARRYING  
 NON-STICK COATING FOR EASY COOKING & CLEANING  
 180-240 ADJUSTABLE HIGH TEMPERATURE FOR FAST ROASTING  
 ON/OFF SWITCH AND RED LIGHT INDICATOR  
 2.5MM THICKNESS DIE CAST COOKING PLATE  
 TEMPERATURE CONTROL  
 HIGH TEMPERATURE FOR FAST ROASTING  
 EASY TO SEE COOKING WITH WINDOWS  
 POWER: 220- 240V. 50/60Hz 1800W



**Model No : SWM-867**



**DUAL CUP WAFFLE MAKER**

NON-STICK COATED SURFACE  
 AUTOMATIC TEMPERATURE CONTROL  
 COOL TOUCH HANDLE  
 EASY TO CLEANER  
 POWER & READY INDICATOR LIGHT  
 CORD-WRAP FOR STORAGE  
 220-240V~ 50/60Hz 600W



**Model No : SWM-873**



**2 SLICE WAFFLE MAKER**

NON-STICK WAFFLE PLATE FOR EASY USE AND CLEANING  
 COOL TOUCH BODY  
 STAINLESS STEEL TOP COVER SURFACE  
 CHROMED TOP COVER SURFACE  
 OVERHEAT PROTECTION  
 TWO INDICATOR LIGHTS FOR POWER ON & READY  
 NON STICK WAFFLE PLATE FOR EASY USE AND CLEANING  
 CONVENIENT HANDLE LOCKING SYSTEM  
 220-240V, 50-60Hz 750W, CLASS I



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SABM-863	4 PCS	0.09972	9714226107115	1123	2326	2727
SWM-867	6 PCS	0.0690	9714226107238	2500	5100	6000
SWM-873	10 PCS	0.0715	6291108473757	3900	8100	9500

**Model No : SPCM-100**



**POPCORN MAKER**

WITH MEASURING CUP  
 PLASTIC HOUSING  
 TRADITIONAL/CLASSIC STYLE  
 CAPACITY: 60G  
 HOT AIR POPCORN MAKER  
 220-240V-50/60Hz 1200W



**Model No : SCPM-872**



**CAKE POP MAKER**

BAKE 12 CAKE POPS  
 NON-STICK COATING BAKING PLATE  
 COOL TOUCH HOUSING  
 POWER ON AND READY LIGHT INDICATOR  
 THERMOSTAT FOR TEMPERATURE CONTROL  
 220-240V, 50/60Hz, 1000-1200W



**Model No : SEB-77**



**EGG BOILER**

COOKS 7 EGGS AT ONE TIME  
 AUTO STEPLESS TEMPERATURE REGULATION  
 STAINLESS STEEL HEATING PLATE  
 OVER HEAT PROTECTION  
 PC COVER LID  
 FOOD GRADE MATERIAL  
 WITH MEASURING CUP AND EGG BOWL  
 220-240V~, 50/60Hz, 360W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPCM-100	6 PCS	0.0634	9714226106194	2700	4700	6500
SCPM-872	6 PCS	0.0680	6291108473597	2460	5040	6000
SEB-77	18 PCS	0.0042	6291108477885	5850	12132	14232

**Model No : SCM-4960**



**3 IN 1 COFFEE MACHINE**

15 BAR POWERFUL PRESSURE FOR RICH TASTE  
 1.4L LARGE DETACHABLE WATER TANK  
 EASY-TO USE FILTER FOR GROUND COFFEE  
 STAINLESS STEEL FILTER FOR 2 CUPS  
 STEAM NOZZLE FOR FROTHY CAPPUCCINO  
 3 SWITCHES WITH INDICATOR LIGHTS TO MAKE COFFEE OR STEAM  
 CONVENIENTLY / MANUAL DELIVERY OF COFFEE  
 DETACHABLE DRIP TRAY / HOT WATER FUNCTION  
 OVERPRESSURE SAFETY PROTECTION  
 ELEGANT DESIGN WITH STAINLESS STEEL DECORATION  
 ACCESSORIES: 1 FILTER HOLDER, 1 FILTER AND 1 MEASURING SCOOP  
 230V-50HZ 850W



**Model No : SCM-4963**



**ALL IN ONE COFFEE MAKER**

15BAR POWERFUL PRESSURE EQUIPPED WITH STEAM -CONTROL KNOB  
 ULKA ITALY PUMP  
 1.0L LARGE DETACHABLE WATER TANK  
 EASY-TO USE FILTER FOR GROUND COFFEE  
 DUAL-STAINLESS STEEL FILTER FOR 2CUPS  
 STEAM NOZZLE FOR FROTHY CAPPUCCINO  
 DETACHABLE DRIP TRAY / HOT WATER FUNCTION  
 OVERPRESSURE & OVERHEAT SAFETY PROTECTION  
 ACCESSORIES : 1 FILTER HOLDER ,1 FILTER AND 1 MEASURING SCOOP  
 AC220-240V 50/60Hz 850W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEB-77	18 PCS	0.0042	6291108477885	5850	12132	14232
SCM-4960	2 PCS	0.066196	9714226107153	844	1752	2050
SCM-4963	2 PCS	0.0434	6291108474570	1300		3150

**Model No : SCM-4964**



**ALL IN ONE COFFEE MAKER**

15BAR POWERFUL PRESSURE EQUIPPED WITH STEAM -CONTROL KNOB  
 ULKA ITALY PUMP  
 TOUCH CONTROL PANEL  
 1.6L LARGE DETACHABLE WATER TANK  
 EASY-TO USE FILTER FOR GROUND COFFEE  
 DUAL-STAINLESS STEEL FILTER FOR 2CUPS  
 STEAM NOZZLE FOR FROTHY CAPPUCCINO  
 DETACHABLE DRIP TRAY  
 HOT WATER FUNCTION  
 OVERPRESSURE & OVERHEAT SAFETY PROTECTION  
 ACCESSORIES : 1 FILTER HOLDER ,1 FILTER AND 1 MEASURING SCOOP  
 AC220-240V 50/60Hz 850W



**Model No : SCM-4965**



**ALL IN ONE COFFEE MAKER**

15BAR POWERFUL PRESSURE EQUIPPED WITH STEAM -CONTROL KNOB  
 ULKA ITALY PUMP  
 1.6L LARGE DETACHABLE WATER TANK  
 EASY-TO USE FILTER FOR GROUND COFFEE  
 DUAL-STAINLESS STEEL FILTER FOR 2CUPS  
 STEAM NOZZLE FOR FROTHY CAPPUCCINO  
 DETACHABLE DRIP TRAY  
 HOT WATER FUNCTION  
 OVERPRESSURE & OVERHEAT SAFETY PROTECTION  
 ACCESSORIES : 1 FILTER HOLDER ,1 FILTER AND 1 MEASURING SCOOP  
 AC220-240V 50/60Hz 850W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SCM-4964	2 PCS	0.059	6291108474587	950		2300
SCM-4965	2 PCS	0.062	6291108474594	905		2200

**Model No : SCM-4969**



**3 IN 1 CAPSULE COFFEE MAKER**

19 BAR POWERFUL PRESSURE FOR RICH TASTE.  
 CHROME FINISH HANDLE AND DIP TRAY COVER.  
 600ML DETACHABLE WATER TANK.  
 SELECT SHORT ESPRESSO/LONG NESPRESSO  
 WITH LED INDICATOR LIGHT.  
 15MIN STANDBY.  
 AUTO OR MANUAL SHUT OFF  
 3 OPTIONAL ADAPTORS: NESPRESSO,  
 DOLCE GUSTO, COFFEE POWDER.  
 220-240V~,50/60Hz ,1450W



**Model No : SCG-4006**



**COFFEE/SPICE GRINDER**

DETACHABLE STAINLESS STEEL JAR  
 CAPACITY: 0.8L  
 STAINLESS STEEL BLADE  
 3 SPEED SWITCH  
 MOTOR OVER HEAT PROTECTION  
 220V-240V ~ 50Hz-60Hz 350W



**Model No : SCG-4007**



**MULTIPURPOSE COFFEE GRINDER**

STAINLESS STEEL BLADE  
 250W COPPER MOTOR  
 MULTI-FUNCTIONAL CAN GRIND DRY INGREDIENTS OF SPICES  
 PLASTIC HOUSING WITH TRANSPARENT COVER  
 STAINLESS STEEL GRINDING BOWL  
 GRINDING BOWL CAPACITY: 220ML  
 PUSH BUTTON FOR ON/OFF  
 LOW NOISE DESIGN  
 220V-240V ~ 50Hz-60Hz 250W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SCM-4969	4 PCS	0.08775	6291108475058	1912	3960	4700
SCG-4006	6 PCS	0.0685	9714226107443	2448	5076	5952
SCG-4007	12 PCS	0.0326	6291108478165	10296	21348	25020

**Model No : STCM-4962**



**TURKISH COFFEE MAKER**

IDEAL BREWING AT LOW HEAT  
 DOUBLE-SIDED COFFEE POT  
 COFFEE POT CAPACITY 400ML: CAN MAKE 1-4 COFFEE CUPS  
 AUTO CUT-OFF / 304 HEATING ELEMENT  
 SAFETY SYSTEM AGAINST OVERHEATING  
 AND BOIL DRY PROTECTION.  
 LIGHT & SOUND INDICATION / NON-SLIP BASE  
 SPOON FOR IDEAL MEASUREMENT OF COFFEE  
 ON/OFF BUTTON  
 220-240V ~ 50/60Hz 500W



**Model No : STCM-4972**



**TURKISH COFFEE MAKER**

0.8L CAPACITY  
 360 DEGREE CORDLESS  
 STAINLESS STEEL BODY  
 DETACHABLE HANDLE  
 MULTI-USE FOR COFFEE/TEA/MILK  
 CONCEALED HEATING ELEMENT  
 BOIL-DRY PROTECTION  
 ON/OFF SWITCH AND LIGHT INDICATOR  
 220-240V~ 50-60Hz 800W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
STCM-4962	8 PCS	0.0832	6291108473993	2688		6536
STCM-4972	40 PCS	0.1345	6291108478219	8360	17280	20240

**Model No : STCM-4973**



**TURKISH COFFEE MAKER**

IDEAL BREWING AT LOW HEAT  
 DOUBLE -SIDED COFFEE POT  
 COFFEE POT CAPACITY 250ML ,CAN MAKE 1-4 COFFEE CUPS  
 AUTO CUT-OFF / 304SS HEATING ELEMENT  
 SAFETY SYSTEM AGAINST OVERHEATING AND BOIL DRY PROTECTION  
 LIGHT & SOUND INDICATION / NON-SLIP BASE  
 SPOON FOR IDEAL MEASUREMENT OF COFFEE  
 ON/OFF BUTTON / 220-240V~ 50-60Hz 500W



**Model No : STCM-4974**



**TURKISH COFFEE MAKER**

IDEAL BREWING AT LOW HEAT  
 DOUBLE -SIDED COFFEE POT  
 COFFEE POT CAPACITY 250ML ,CAN MAKE 1-4 COFFEE CUPS  
 AUTO CUT-OFF / 304SS HEATING ELEMENT  
 SAFETY SYSTEM AGAINST OVERHEATING AND BOIL DRY PROTECTION  
 LIGHT & SOUND INDICATION / NON-SLIP BASE  
 SPOON FOR IDEAL MEASUREMENT OF COFFEE  
 ON/OFF BUTTON / 220-240V~ 50-60Hz 500W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
STCM-4973	12 PCS	0.1028	6291108478424	3240	6768	7920
STCM-4974	12 PCS	0.1030	6291108478431	3216	6748	7872

**Model No : SBF-7030**



**10" BOX FAN**

3 SPEEDS SELECTOR  
 1 HOUR TIMER  
 ROTATING FRONT LOUVER  
 PROTECTIVE GRILL FOR SAFETY  
 220V-240V ~ 50Hz 50W



**Model No : SBF-7031**



**12" BOX FAN**

3 SPEEDS SELECTOR  
 1 HOUR TIMER  
 ROTATING FRONT LOUVER  
 PROTECTIVE GRILL FOR SAFETY  
 220V-240V ~ 50Hz 50W



**Model No : SBF-7032**



**12" BOX FAN**

3 SPEEDS SELECTOR  
 1 HOUR TIMER  
 ROTATING FRONT LOUVER  
 PROTECTIVE GRILL FOR SAFETY  
 220V-240V ~ 50Hz 50W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SBF-7030	1 PC	0.02106	9714226260568	1320	2750	3220
SBF-7031	1 PC	0.0273	9714226260575	1025	2124	2490
SBF-7032	1 PC	0.0259	9714226260582	1080	2230	2625

Model No : SRF-004



**4" RECHARGEABLE MINI FAN**

4" RECHARGEABLE MINI FAN  
2 SPEEDS  
5V USB CHARGE  
WITH OVER-CHARGE AND OVER-DISCHARGE PROTECTION FUNCTION  
3.7V 1.2Ah LITHIUM RECHARGEABLE BATTERY  
CHARGE TIME: 4-6 HOURS  
DURATION: 1.5 HOURS/HIGH, 3 HOURS/LOW  
FIRST CHARGE MUST BE AT LEAST 24HOURS  
POWER SOURCE: DC 5V INPUT, 5W



Model No : SRF-015



**5" RECHARGEABLE MINI FAN**

5" RECHARGEABLE MINI FAN  
2 SPEEDS  
5V USB CHARGE  
CHARGING INDICATOR  
WITH OVER-CHARGE AND OVER-DISCHARGE PROTECTION FUNCTION  
3.7V 2.0Ah LITHIUM RECHARGEABLE BATTERY  
CHARGE TIME :4-6HOURS  
DURATION : 2 HOURS/HIGH, 4.5 HOURS/LOW  
FIRST CHARGE MUST BE AT LEAST 24HOURS  
POWER SOURCE : DC 5V INPUT



Model No : SRF-104N



**4" RECHARGEABLE MINI FAN**

4" RECHARGEABLE MINI FAN  
3 SPEEDS  
5V TYPE-C CHARGE  
WITH OVER-CHARGE AND OVER-DISCHARGE PROTECTION FUNCTION  
3.7V 1200mAh LITHIUM RECHARGEABLE BATTERY  
CHARGE TIME: 2-3HOURS  
WORKING TIME: HIGH-1HR ,MEDIUM 2-2.5HOURS,LOW 3.5-4HOURS  
FIRST CHARGE MUST BE AT LEAST 24HOURS  
POWER SOURCE: DC 5V INPUT



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SRF-004	40 PCS	0.0977	9714226410321	11440	23720	27840
SRF-015	40 PCS	0.09253	9714226410338	12104	25072	30000
SRF-104N	60 PCS	0.1875	6291108473894	9000	18600	21780

Model No : SRF-105



**5" RECHARGEABLE CLIP FAN**

5" RECHARGEABLE CLIP FAN  
3 SPEEDS / 5V USB CHARGE  
WITH OVER-CHARGE AND OVER-DISCHARGE PROTECTION FUNCTION / 3.7V 1.8Ah LITHIUM RECHARGEABLE BATTERY  
CHARGE TIME: 6-8 HOURS / WORKING TIME: HIGH-1HR & 30MINS, MEDIUM-2.5HOURS, LOW-4HOURS  
FIRST CHARGE MUST BE AT LEAST 24HOURS  
POWER SOURCE: DC 5V INPUT



Model No : SRF-106



**6" RECHARGEABLE MINI FAN**

6" RECHARGEABLE MINI FAN  
AC/DC OPERATED  
LOW/MIDDLE/HIGH 3 SPEEDS  
TYPE-C RECHARGING SLOT / USB CHARGING CABLE  
WORKING & CHARGING INDICATOR  
3.7V 2000mAh RECHARGEABLE LITHIUM BATTERY  
OVER CHARGE AND OVER DISCHARGE PROTECTION  
CHARGING TIME : ABOUT 3HOURS  
WORKING TIME : ABOUT 2-5HOUR  
POWER : 3W / INPUT : DC 5V ,1A



**6" RECHARGEABLE MINI FAN**

6" RECHARGEABLE MINI FAN  
6PCS BRIGHT LED LIGHT  
AC/DC OPERATED  
SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
HIGH / MEDIUM / LOW 3SPEEDS  
WITH MICRO USB CHARGING SLOT /  
RED LED CHARGING INDICATOR  
OVER-CHARGE AND OVER-DISCHARGE PROTECTION  
BUILT-IN 2X 3.7V 1500mAh LITHIUM RECHARGEABLE BATTERY  
WORKING TIME: HIGH-3HRS & 15MINS, MEDIUM-6HOURS, LOW-14HOURS  
CHARGING TIME: APPROX. 7HOURS  
POWER SOURCE: DC 5V INPUT



Model No : SRF-607N



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SRF-105	40 PCS	0.1372	6291108478134	8160	16880	19800
SRF-106	36 PCS	0.1846	6291108477601	5472		13320
SRF-607N	10 PCS	0.055	9714226410345	5090		12400

**Model No : SRF-614**



**14" RECHARGEABLE FAN WITH REMOTE**

56PCS 2SIDES BRIGHT LED  
 LOW/MIDDLE/HIGH 3SPEEDS CONTROL  
 0.5H/2H/4H TIMER FUNCTION  
 USB FOR MOBILE CHARGING  
 1600RPM STRONG WIND  
 12V 7.0AH RECHARGEABLE LEAD-ACID BATTERY  
 FAN: 20HOURS\* CONTINUOUS WORKING FOR LOW SPEED  
 LED: 40HOURS CONTINUOUS WORKING FOR WEAK LIGHT  
 220-240V ~ 50/60Hz 40W ,CLASS II,T



**Model No : SRF-803**



**8" RECHARGEABLE TABLE FAN**

6PCS BRIGHT LED LIGHT  
 AC/DC OPERATED  
 HIGH / MEDIUM / LOW 3SPEEDS  
 WITH TYPE-C CHARGING SLOT  
 RED LED CHARGING INDICATOR  
 OVER CHARGE AND OVER DISCHARGE PROTECTION  
 BUILT-IN 2X 3.7V 1500mAh LITHIUM CHARGEABLE BATTERY  
 WORKING TIME : HIGH- 1.8-2.2HOURS\* ,MEDIUM-  
 4-4.5HOURS\*,LOW- 8-9HOURS\*  
 CHARGING TIME: APPROX.6-8HOURS  
 POWER SOURCE: DC 5V INPUT



**Model No : SRF-804**



**8" RECHARGEABLE TABLE FAN**

6PCS BRIGHT LED LIGHT  
 AC/DC OPERATED  
 HIGH / MEDIUM / LOW 3SPEEDS  
 WITH TYPE-C CHARGING SLOT  
 RED LED CHARGING INDICATOR  
 OVER CHARGE AND OVER DISCHARGE PROTECTION  
 BUILT-IN 2X 3.7V 1500mAh LITHIUM CHARGEABLE BATTERY  
 WORKING TIME : HIGH- 1.8-2.2HOURS\* ,MEDIUM-  
 4-4.5HOURS\*,LOW- 8-9HOURS\*  
 CHARGING TIME: APPROX.6-8HOURS  
 POWER SOURCE: DC 5V INPUT



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SRF-614	4 PCS	0.2332	6291108475935	500		1172
SRF-803	15 PCS	0.1393	6291108478738	3030	6300	7350
SRF-804	15 PCS	0.1158	6291108478745	3675	7500	8400

**16" WALL FAN WITH REMOTE CONTROL**

7.5 HOURS TIMER  
 3 SPEED SWITCH AND OSCILLATION FUNCTION  
 SELF-PROTECTION WHEN OVER HEATED  
 5 TRANSPARENT BLADE LEAF  
 KOREA GUARD RING  
 LOW NOISE COPPER MOTOR  
 AC220-240V ~ 50-60Hz 60W



**Model No : SF-8008N**



**8" 3 IN 1 CLIP, DESK & WALL FAN**

2 SPEED SWITCH  
 WHISPER QUIET OPERATION MOTOR  
 ADJUSTABLE TILT ANGLE HEAD FOR VERTICAL SETTING  
 OSCILLATION FUNCTION  
 220-240V ~ 50/60Hz 35W



**Model No : SF-8009CN**



**7" 3 IN 1 CLIP, DESK & WALL FAN**

2 SPEED SWITCH  
 WHISPER QUIET OPERATION MOTOR  
 ADJUSTABLE TILT ANGLE HEAD FOR VERTICAL SETTING  
 OSCILLATION FUNCTION  
 AC220-230V 50-60Hz 24W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SRF-614	4 PCS	0.2332	6291108475935	500		1172
SF-8008N	12 PCS	0.12716	9714226260292	2642		6408
SF-8009CN	6 PCS	0.0605	9714226260308	2772		6738

**Model No : SF-8025S**



**16" STAND FAN**

3 SPEEDS SWITCH AND OSCILLATION FUNCTION  
HEIGHT ADJUSTABLE  
SELF-PROTECTION WHEN OVER HEATED  
5 TRANSPARENT BLADE LEAF  
KOREA GUARD RING  
LOW NOISE COPPER MOTOR  
AC220-240V ~ 50/60Hz 60W

**3**  
SPEED

**Model No : SF-8026S**



**16" STAND FAN**

3 SPEEDS SWITCH AND OSCILLATION FUNCTION  
HEIGHT ADJUSTABLE  
SELF-PROTECTION WHEN OVER HEATED  
5 TRANSPARENT BLADE LEAF  
KOREA GUARD RING  
LOW NOISE COPPER MOTOR  
AC220-240V ~ 50/60Hz 60W

**3**  
SPEED

**Model No : SF-8027SR**



**16" STAND FAN WITH REMOTE CONTROL**

7.5 HOURS TIMER  
3 SPEEDS SWITCH AND OSCILLATION FUNCTION  
AUTO WIND FLOW FUNCTION / HEIGHT ADJUSTABLE  
SELF-PROTECTION WHEN OVER HEATED  
5 TRANSPARENT BLADE LEAF / KOREA GUARD RING  
LOW NOISE COPPER MOTOR  
AC220-240V ~ 50/60Hz 60W

**3**  
SPEED

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SF-8025S	1 PC	0.04831	9714226260513	580	1200	1400
SF-8026S	1 PC	0.04997	9714226260520	560	1160	1360
SF-8027SR	1 PC	0.04297	9714226260537	650	1340	1580

**Model No : SF-8028D**



**16" DESK FAN**

STREAMLINED AND PORTABLE DESIGN  
3 SPEEDS SWITCH AND OSCILLATION FUNCTION  
1 HOURS TIMER  
SELF-PROTECTION WHEN OVER HEATED  
5 TRANSPARENT BLADE LEAF  
KOREA GUARD RING  
LOW NOISE COPPER MOTOR  
AC220-240V ~ 50/60Hz 60W

**3**  
SPEED

**Model No : SF-8029W**



**16" WALL FAN**

CIRCULATING DOUBLE STRING SWITCH  
3 SPEEDS SWITCH AND OSCILLATION FUNCTION  
AUTO-PROTECTION WHEN OVER HEATED  
5 TRANSPARENT BLADE LEAF  
KOREA GUARD RING  
LOW NOISE COPPER MOTOR  
AC220-240V ~ 50/60Hz 60W

**3**  
SPEED

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SF-8028D	1 PC	0.04232	9714226260544	660	1370	1600
SF-8029W	1 PC	0.04126	9714226260551	680	1400	1600

**Model No : SF-8036T**



**TOWER FAN**

ROBUST BODY  
 POWERFUL COPPER MOTOR  
 3 SPEED CONTROL  
 SWING ON/OFF CONTROL  
 LONG AIR THROW 25 FEET DISTANCE  
 AIR DELIVERY 2500 M3/HR  
 4 WAY AIR THROW  
 5 STAGE BLOWER SYSTEM  
 ADJUSTABLE HORIZONTAL LOUVERS  
 BROAD BASE FOR STABILITY  
 AC 220-240V 50/60HZ 150W



**Model No : SAC-202**



**AIR COOLER**

12HOURS TIMER  
 3 MODES : NATURAL / SLEEP & NORMAL  
 3 SPEED: HIGH / MED / LOW  
 ELECTRONIC DISPLAY  
 WITH REMOTE CONTROL  
 WATER TANK CAPACITY: 6.0L  
 HONEY COMB PAPER FILTER FOR BETTER COOLING  
 2 ICE BOXES  
 WITH WHEELS  
 AUTO SWING FOR LEFT/RIGHT SIDE  
 220-240V- , 50-60Hz, 65W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SF-8036T	2 PCS	0.150	6291108473931	396	780	900
SAC-202	1 PC	0.0778	9714226105043	350	730	840

**Model No : SAC-203**



**AIR COOLER**

HONEYCOMB TECHNOLOGY  
 MOTORIZE LOUVERS  
 HIGH SPEED MOTOR  
 CASTOR WHELL FOR EASY MOVING  
 LARGE WATER TANK CAPACITY 15L  
 3 SPEED AIR FLOW  
 POWERFUL BLOWER  
 4 WAY AIR DEFLECTION  
 INTERNATIONAL STYLE  
 AIR THROW 25 FEET DISTANCE  
 WATER LEVEL INDICATOR  
 ICE CHAMBER  
 AIR DELIVERY 1250 M/HR.3  
 AC 220-240V 50/60HZ 160W



**Model No : SAC-204**



**AIR COOLER**

12HOURS TIMER  
 3 MODES : NATURAL / SLEEP & NORMAL  
 3 SPEED: HIGH / MED / LOW  
 ELECTRONIC DISPLAY  
 WITH REMOTE CONTROL  
 WATER TANK CAPACITY: 7.0L  
 HONEY COMB PAPER FILTER FOR BETTER COOLING  
 2 ICE BOXES  
 WITH WHEELS  
 AUTO SWING FOR LEFT/RIGHT SIDE  
 220-240V- , 50-60Hz, 85W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SAC-203	1 PC	0.190	9714226105661	150	310	340
SAC-204	1 PC	0.1230	9714226106255	240	490	580



**Model No : SHH-1000**



**HALOGEN HEATER**

400W/800W/1200W  
HEATING POWER OPTION  
AUTOMATIC TIO-OVER PROTECTION  
OSCILLATION FUNCTION  
EQUAL HEATING  
220-240V~, 50/60Hz, 1200W, CLASS I, IPX0



**Model No : SHH-1000R**



**HALOGEN HEATER WITH REMOTE**

400W/800W/1200W  
HEATING POWER OPTION / TIMER FUNCTION  
3 HALOGEN TUBES / 220-240V 50/60Hz  
AUTOMATIC TIP-OVER PROTECT  
STREAM LINED DESIGN, REFINEMENT  
REPEATING ROLLING FUNCTION  
SPECIAL PROCESSED HALOGEN TUBES  
LONG SPAN-LIFE / ALVEOLATE NET-BOARD  
EQUAL HEATING / WITH REMOTE CONTROL



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHH-1000	4 PCS	0.0898	9714226110115	1240	2600	3000
SHH-1000-R	4 PCS	0.0898	9714226110184	1240	2600	3000

**Model No : SQH-3000**



**QUARTZ HEATER**

400W/800W/1200W HEATING POWER OPTION  
AUTOMATIC TIO-OVER PROTECTION  
EQUAL HEATING  
220-240V~, 50/60Hz, 1200W, CLASS I, IPX0



**Model No : SCH-4000**



**CARBON HEATER**

2HEATING POWER: 450W/900W  
RADIANT ELECTRIC HEAT-WIDE ANGLE HEAT REFLECTORS  
SAFETY TIP-OVER SWITCH  
COOL TOUCH HOUSING  
BUILT-IN CARRY HANDLE  
WIDE ANGLE OSCILLATION FUNCTION  
220-240V, 50/60HZ, 900W CLASS II, IPX0



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SQH-3000	6 PCS	0.0737	9714226110146	2280	4800	5550
SCH-4000	1 PC	0.035216	6291108478936	800	1650	1950

**Model No : SFH-904**



**FAN HEATER**

2 HEATING POWER: 1000W / 2000W  
 COOL/WARM/HOT WIND FOR SELECTION  
 ADJUSTABLE ROOM THERMOSTAT  
 AUTOMATIC PROTECTION  
 POWER INDICATOR LIGHT  
 220-240v, 50-60Hz, 2000W, CLASS II, IPX0



**Model No : SFH-907**



**FAN HEATER**

2 HEATING POWER: 1000W/2000W  
 ADJUSTABLE THERMOSTART  
 OVER HEAT PROTECTION  
 COOL/WARM /HOT WIND SELECTION  
 POWER INDICATOR LIGHT  
 220-240v, 50-60Hz, 2000W, CLASS II, IPX0



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SFH-904	8 PCS	0.0692	9714226110405	3280	6800	7920
SFH-907	8 PCS	0.008778126	6291108478929	2900	6000	7050

**Model No : SPC-150**



**ANTI SPILL PRESSURE COOKER**

STRONG ALUMINIUM BODY  
 HEAVY BASE / CONTROLLED GRS  
 MIRROR POLISHED BODY / WHISTLING WEIGHT VALVE  
 EXTRA STRONG LUGS / EASY OPENING AND CLOSING  
 MADE FROM VIRGIN ALUMINIUM / ANTI SPILL LID  
 CAN BE USED ON GAS STOVE & INDUCTION STOVE



**Model No : SPC-230**



**ANTI SPILL PRESSURE COOKER**

STRONG ALUMINIUM BODY  
 HEAVY BASE / CONTROLLED GRS  
 MIRROR POLISHED BODY / WHISTLING WEIGHT VALVE  
 EXTRA STRONG LUGS / EASY OPENING AND CLOSING  
 MADE FROM VIRGIN ALUMINIUM  
 CAN BE USED ON GAS STOVE & INDUCTION STOVE



**Model No : SPC-275**



**ANTI SPILL PRESSURE COOKER**

STRONG ALUMINIUM BODY  
 HEAVY BASE / CONTROLLED GRS  
 MIRROR POLISHED BODY / WHISTLING WEIGHT VALVE  
 EXTRA STRONG LUGS / EASY OPENING AND CLOSING  
 MADE FROM VIRGIN ALUMINIUM  
 CAN BE USED ON GAS STOVE & INDUCTION STOVE



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPC-150	8 PCS	0.09653	9714226460128	2320	4640	5712
SPC-230	12 PCS	0.025	9714226460159	2160	4320	4800
SPC-275	8 PCS	0.02108	9714226460166	1160	2320	2600

Model No : SPC -110



**PRESSURE COOKER**

STRONG ALUMINIUM BODY  
HEAVY BASE / CONTROLLED GRS  
MIRROR POLISHED BODY / WHISTLING WEIGHT VALVE  
EXTRA STRONG LUGS / EASY OPENING AND CLOSING  
MADE FROM VIRGIN ALUMINIUM  
CAN BE USED ON GAS STOVE & INDUCTION STOVE



Model No : SPC-330SS



**PRESSURE COOKER**

DURABLE 304 STAINLESS STEEL BODY  
HEAVY BASE / CONTROLLED GAS  
HIGH GLOSS MIRROR POLISHED BODY  
WHISTLING WEIGHT VALVE  
EXTRA STRONG LUGS / STRONG AND STURDY HANDLE  
EASY OPENING AND CLOSING  
CAN BE USED ON GAS STOVE AND INDUCTION STOVE



Model No : SPC-801D



**8L ELECTRIC PRESSURE COOKER**

TOUCH SENSITIVE CONTROL PANEL WITH LED DISPLAY  
STAINLESS STEEL HOUSING  
INNER POT WITH NON-STICK COATING  
10 AUTOMATIC PRESET COOKING PROGRAM  
KEEP WARM FUCTION UPTO 24HRS  
VARIABLE TIME SETTING  
THREE LIGHT BAR TO SHOW COOKING STATUS  
ADJUSTABLE TEMPERATURE CONTROL FROM 40 TO 160°C  
RELIABLE SAFETY FLOAT VALVE / OVER HEAT PROTECTION  
220-240V-50/60HZ 1300W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPC-110	6 PCS	0.2376	6291108475171	720	1470	1710
SPC-330SS	8 PCS	0.1328	6291108477595	1680	3480	4080
SPC-801D	2 PCS	0.1031275	6291108477731	562	1144	1338

**FLASK BOTTLE**

HIGH QUALITY STAINLESS STEEL  
STAINLESS STEEL DOUBLE WALL INSULATION  
INSULATED STAINLESS STEEL CUP  
WITH BIG MOUTH  
EASY TO CLEAN  
UNBREAKABLE  
MULIT PORPOSE UTILITY - HOT & COLD

Model No : SVB-502 / SVB-752 / SVB-1002



Model No : SVF- 1500 / 2000 / 2500

**VACUUM FLASK**

HIGH QUALITY STAINLESS STEEL  
STAINLESS STEEL DOUBLE WALL INSULATION  
INSULATED STAINLESS STEEL CUP  
WITH BIG MOUTH  
UNBREAKABLE  
MULIT PORPOSE UTILITY - HOT & COLD



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SVB-502	30 PCS	0.054	9714226420566	14592	30240	35472
SVB-752	30 PCS	0.080	9714226420573	11376	23592	27648
SVB-1002	30 PCS	0.106	9714226420542	8088	17400	19656
SVF-1500	12 PCS	0.0689	9714226420795	4875	10100	11840
SVF-2000	12 PCS	0.0836	9714226420801	4020	8325	9760
SVF-2500	12 PCS	0.092	9714226420818	3655	7565	8870

**Model No : SVF-1000 /SVF-1200**



**1**  
LITRE

**1.2**  
LITRES

**VACUUM FLASK**

HIGH QUALITY STAINLESS STEEL  
STAINLESS STEEL DOUBLE WALL INSULATION  
WITH BIG MOUTH  
EASY TO CLAEEN  
UNBREAKABLE  
MULTIPURPOSE UTILITY- HOT & COLD

**Model No : SVF- 1501 / SVF-1800**



**1.5**  
LITRES

**1.8**  
LITRES

**VACUUM FLASK**

HIGH QUALITY STAINLESS STEEL  
STAINLESS STEEL DOUBLE WALL INSULATION  
WITH BIG MOUTH  
EASY TO CLAEEN  
UNBREAKABLE  
MULTIPURPOSE UTILITY- HOT & COLD

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SVF-1000	12 PCS	0.052	6291108478349	6540	13332	15900
SVF-1200	12 PCS	0.055	6291108478356	6108	12432	14832
SVF-1501	12 PCS	0.062	6291108478325	5436	11064	13200
SVF-1800	12 PCS	0.07	6291108478332	4776	9732	11616

**Model No : SKS-001**



**KITCHEN SCALE**

MAXIMUM CAPACITY: 5 KG / 11LB  
LCD DISPLAY  
GRADUATION: 1 G / 0.1 OZ  
AUTO ZERO, ZERO OFF  
WITH PLASTIC TRANSPARENT BOWL  
MEASURE VOLUME OF WATER AND MILK  
LOW BATTERY / OVER LOAD INDICATION  
POWER: 1x3V LITHIUM CELL (CR2032) INCLUDED



**Model No : SKS-003**



**KITCHEN SCALE**

MAXIMUM CAPACITY: 5 KG / 11LB  
LCD DISPLAY  
GRADUATION: 1 G / 0.1 OZ  
AUTO ZERO, ZERO OFF  
WITH ALARM TIMER  
WITH TEMPERATURE INDICATOR  
WITH 2.4 LITRES STAINLESS STEEL BOWL  
LOW BATTERY / OVER LOAD INDICATION  
POWER: 2X1.5V AAA BATTERY (NOT INCLUDED)



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SKS-001	12 PCS	0.0721	9714226103353	6048	12096	14148
SKS-003	12 PCS	0.0547	9714226103377	4540	10121	12042



# SENSATIONAL

PERFORMANCE  
AT ITS BEST

**Model No : SLED-3208SHD**

### 32 INCH SMART HIGH DEFINITION LED TV

MULTI-SYSTEM - PAL (B/G D/K I) + SECAM (B/G D/K)  
DIGITAL SYSTEM : DVB-T2  
SMART & WIFI FUNCTION  
MULTI-LANGUAGE / BEST RESOLUTION: 1366\*768  
ASPECT RATIO:16:9  
WILD VIEWING ANGLE(H/V) : 176/176  
MAX BRIGHTNESS:200±10%  
2\*USB SLOT / 2\*HDMI INPUT  
VGA JACK & PC AUDIO INPUT  
FULL FUNCTION REMOTE CONTROL  
POWER SUPPLY : 100-240V~ 50/60Hz



**Model No : SLED-4008FHD**

### 40 INCH FULL HIGH DEFINITION LED TV

MULTI-SYSTEM -PAL(B/G D/K I) + SECAM (B/G D/K)  
DIGITAL SYSTEM: DVB-T2  
SMART & WIFI FUNCTION / MAXHUB SHARE FUNCTION  
MULTI-LANGUAGE / BEST RESOLUTION: 1920\*1080  
ASPECT RATIO: 16:9  
WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 250±10%  
2\*USB SLOT / 3\*HDMI INPUT  
VGA JACK & PC AUDIO INPUT  
FULL FUNCTION REMOTE CONTROL  
POWER SUPPLY: 100-240V~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLED-3208SHD	1 PC	0.0437	9714226130663	640	1350	1556
SLED-4008FHD	1 PC	0.0638	6291108476727	342	720	960

**Model No : SLED-4308FHDV**



**43 INCH FULL HIGH DEFINITION LED TV**

MULTI-SYSTEM –PAL(B/G D/K I) + SECAM (B/G D/K)  
VIDAA SYSTEM  
DIGITAL SYSTEM: DVB-T2  
SMART(1G+4G) & WIFI FUNCTION  
DOLBY SOUND / MIRACAST FUNCTION  
MULTI-LANGUAGE / BEST RESOLUTION: 1920\*1080  
ASPECT RATIO: 16:9  
WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 220±10%  
2\*USB SLOT / 3\*HDMI INPUT  
FULL FUNCTION REMOTE CONTROL  
POWER SUPPLY: 100-240V~ 50/60Hz



**Model No : SLED-5008UHDV**



**50 INCH FRAMELESS ULTRA HIGH DEFINITION LED TV**

MULTI-SYSTEM –PAL(B/G D/K I) + SECAM(B/G D/K)  
VIDAA SYSTEM / BLUETOOTH FUNCTION  
DIGITAL SYSTEM: DVB-T2 / MIRACAST FUNCTION  
SMART(1.5G+4G) & WIFI FUNCTION  
DOLBY SOUND / MULTI-LANGUAGE  
BEST RESOLUTION: 3840\*2160  
ASPECT RATIO:16:9 / WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 300±10% / 2\*USB / 3\*HDMI INPUT  
FULL FUNCTION REMOTE CONTROL WITH VOICE CONTROL  
FUNCTION / POWER SUPPLY: 100-240V~ 50/60Hz



**Model No : SLED-5009UHD**



**50 INCH FRAMELESS ULTRA HIGH DEFINITION LED TV**

MULTI-SYSTEM –PAL(B/G D/K I) + SECAM(B/G D/K)  
BLUETOOTH FUNCTION  
DIGITAL SYSTEM: DVB-T2/S2  
MAXHUB SHARE FUNCTION  
MULTI-LANGUAGE / BEST RESOLUTION: 3840\*2160  
ASPECT RATIO:16:9  
WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 300±10%  
2\*USB / 3\*HDMI INPUT  
FULL FUNCTION REMOTE CONTROL  
POWER SUPPLY: 100-240V~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLED-4308FHDV	1 PC	0.08	9714226130670	400	836	980
SLED-5008UHDV	1 PC	0.2052	62911084736734	136		330
SLED-5009UHD	1 PC	0.0982	6291108479155	285	590	690

**55 INCH FRAMELESS ULTRA HIGH DEFINITION LED TV**

MULTI-SYSTEM –PAL(B/G D/K I) + SECAM(B/G D/K)  
VIDAA SYSTEM / BLUETOOTH FUNCTION  
DIGITAL SYSTEM: DVB-T2  
MIRACAST FUNCTION / DOLBY SOUND  
MULTI-LANGUAGE / BEST RESOLUTION: 3840\*2160  
ASPECT RATIO:16:9  
WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 300±10%  
2\*USB / 3\*HDMI INPUT  
FULL FUNCTION REMOTE CONTROL WITH VOICE  
CONTROL FUNCTION  
POWER SUPPLY: 100-240V~ 50/60Hz



**Model No : SLED-5508UHDV**



**Model No : SLED-6508UHDV**



**65 INCH FRAMELESS ULTRA HIGH DEFINITION LED TV**

MULTI-SYSTEM –PAL(B/G D/K I) + SECAM(B/G D/K)  
VIDAA SYSTEM / BLUETOOTH FUNCTION  
DIGITAL SYSTEM: DVB-T2 / MIRACAST FUNCTION  
SMART(1.5G+4G) & WIFI FUNCTION  
DOLBY SOUND / MULTI-LANGUAGE  
BEST RESOLUTION: 3840\*2160  
ASPECT RATIO:16:9 / WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 300±10% / 2\*USB  
3\*HDMI INPUT / FULL FUNCTION REMOTE CONTROL WITH  
VOICE CONTROL FUNCTION  
POWER SUPPLY: 100-240V~ 50/60Hz



**Model No : SLED-6509UHD**



**65 INCH FRAMELESS ULTRA HIGH DEFINITION LED TV**

MULTI-SYSTEM –PAL(B/G D/K I) + SECAM(B/G D/K)  
BLUETOOTH FUNCTION / DIGITAL SYSTEM: DVB-T2/S2  
MAXHUB SHARE FUNCTION / MULTI-LANGUAGE  
BEST RESOLUTION: 3840\*2160  
ASPECT RATIO:16:9 / WIDE VIEWING ANGLE(H/V): 176/176  
MAX BRIGHTNESS: 300±10%  
2\*USB / 3\*HDMI INPUT  
FULL FUNCTION REMOTE CONTROL  
POWER SUPPLY: 100-240V~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLED-5508UHDV	1 PC	0.1342	6291108473696	208	432	506
SLED-6508UHDV	1 PC	0.2063	6291108474082	136		330
SLED-6509UHD	1 PC	0.1713	6291108479162	160	338	390

Model No : SHS-2101USRB



50000W  
P.M.P.O.

**2.1 CH MULTIMEDIA  
BLUETOOTH SPEAKERS**

BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
 USB AND SD SLOT / FM RADIO FUNCTION / LED DISPLAY / READ  
 MP3 FORMAT / POWERFUL AMPLIFIER CIRCUIT  
 HI-FI SURROUND SOUND / SUPER SUBWOOFER  
 INPUT CONTROL/ VOL+/-/CH+/-/PLAY/PAUSE  
 FREQUENCY RESPONSE:40HZ-150HZ,150HZ-20KHZ  
 FM FREQUENCY : 87-108MHZ  
 FULL FUNCTION REMOTE CONTROL  
 VOLTAGE :220-240V 50/60HZ



Model No : SHS-2103N



20000W  
P.M.P.O.

**2.1 CH MULTIMEDIA  
BLUETOOTH SPEAKERS**

BLUETOOTH OPERATION RANGE WITHIN 10M  
 FM STEREO RADIO FUNCTION / USB AND SD SLOT / LED DISPLAY /  
 READ MP3 FORMAT / POWERFUL AMPLIFIER CIRCUIT / HI-FI SURROUND  
 SOUND / SUPER SUBWOOFER / FULL FUNCTION REMOTE CONTROL /  
 INPUT CONTROL/VOL+/-/CH+/-/PLAY/PAUSE  
 FREQUENCY RESPONSE: 87-108MHz  
 SPEAKER UNIT : 5.25\*\*1+3\*\*2  
 OUTPUT POWER : 1\*25W+2\*10W  
 VOLTAGE: AC 220-240V 50/60Hz



Model No : SHS-2105USRB



25000W  
P.M.P.O.

**2.1 CH MULTIMEDIA  
BLUETOOTH SPEAKERS**

BT OPERATION RANGE WITHIN 10M  
 FM STEREO RADIO FUNCTION / USB SLOT / LED DISPLAY / READ  
 MP3 FORMAT / POWERFUL AMPLIFIER CIRCUIT / COLORFUL  
 FLASHING LIGH / DIGITAL KARAOKE / HI-FI SURROUND SOUND  
 FULL FUNCTION REMOTE CONTROL  
 INPUT CONTROL/VOL+/-/CH+/-/PLAY/PAUSE  
 FREQUENCY RESPONSE: 87-108MHz  
 OUTPUT POWER : 1\*50W+2\*18W  
 POWER: AC 220-240V 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2101USRB	4 PCS	0.1077	9714226121661	1180	1446	2530
SHS-2103N	4 PCS	0.1739	9714226121685	640		1560
SHS-2105USRB	1 PC	0.05114	9714226121708	550		1350

Model No : SHS-2107USRB



20000W  
P.M.P.O.

**2.1 CH MULTIMEDIA  
BLUETOOTH SPEAKERS**

BT OPERATION RANGE WITHIN 10 METERS  
 LED FLASH LIGHT  
 USB AND SD SLOT / FM RADIO FUNCTION  
 LED DISPLAY READ MP3 FORMAT  
 POWERFUL AMPLIFIER CIRCUIT  
 HI-FI SURROUND SOUND / SUPER SUBWOOFER  
 INPUT CONTROL/VOL+/-/CH+/-/PLAY/PAUSE  
 FREQUENCY RESPONSE:40Hz-150Hz,150Hz-20KHz  
 FM FREQUENCY:87-108MHZ  
 FULL FUNCTION REMOTE CONTROL  
 OUTPUT POWER:1\*40W+2\*15W



Model No : SHS-2116USRB



10000W  
P.M.P.O.

**2.1 CH MULTIMEDIA BLUETOOTH  
SPEAKERS**

BT OPERATION RANGE WITHIN 10M  
 FM STEREO RADIO FUNCTION, USB AND SD SLOT  
 LED DISPLAY READ MP3 FORMAT  
 POWERFUL AMPLIFIER CIRCUIT  
 HI-FI SURROUND SOUND / SUPER SUBWOOFER  
 FULL FUNCTION REMOTE CONTROL / INPUT  
 CONTROL/VOL+/-/CH+/-/PLAY/PAUSE  
 FREQUENCY RESPONSE: 87-108MHz  
 OUTPUT POWER : 1\*10W+2\*5W  
 SPEAKER UNIT : 4\*\*1 + 3\*\*2  
 VOLTAGE : AC 220-240V 50/60Hz



Model No : SHS-8037USRB



12000W  
P.M.P.O.

**5.1 CH MULTIMEDIA BLUETOOTH  
SPEAKERS**

BLUETOOTH V2.0  
 BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
 USB AND SD SLOT FM RADIO FUNCTION / LED DISPLAY  
 READ MP3 FORMAT / POWERFUL AMPLIFIER CIRCUIT  
 HI-FI SURROUND SOUND / SUPER SUBWOOFER  
 FULL FUNCTION REMOTE CONTROL  
 WITH DVD CONNECTING CABLE  
 VOLTAGE :220-240V 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2107USRB	1 PC	0.052	9714226121814	538	1115	1307
SHS-2116USRB	6 PCS	0.1160	6291108477502	1452	3048	3516
SHS-8037USRB	2 PCS	0.16570	9714226121135	338	602	820

Model No : SPS-7908R

10000W  
P.M.P.O.



**8" RECHARGEABLE SPEAKER**

PIEZO TWEETER  
MIC VOLUME/ECHO/BASS/TWEETER CONTROL  
BT FUNCTION / USB/SD CARD SLOT  
FM STEREO RADIO FUNCTION / LED DISPLAY  
RECORDING FUNCTION / BUILT-IN AMPLIFIER  
COLORFUL LED DISCO LIGHT / DIGITAL KARAOKE  
1PC WIRELESS MICROPHONE / REMOTE CONTROL  
CONSUMED POWER: ≤ 15W  
BUILT-IN 7.4V 1800mAh LITHIUM RECHARGEABLE BATTERY  
S/N: 93DB±3 / IMPEDANCE: 4Ω  
FREQUENCY RESPONSE: 40Hz-20KHz  
OUTPUT POWER : 1\*15W  
POWER: AC 110-240V 50/60Hz



Model No : SPS-7812RT

40000W  
P.M.P.O.



**12" RECHARGEABLE TROLLEY WOOFER SPEAKER**

PIEZO TWEETER / MIC VOLUME/ECHO/BASS/TWEETER CONTROL  
BT FUNCTION / USB/SD CARD SLOT  
FM STEREO RADIO FUNCTION  
LED DISPLAY / RECORDING FUNCTION  
BUILT-IN AMPLIFIER / COLORFUL LED DISCO LIGHT  
DIGITAL KARAOKE / 1PC WIRELESS MICROPHONE  
REMOTE CONTROL / CONSUMED POWER: 60W  
RECHARGEABLE BATTERY: LEAD-ACID CELL 12V/4.5AH  
S/N:93DB±3 / IMPEDANCE: 4Ω  
FREQUENCY RESPONSE: 40Hz – 20 KHz  
POWER: AC 220-240V 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPS-7908R	1 PC	0.04	9714226121753	700	1450	1700
SPS-7812RT	1 PC	0.094	9714226121623	300	620	730

Model No : SPS-7915RT

50000W  
P.M.P.O.



**15" RECHARGEABLE TROLLEY WOOFER SPEAKER**

PIEZO TWEETER  
BT FUNCTION  
MIC VOLUME/ECHO/BASS/TWEETER CONTROL  
USB/SD CARD SLOT  
FM STEREO RADIO FUNCTION  
LED DISPLAY / RECORDING FUNCTION  
BUILT-IN AMPLIFIER / COLORFUL LED DISCO LIGHT  
DIGITAL KARAOKE / 1PC WIRELESS MICROPHONE  
REMOTE CONTROL / CONSUMED POWER: ≤ 80W  
RECHARGEABLE BATTERY: LEAD-ACID CELL  
12V/7.0AH / S/N:93DB±3 / IMPEDANCE: 4Ω  
FREQUENCY RESPONSE: 40Hz – 20 KHz  
POWER: AC 220-240V 50/60Hz



Model No : SPS-8008RT

10000W  
P.M.P.O.



**8" RECHARGEABLE TROLLEY WOOFER SPEAKER**

BT FUNCTION / FM STEREO RADIO FUNCTION  
LED DISPLAY / COLORFUL LED DISCO LIGHT  
DIGITAL KARAOKE / 1PC WIRELESS MICROPHONE  
REMOTE CONTROL  
BUILT-IN 3.7V 2400mAh LITHIUM RECHARGEABLE BATTERY3  
FREQUENCY RESPONSE: 40HZ-20KHZ  
OUTPUT POWER : ≤ 20W  
VOLTAGE : DC 5V



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPS-7915RT	1 PC	0.1636	9714226121951	178	357	417
SPS-8008RT	6 PCS	0.1365	6291108476222	1230	2550	3000



Model No : SPS-8012RT

40000W  
P.M.P.O.



**12" RECHARGEABLE TROLLEY  
WOOFER SPEAKER**

BT FUNCTION / PIEZO TWEETER  
FM STEREO RADIO FUNCTION  
FM STEREO RADIO FUNCTION  
USB/TF CARD SLOT / LED DISPLAY  
COLORFUL LED DISCO LIGHT  
DIGITAL KARAOKE / 1PC WIRELESS MICROPHONE  
REMOTE CONTROL  
MIC VOLUME/ECHO/BASS/TWEETER CONTROL  
BUILT IN AMPLIFIER  
BUILT-IN 7.4V 3600mAh LITHIUM RECHARGEABLE BATTERY3  
FREQUENCY RESPONSE: 40HZ-20KHZ  
CONSUMED POWER : ≤ 40W  
POWER: AC 110-240V 50/60Hz



Model No : SPS-8018RT



**8" \*2 RECHARGEABLE  
SPEAKER**

PIEZO TWEETER  
MIC VOLUME/ECHO/BASS/TWEETER CONTROL  
BT FUNCTION / USB/SD CARD SLOT  
FM STEREO RADIO FUNCTION  
LED DISPLAY / RECORDING FUNCTION  
BUILT-IN AMPLIFIER  
COLORFUL LED DISCO LIGHT  
DIGITAL KARAOKE / 1PC WIRELESS MICROPHONE  
REMOTE CONTROL / CONSUMED POWER: ≤ 15W  
BUILT-IN 7.4V 2200mAh LITHIUM  
RECHARGEABLE BATTERY  
S/N:93DB±3 / IMPEDANCE: 4Ω  
FREQUENCY RESPONSE: 40Hz-20KHz  
OUTPUT POWER : 1\*15W  
POWER: AC 110-240V 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPS-8012RT	1 PC	0.07	6291108476239	400		970
SPS-8018RT	1 PC	0.074	6291108478097	378	783	918

**RECHARGEABLE BLUETOOTH  
SPEAKER**

BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
USB/TF CARD SLOT  
FM RADIO FUNCTION  
READ MP3 FORMAT  
HI-FI SURROUND SOUND  
WITH 1800mAh RECHARGEABLE BATTERY  
OUTPUT POWER: 5W  
VOLTAGE : DC 5V



Model No : SBS-711N



Model No : SBS-721



**RECHARGEABLE BLUETOOTH  
SPEAKER**

BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
CALLING FUNCTION / USB/TF CARD SLOT  
FM RADIO FUNCTION / READ MP3 FORMAT  
HI-FI SURROUND SOUND  
WITH 1500mAh RECHARGEABLE BATTERY  
OUTPUT POWER: 5W x 2  
VOLTAGE : DC 5V



Model No : SBS-722



**RECHARGEABLE BLUETOOTH  
SPEAKER**

BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
CALLING FUNCTION / USB/TF CARD SLOT  
FM RADIO FUNCTION / READ MP3 FORMAT  
HI-FI SURROUND SOUND  
WITH 1200mAh RECHARGEABLE BATTERY  
OUTPUT POWER: 5W x 2  
VOLTAGE : DC 5V



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SBS-711N	20 PCS	0.1871	9714226121937	3000	6200	7300
SBS-721	40 PCS	0.1324	6291108478707	8480	17600	20600
SBS-722	50 PCS	0.0938	6291108478714	15000	31000	36250

Model No : SBS-723



**RECHARGEABLE BLUETOOTH SPEAKER**

BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
 CALLING FUNCTION / USB/TF CARD SLOT  
 FM RADIO FUNCTION / READ MP3 FORMAT  
 HI-FI SURROUND SOUND  
 WITH 1200mAh RECHARGEABLE BATTERY  
 OUTPUT POWER: 5W x 2  
 VOLTAGE : DC 5V



Model No : SSB-7210



**SOUNDBAR SPEAKER**

HIGH POWER SOUNDBAR SPEAKER  
 BLUETOOTH OPERATION RANGE WITHIN 10 METERS  
 LED DISPLAY  
 REMOTE CONTROL  
 HI-FI SURROUND SOUND  
 USB/AUX-IN FUNCTION  
 SUPPORT OPTICAL/COAXIAL/HDMI(SUPPORT ARC)  
 OUTPUT POWER : 20W\*2  
 POWER SUPPLY :AC100-240V 50/60Hz



Model No : STS-201



**TORCH SPEAKER**

3W TORCH + SIDE SMD LIGHT  
 BLUETOOTH SPEAKER FUNCTION  
 3 DIFFERENT LIGHT ADJUST  
 3.7V 1800mAh RECHARGEABLE LI-ION BATTERY  
 CHARGING & FULL CHARGE INDICATOR  
 TYPE-C USB CHARGING CABLE  
 SOLAR CHARGING SLOT  
 CARRYING STRAP  
 CHARGING TIME : 6HOURS  
 DURATION TIME : 3.5HRS(TORCH) ,4HRS(WHITE SIDE LIGHT),8HRS(WARM SIDE LIGHT),1HR(SPEAKER)  
 OUTPUT POWER : 3W(TORCH)  
 VOLTAGE : DC 5V INPUT



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SBS-723	50 PCS	0.0784	6291108478721	17902	37000	43400
SSB-7210	4 PCS	0.0794	6291108476437	1408		3424
STS-201	24 PCS	0.0853	6291108476338	7872		19152

Model No : SMP-301



**DYNAMIC WIRED MICROPHONE**

HIGH QUALITY VOICE  
 6.3MM PLUG  
 ANTI NOISE  
 80-11000Hz FREQUENCY  
 SENSITIVITY : -72Db ± 3dB (@1KHz)  
 OUTPUT IMPEDANCE : 620Ω ±30% (@1KHz)



Model No : SMP-302



**DYNAMIC 2 IN 1 WIRED & WIRELESS MICROPHONE**

METAL MESH HEAD  
 HIGH FIDELITY SYSTEM  
 HIGH QUALITY SOUND  
 ANTI NOISE & ANTI HOWLING  
 LONG EFFECTIVE WORKING RANGE  
 SENSITIVITY : -36 ±3dB  
 FREQUENCY RESPONSE : 100 -10000Hz  
 OUTPUT IMPEDANCE : 600Ωhm



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SMP-301	40 PCS	0.0664	9714226121906	17500	35000	41000
SMP-302	30 PCS	0.0608	9714226121913	13900	29000	34000



**SEEKING**  
PURE  
ELEGANCE

**Model No : SBS-800**

**3 IN 1 HAIR DRESSING SET**

**HAIR STRAIGHTENER**

FLOATING AND CERAMIC COATING PLATE  
TEMPERATURE CONTROL: 150°C-230°C  
ON/OFF SETTING / PTC HEATER  
360°C SWIVEL CORD  
AC 110V-240V 50Hz/60Hz 70W

**HAIR CURLER**

NICKEL STEEL TYPE BARREL  
BARREL DAIMATER 19MM  
ON/OFF SETTING / PTC HEATER  
MAXIMUM HEAT UP TEMPERATURE 200°C  
360°C SWIVEL CORD  
AC 110V-240V 50Hz/60Hz 25W

**HAIR DRYER**

3 TEMPERATURE & 2 SPEED SETTING  
COOLING FUNCTION  
DC MOTOR  
PROFESSIONAL CONCENTRATOR  
AC 220V-240V 50Hz/60Hz 1800-2200W



**Model No : SHS-2014**

**WET & DRY  
HAIR STRAIGHTENER**

WHITE CERAMIC PLATES  
WET & DRY FUNCTION  
TEMPERATURE CONTROL  
INDICATOR LIGHT / ON/OFF SWITCH  
360 DEGREES SWIVEL CORD  
AC220-240V 50/60Hz 40W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SBS-800	10 PCS	0.088	6291108478448	3170	6570	7700
SHS-2014	24 PCS	0.044	9714226370021	15240	30480	37008

**Model No : SHS-2017**



**HAIR STRAIGHTENER**

WHITE CERAMIC PLATES  
TEMPERATURE CONTROL  
ON/OFF SWITCH  
INDICATOR LIGHT  
360 DEGREE SWIVEL CORD  
POWER: 40W



**Model No : SHS-2024N**



**HAIR STRAIGHTENER**

MAX TEMPERATURE UPTO 200C  
PTC HEATING  
ON/OFF SWITCH  
CERAMIC COATING PLATE  
ONE HOUR AUTO SHUT OFF  
360 SWIVEL CORD  
110-240V~, 50-60Hz, 35W



**Model No : SHS-2042**



**HAIR STRAIGHTENER**

BLACK CERAMIC PLATES  
TEMPERATURE CONTROL  
ON/OFF SWITCH  
LED INDICATOR  
PTC HEATING  
360 DEGREE SWIVEL CORD,  
220-240V 50/60Hz 40W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2017	15 PCS	0.039	9714226370014	10769	22307	26153
SHS-2024N	24 PCS	0.0016	9714226370090	17320	35875	42060
SHS-2042	24 PCS	0.050	9714226370298	13440	27840	32640

**Model No : SHS-2059**



**WET & DRY HAIR STRAIGHTENER**

BLUE DIGITAL LED DISPLAY  
PTC HEATING  
WET & DRY FUNCTION  
LOCK FUNCTION  
CERAMIC COATING PLATE  
WITH TEMPERATURE CONTROL  
1 HOUR AUTO SHUTOFF  
AC220-240V ~ 50/60HZ 68W



**Model No : SHS-2062B**

**SIMPLY STRAIGHT HAIR BRUSH**

3D Ceramic  
Bristles Gently  
Straighten Hair



1 Year  
Warranty



LED Screen



6FT, Swivel Cord  
for Hassie-Free Use

Temperature  
Control  
Adjustable  
Upto 230°C



Easy  
ON/OFF

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2059	24 PCS	0.056	9714226370526	12000	24857	29142
SHS-2062B	12 PCS	0.45135	9714226370564	7500	15000	16700

**Model No : SHS-2067N**



**HAIR STRAIGHTENER**

MAX TEMPERATURE UPTO 200C  
 PLATE FLOATING FUNCTION  
 CERAMIC COATING PLATES  
 PTC HEATING  
 ON/OFF SWITCH  
 LOCK FUNCTION  
 360 SWIVEL CORD  
 220-240V~ 50/60Hz, 35W



**Model No : SHS-2081**



**HAIR STRAIGHTENER**

DIGITAL BLUE LED DISPLAY  
 MAX TEMPERATURE UPTO 230C  
 TEMPERATURE CONTROL  
 PTC HEATING / ON/OFF SWITCH  
 CERAMIC COATING PLATE  
 ONE HOUR AUTO SHUT OFF  
 360 SWIVEL CORD  
 110-240V ~ 50/60Hz 55W



**Model No : SHS-2082**



**2 IN 1 HAIR STRAIGHTENER & CRIMPER**

CERAMIC COATING PLATES  
 CRIMPER PLATE TO CREATE WAVES  
 TEMPERATURE CONTROL  
 PTC HEATING / LED INDICATOR  
 LOCK FUNCTION / ON/OFF SWITCH  
 AUTO SHUT OFF AFTER ONE HOUR  
 360 SWIVEL CORD  
 AC 220-240V 50/60Hz 70W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2067N	24 PCS	0.0016	9714226370649	16720	34625	40595
SHS-2081	15 PCS	0.00174	9714226370854	16092	33334	39080
SHS-2082	24 PCS	0.0600	6291108474068	11200	23200	28200

**Model No : SHS-2084**



**PROFESSIONAL HAIR STRAIGHTENER**

CERAMIC COATING PLATES  
 ADJUSTABLE TEMPERATURE : 220C  
 PTC HEATING FOR QUICK HEAT UP IN SECONDS  
 DIGITAL DISPLAY SCREEN  
 ON/OFF SWITCH  
 AUTO SHUT OFF AFTER ONE HOUR  
 360 SWIVEL CORD WITH HANGING LOOP  
 110-240V 50/60Hz 55W-90W



**Model No : SHS-2087**



**PROFESSIONAL HAIR STRAIGHTENER**

MAX TEMPERATURE UPTO 230C  
 PTC HEATING  
 ON/OFF SWITCH  
 CERAMIC COATING PLATE  
 360 SWIVEL CORD  
 220-240V~, 50-60Hz, 55W



**Model No : SHS-2088**



**PROFESSIONAL HAIR STRAIGHTENER**

CERAMIC COATING PLATE  
 LED DIGITAL DISPLAY  
 ADJUSTABLE TEMPERATURE: 150-230°C  
 PTC HEATING  
 ON/OFF SWITCH  
 ONE HOUR AUTO SHUT OFF  
 360° SWIVEL CORD  
 AC220-240V, 50-60Hz, 60W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2084	24 PCS	0.0021	6291108474549	13334	27620	32380
SHS-2087	24 PCS	0.0019	6291108476642	14450	29935	35096
SHS-2088	24 PCS	0.00234	6291108476659	11950	24765	29040

**Model No : SHC-3002**



**HAIR CURLER**

ON/OFF SETTING  
PTC HEATER  
MAXIMUM HEAT UP TEMPERATURE 200 DEGREE  
360 DEGREE SWIVEL CORD  
100-240V ~ 50/60Hz 25W



**Model No : SHC-3004N**



**HAIR CURLER**

MAX TEMPERATURE UP TO 200C  
PTC HEATING  
SPIRAL TUBE WITH CERAMIC COATING  
19MM TO 32MM ADJUSTABLE  
ON/OFF SWITCH  
LED LIGHT INDICATOR  
ONE HOUR AUTO SHUT OFF  
360 SWIVEL CORD  
110-240V~, 50-60Hz, 38W



**Model No : SHC-3005**



**2 IN 1 HAIR STRAIGHTENER WITH CURLER**

CERAMIC COATING BARREL  
DIGITAL LED DISPLAY  
WITH TEMPERATURE CONTROL  
ON/OFF SWITCH  
PTC HEATING ELEMENT  
PUSH BUTTON TO SWITCH OPTION  
360 DEGREE SWIVEL CORD  
220-240V ~ 50/60Hz 45W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-3002	30 PCS	0.049245	9714226380242	16800	35100	41400
SHC-3004N	24 PCS	0.0022	9714226380396	12220	25310	29675
SHC-3005	12 PCS	0.033212	9714226380419	10080	20880	24480

**Model No : SHD-3009**



**HAIR DRYER**

COLD HOT WIND  
2 HEAT & 2 AIRFLOW SETTING  
AC MOTOR  
AC220-240V 50/60Hz 2000W



**Model No : SHD-3013**



**HAIR DRYER WITH DIFFUSER**

COLD HOT WIND  
2 HEAT & 2 AIRFLOW SETTING  
WITH COOL SHOT  
AC MOTOR  
WITH DIFFUSER  
AC220-240V 50/60Hz 2000W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHD-3009	12 PCS	0.08060	9714226101724	4176	8352	10128
SHD-3013	12 PCS	0.08150	9714226101984	4128	8256	10020

**Model No : SHD-3031**



**HAIR DRYER**

COLD HOT WIND  
2 HEAT & 2 AIRFLOW SETTING  
WITH COOL SHOT  
AC MOTOR  
AC220-240V ~50/60HZ 2000W



**Model No : SHD-3032**



**HAIR DRYER**

COLD HOT WIND  
2 HEAT & 2 AIRFLOW SETTING  
WITH COOL SHOT  
AC MOTOR  
AC220-240V ~50/60HZ



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHD-3031	12 PCS	0.08063	9714226104596	4167	8632	1012
SHD-3032	12 PCS	0.08063	9714226104602	4167	8632	10120

**Model No : SHD-3046**



**HAIR DRYER**

COLD & HOT WIND  
2 HEAT & 2 AIRFLOW SETTING  
WITH COOL SHOT  
AC MOTOR  
220-240V ~ 50/60Hz



**Model No : SHD-5004**



**HAIR DRYER**

COLD & HOT WIND  
2 SPEED & 3 HEAT SETTINGS  
COOL SHOT FUNCTION  
OVER HEAT PROTECTION  
DC MOTOR  
WITH HANG-UP HOOK  
230V ~ 50/60Hz 2000W



**Model No : SHD-5005N**



**HAIR DRYER**

2 SPEED SELECTION  
2 HEAT SETTING  
FOLDABLE HANDLE SUITABLE FOR TRAVELLING  
OVER HEAT PROTECTION  
DC MOTOR  
PROFESSIONAL CONCENTRATOR  
HANG-UP HOOK  
220-240V50/60Hz 1200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHD-3046	12 PCS	0.084942	9714226106293	3840	8160	9600
SHD-5004	12 PCS	0.00665	9714226107481	4210	9885	10225
SHD-5005N	24 PCS	0.002	9714226107498	13942	28879	33858

**Model No : SHD-5006**



**HAIR DRYER**

COLD & HOT WIND  
2 SPEED & 3 HEAT SETTINGS  
WITH COOL SHOT FUNCTION  
OVER HEAT PROTECTION  
DC MOTOR  
WITH HANG-UP HOOK  
220V-240V- 50Hz/60Hz 2000W



**Model No : SHD-5008**



**HAIR DRYER**

2 SPEED SELECTION  
2 HEAT SETTING  
FOLDABLE HANDLE SUITABLE FOR TRAVELLING  
OVER HEAT PROTECTION  
DC MOTOR  
PROFESSIONAL CONCENTRATOR  
HANG-UP HOOK  
220-240V-50/60Hz 1000W



**Model No : SHD-5010**



**HAIR DRYER**

COLD & HOT WIND  
2 SPEED & 3 HEAT SETTINGS  
COOL SHOT FUNCTION  
OVER HEAT PROTECTION  
DC MOTOR  
WITH HANG-UP HOOK  
220-240V- , 50-60Hz 1800-2200W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHD-5006	12 PCS	0.00665	6291108477083	4210	8720	10225
SHD-5008	12 PCS	0.0482	6291108475072	6970	14440	16930
SHD-5010	12 PCS	0.0073	6291108476666	3830	7935	9305

**Model No : SHS-2032**

**HAIR STYLER**

DETACHABLE THERMAL BRUSH  
COOL/HIGH/CARE/OFF SETTING  
220-240V ~ 50/60Hz 450-550W



**Model No : SHS-2034**

**7 IN 1 HAIR STYLER**

BLOW BRUSH  
BIG ROLLER BRUSH  
SMALL ROLLER BRUSH  
SOFT BRUSH  
METAL CLIP PIPE  
VOLUME LIFTER  
NOZZLE  
COOL/HIGH/CARE/OFF SETTING  
220-240V ~ 50/60Hz 450-550W



**Model No : SHS-2056**

**HAIR STYLER**

DETACHABLE THERMAL BRUSH HAIR STYLER  
HIGH / CARE / COOL / OFF SETTING  
220-240V ~ 50/60Hz 800W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2032	24 PCS	0.062108	9714226370182	10800	22400	26160
SHS-2034	12 PCS	0.087419	9714226370205	3840	7920	9240
SHS-2056	24 PCS	0.073696	9714226370496	8880	18720	22080



Model No : SHS-2086



**4 IN 1 HAIR STYLER**

3 DETACHABLE ATTACHMENTS  
THERMAL BLOW BRUSH, CURLER CLIP &  
BIG ROLLER BRUSH  
HIGH / CARE / COOL / OFF - ADJUSTABLE SETTINGS  
360° ROTATION CABLE CORD  
220-240V~, 50/60Hz, 800W



Model No : SHS-2091



**9 IN 1 HAIR STYLER**

3 SPEED TEMPERATURE SETTING  
DC MOTOR  
360° C SWIVEL CORD  
8 DIFFERENT ATTACHEMENTS FOR PERFECT HAIR STYLING  
AC 220-240V 50-60Hz 800W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHS-2086	12 PCS	0.06714	6291108475119	5000	10360	12150
SHS-2091	10 PCS	0.095	6291108478479	2940	6100	7150

Model No : SLD-815



**FABULOUS RECHARGEABLE MINI LADY SHAVER**

WASHABLE DESIGN  
SHARP STAINLESS STEEL BLADE  
FAST CHARGE TIME 2 HOURS  
WORKING TIME 90 MINUTES  
CHARGING WITH USB CORD  
LITHIUM BATTERY / TRAVEL SWITCH LOCK  
ACCESSORIES : USB CORD, POUCH,  
CLEANING BRUSH



Model No : SLD-822



**FABULOUS FACIAL HAIR REMOVER**

INSTANT & PAINLESS REMOVER  
WITH FINISHING TOUCH.  
GOLD PLATED HEAD.  
1\*AA BATTERY INCLUDED  
PACKING THREE SET - WINDOW BOX INSIDE  
BLACK TRAY & PLASTIC HANGING LOOP SAME LIKE PICTURE  
ACCESSORIES: CLEANING BRUSH & 1PC AA BATTERY



Model No : SLD-823



**FABULOUS EYE BROW REMOVER**

INSTANT & PAINLESS REMOVER  
WITH FINISHING TOUCH.  
GOLD PLATED HEAD.  
1\*AAA BATTERY INCLUDED  
PACKING SAME LIKE PICTURE  
ACCESSORIES: CLEANING BRUSH & 1PC AAA BATTERY




MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLD-815	50 PCS	0.0006	9714226106538	46650	96650	113300
SLD-822	24 PCS	0.030096	6291108474105	23400	46400	54400
SLD-823	24 PCS	0.02660	6291108474112	25265	52330	61350

Model No : SLD-824



### FABULOUS DETACHABLE SHAVER, EPILATOR & TRIMMER HEAD

SHARP STAINLESS STEEL BLADES  
WASHABLE ACCESSORIES  
LOW-HIGH TWO LEVEL SPEED  
ON/OFF SWITCH WITH LED LIGHT  
CHARGE TIME : 8 HOURS  
WORKING TIME : 45MINS  
ACCESSORIES : ADAPTER , CLEANING BRUSH  
INPUT : 3V 600MA  
220V-240V ~ 50Hz/60Hz 3W



Model No : SFS-001



### FACIAL STEAMER

LARGE FACIAL MASK  
WITH NASAL MASK  
TWO STEAM CONTROL SETTING  
NON STICK PAN  
LED POWER INDICATOR  
PTC FAST HEATING  
OVER HEAT SAFETY PROTECTION  
WATER TANK CAPACITY : 50ml  
ACCESSORIES : FACIAL MASK, INHALER & CUP  
220-240V~ 50Hz /60Hz 100W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLD-824	24 PCS	0.0495	6291108475423	13575		32970
SFS-001	6 PCS	0.0097	9714226370328	2880	5970	7000

Model No : SHC-1001



### HAIR CLIPPER

POWERFUL CLIPPER  
WITH ADJUSTABLE TAPER CONTROL  
POWER MAGNETIC MOTOR  
PRECISION CUTTING BLADE  
HANDY DESIGN FOR COMFORT USE  
220-240V ~ 50/60HZ 8W



Model No : SHC-1014U

### 7 IN 1 RECHARGEABLE HAIR CLIPPER

HAIR CLIPPER/FULL SIZE TRIMMER / PRECISION TRIMMER  
NOSE, EAR AND EYEBROW TRIMMER / MICRO SHAVER  
CORDLESS FUNCTION  
STAINLESS STEEL BLADES FOR EASY CUTTING  
RECHARGEABLE Li-ion BATTERY  
WORKING HOUR : 1 HOUR  
POWERFUL ROTARY MOTOR / CHARGE TIME: 2 HOURS  
USB CHARGING FUNCTION / STORAGE STAND  
WASHABLE ATTACHMENTS  
ACCESSORIES: OIL, BRUSH / ADAPTOR, LONG COMB / USB CABLE  
INPUT :220-230V ~ 50Hz; OUTPUT : 3.0 Vdc, 300mA



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1001	24 PCS	0.07140	9714226101038	9432	18864	22872
SHC-1014U	24 PCS	0.10300	9714226380082	6504	13512	15840

**Model No : SHC-1027N**



**15 IN 1 RECHARGEABLE HAIR CLIPPER**

STAINLESS STEEL BLADES FOR EASY CUTTING  
 FULL SIZE TRIMMER/PRECISION TRIMMER/NOSE TRIMMER/DETAILS TRIMMER /BODY TRIMMER / MICRO SHAVER  
 WITH & WITHOUT CORDLESS USE.  
 STAND BASE & 9 GUIDE COMBS  
 CHARGING INDICATOR LIGHT  
 CHARGING TIME :120MINS  
 CONTINUOUS WORKIGN TIME : 120 MINS  
 \* USB CHARGING CABLE  
 ACCESSORIES : 1PCS CLEANING BRUSH, 1PC COMB ,  
 OIL BOTTLE ,USB WIRE  
 INPUT:DC 5V 1000Ma



**Model No : SHC-1034**



**RECHARGEABLE HAIR CLIPPER**

CORDLESS FUNCTION  
 STAINLESS STEEL BLADE FOR EASY CUTTING  
 CHARGING TIME: 8 HOURS  
 CONTINUOUS WORKING TIME: 50 MINUTES  
 INDICATOR LIGHT WHILE CHARGING  
 NI-CD 600mAh BATTERY  
 ACCESSORIES: 1PC CLEANING BRUSH, COMB, OIL .  
 220-240V~50-60Hz 3W



**9 IN 1 RECHARGEABLE HAIR CLIPPER**

STAINLESS STEEL BLADES FOR EASY CUTTING  
 NOSE TRIMMER /SHAVER/ HAIR TRIMMER/MICRO TRIMMER  
 WITH CORDLESS USE  
 WITH STAND BASE & 4 GUIDE COMBS  
 CHARGING INDICATOR LIGHT  
 CHARGING TIME:120MINS  
 CONTINUOUS WORKING TIME :60MINS  
 USB CHARGING CABLE  
 ACCESSORIES: 1PC CLEANING BRUSH, OIL BOTTLE, USB WIRE  
 INPUT: DC 5V 1000Ma



**Model No : SHC-1042N**



**RECHARGEABLE HAIR CLIPPER**

CARBON STAINLESS STEEL BLADE  
 FAST FULL CHARGE IN 3 HOURS  
 CONTINUOUS 3 HOURS LONG WORKING  
 LCD DISPLAY / USB CHARGING  
 WITH CORD & CORDLESS FUNCTION  
 LITHIUM BATTERY 1200mAh  
 ON/OFF SWITCH  
 ACCESSORIES: 1PC CLEANING BRUSH, 4PCS GUIDE COMB,  
 OIL BOTTLE & USB CABLE.  
 INPUT: 5V 1A



**Model No : SHC-1044N**



**RECHARGEABLE HAIR CLIPPER**

DC MOTOR  
 STAINLESS IRON HARD ALLOY BLADE FOR EASY CUTTING  
 150 MINUTES CONTINUOUS WORKING TIME  
 CHARGING TIME : 4 HOURS  
 CHARGING INPUT : 5v DC, 1000mA  
 WITH LI-ION BATTERY 3.7v 2000mAh  
 220-240V ~ 50/60Hz 5W



**Model No : SHC-1045**



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1027N	20 PCS	0.00429	9714226380259	6525	13520	15850
SHC-1034	24 PCS	0.055809	9714226380327	16000	32000	48000

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1042N	24 PCS	0.0039	9714226380433	7164	14840	17398
SHC-1044N	24 PCS	0.00182	9714226380464	15410	31925	37430
SHC-1045	24 PCS	0.003	9714226380471	9056	18760	21995

**Model No : SHC-1052**



**RECHARGEABLE HAIR CLIPPER**

R TYPE CUTTER HEAD FOR SHAVING AND HAIR  
 SHARP & DURABLE STEEL CUTTER BLADE  
 CHARGING TIME : 2 HOURS  
 CONTINUOUS WORKING TIME : 1 HOUR  
 INDICATOR LIGHT WHEN CHARGING  
 USB CHARGING FUNCTION  
 LITHIUM BATTERY 600mAh / SWITCH TO TURN OFF  
 ACCESSORIES : 1PC CLEANING BRUSH, 5PCS COMB,  
 OIL BOTTLE , USB CABLE  
 VOLTAGE : 5V-1A,5W



**Model No : SHC-1054**



**RECHARGEABLE HAIR CLIPPER**

T-TYPE SHARP & DURABLE STEEL CUTTER BLADE  
 CHARGING TIME : 4 HOURS  
 CONTINUOUS WORKING TIME : 3 HOURS  
 CHARGING INDICATOR LIGHT  
 USB CHARGING / LITHIUM BATTERY 2000mAh  
 POWER SWITCH  
 ACCESSORIES : 1PC CLEANING BRUSH, 5PCS COMB,  
 OIL BOTTLE , USB CABLE  
 VOLTAGE : 5V-1A,5W



**Model No : SHC-1056**



**RECHARGEABLE HAIR CLIPPER**

SHARP STAINLESS STEEL CUTTER BLADE  
 CORDLESS USE  
 DIGITAL DISPLAY WITH BATTERY STATUS  
 CHARGING TIME: 2 HOURS  
 CONTINUOUS WORKING TIME: 100-120 MIN  
 TYPE C USB CABLE FOR CHARGING  
 Li-ion BATTERY 600mAh / POWER ON/OFF SWITCH  
 ACCESSORIES: 1PC CLEANING BRUSH, 4PCS COMB,  
 OIL BOTTLE, USB CABLE / DC5V 1A 5W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1052	40 PCS	0.0015	6291108474310	17800	36885	43245
SHC-1054	40 PCS	0.0015	6291108474808	19045	39455	46260
SHC-1056	30 PCS	0.0539	6291108476246	15585	32280	37845

**Model No : SHC-1057**



**RECHARGEABLE HAIR CLIPPER**

SHARP STAINLESS STEEL CUTTER BLADE  
 CORDLESS USE  
 CHARGING INDICATOR LIGHT  
 CHARGING TIME: 8 HOURS  
 CONTINUOUS WORKING TIME: 35-40 MIN  
 TYPE C USB CABLE FOR CHARGING  
 Ni-MH BATTERY 600mAh / POWER SWITCH FOR ON/OFF  
 ACCESSORIES: 1PC CLEANING BRUSH, 4PCS COMB, OIL  
 BOTTLE, USB CABLE / DC5V 1A 5W



**Model No : SHC-1058**



**RECHARGEABLE HAIR CLIPPER**

SHARP STAINLESS STEEL CUTTER BLADE  
 CORDLESS USE  
 CHARGING INDICATOR LIGHT  
 CHARGING TIME: 3 HOURS  
 CONTINUOUS WORKING TIME: 2.5 HRS  
 USB CABLE FOR CHARGING  
 Li-ion BATTERY 3.7V 1200mAh  
 MOTOR : 3.7V 6100rpm / POWER ON/OFF SWITCH  
 ACCESSORIES: 1PC CLEANING BRUSH, 4PCS COMB,  
 OIL BOTTLE, USB CABLE / 220-240V ~ 50/60HZ 5W



**Model No : SHC-1059**



**RECHARGEABLE HAIR CLIPPER**

CORDLESS FUNCTION  
 STAINLESS STEEL BLADE FOR EASY CUTTING  
 CHARGING TIME: 8 HOURS  
 CONTINUOUS WORKING TIME: 45 MINUTES  
 INDICATOR LIGHT WHILE CHARGING  
 NI-CD 600mAh BATTERY / SWITCH TO TURN ON/OFF  
 ACCESSORIES: 1PC CLEANING BRUSH, 1PC LIMIT  
 COMB, OIL BOTTLE, CHARGING CABLE  
 220-240V-50-60Hz 3W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1057	30 PCS	0.0539	6291108476253	15585	32280	37845
SHC-1058	40 PCS	0.0492	6291108476260	22765	47155	55285
SHC-1059	60 PCS	0.0014	6291108477632	19905	41235	48340

**Model No : SHC-1061**



**RECHARGEABLE HAIR CLIPPER**

HIGH QUALITY METAL BODY  
 SHARP & CARBON STEEL CUTTER BLADE  
 CHARGING TIME : 180MINS  
 CONTINUOUS WORKING TIME : 180MINS  
 DIGITAL LCD DISPLAY / LITHIUM BATTERY 2000mAh  
 POWER SWITCH FOR ON/OFF WITH CUTTER  
 REGULATOR  
 ACCESSORIES : 1PC CLEANING BRUSH ,  
 8PCS COMB , OIL BOTTLE , USB WIRE  
 INPUT : DC 5V 1000mA



**Model No : SHC-1062**



**RECHARGEABLE HAIR CLIPPER**

SHARP STAINLESS STEEL CUTTER BLADE  
 CORDLESS USE / DIGITAL LCD DISPLAY  
 CHARGING TIME : 80 MINS  
 CONTINUOUS WORKING TIME : 80MINS  
 LI-ION BATTERY 3.7V 800mAh  
 MOTOR 3.7V 6100RPM  
 POWER SWITCH WITH 2 SPEED LEVEL  
 ACCESSORIES: 1PC CLEANING BRUSH, 3PCS LIMIT  
 COMB, OIL BOTTLE, USB WIRE  
 INPUT : DC 5V 1000mA



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1061	24 PCS	0.0035	6291108477748	7965	16490	19335
SHC-1062	40 PCS	0.00012	6291108478295	22720	49050	57505

**Model No : SHC-1063**



**6 IN 1 RECHARGEABLE HAIR CLIPPER SET**

STAINLESS STEEL BLADES FOR EASY CUTTING  
 WITH TRIMMER/SHAVER/NOSE TRIMMER  
 CHARGING INDICATOR LIGHT  
 CHARGING TIME: 120 MINS  
 CONTINUOUS WORKING TIME: 120 MINS  
 WITH TYPE C USB CHARGING CABLE  
 ACCESSORIES: 3PCS BLADE COMB (1, 3 & 5 MM), 1PC  
 CLEANING BRUSH, 1PC COMB, OIL BOTTLE, USB WIRE.  
 INPUT: DC 5V 1000Ma



**Model No : SHC-1064**



**6 IN 1 RECHARGEABLE HAIR CLIPPER SET**

SHARP STAINLESS STEEL BLADE  
 CORDLESS USE  
 LCD DISPLAY  
 MOTOR: 3.7V 6100rpm  
 LITHIUM BATTERY : 3.7V 1300mAh  
 CHARGING TIME :3HRS  
 CONTINUOUS WORKING TIME : 2HRS  
 USD CABLE CHARGING  
 POWER ON/ OFF SWITCH  
 ACCESSORIES :3PCS BLADE COMB 1mm, 2mm,3mm,  
 CLEANING BRUSH ,OIL, USB CABLE



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SHC-1063	60 PCS	0.0013	6291108478585	20165	41780	48980
SHC-1064	24 PCS	0.00172	6291108478974	16170	33532	39314

**Model No : SSC-2208**



**DIGITAL BATHROOM SCALE**

EQUIPPED WITH 4 PRECISION STRAIN GAUGE SENSOR  
TEMPERED GLASS / CAPACITY 150 KG  
DIVISION: 100G / LARGE NUMBERS / AUTO ON  
LOW BATTERY / OVERLOAD INDICATION  
LITHIUM BATTERY INCLUDED



**Model No : SSC-2211**



**BATHROOM SCALE**

MECHANICAL PERSONAL SCALE  
EASY TO READ  
FASHIONABLE STYLE  
CAPACITY UPTO 130 KGS



**Model No : SSC-2212**



**BATHROOM SCALE**

MECHANICAL PERSONAL SCALE  
EASY TO READ  
FASHIONABLE STYLE  
CAPACITY UPTO 130 KGS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SSC-2208	6 PCS	0.04340	9714226101755	3732	7878	9258
SSC-2211	10 PCS	0.03832	9714226104350	7200	14400	16000
SSC-2212	10 PCS	0.03832	9714226104367	6840	14400	16000

**Model No : SSC-2215N**



**PERSONAL DIGITAL WEIGHING SCALE**

BIG LCD DISPLAY  
180KG WEIGHT CAPACITY  
ANTISLIP MAT  
HIGH PRECISION SENSOR  
5MM HIGH QUALITY GLASS PLATFORM  
ROOM TEMPERATURE DISPLAY  
POWER SUPPLY: 3A BATTERY



**Model No : SSC-2217**



**DIGITAL BATHROOM SCALE**

GLASS ELECTRONIC PERSONAL SCALE  
EQUIPPED WITH HIGH PRECISION STRAIN GAUGE  
SENSORS SYSTEM  
WITH 6MM TEMPERED GLASS PLATFORM  
WITH LCD DISPLAY / CAPACITY: 150KG/330LB/24ST  
DIVISION: 100G/0.2LB / AUTO ON  
LOW BATTERY / OVERLOAD INDICATION  
POWER: 1X3V LITHIUM CELL (CR2032) INCLUDED



**Model No : SLS-002**



**DIGITAL LUGGAGE SCALE**

ROOM TEMPERATURE DISPLAY  
ZERO AND TARE  
0.44" (11.3MM) LCD DIGITS  
LOW BATTERY/ OVER LOAD INDICATION  
CAPACITY: 50KG/110LB  
GRADUATION: 50G/0.1LB  
POWER: 1X3V LITHIUM CELL (CR2032)



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SSC-2215N	6 PCS	0.0031	9714226104398	9030	18060	21930
SSC-2217	5 PCS	0.0202	9714226105920	7400	15200	16575
SLS-002	24 PCS	0.01917	9714226105708	35040	72600	85133



**PREMIUM**  
FOR  
BETTER LIVING

**Model No : SIK-706**

**INSECT KILLER**

SPECIAL UV-A TUBE 6W T5 BL  
EASY TO USE, INSTALL & SAFE OPERATION  
REMOVABLE COLLECTION TRAY FOR EASY CLEANING  
HIGH VOLTAGE INNER GRID FOR INSTANT KILLING  
NO POISONOUS VAPOUR - EMITTING ODOUR  
HOOK FOR EASY HANGING  
OUTPUT VOLTAGE: 1000V  
COVERAGE: 50m2  
220-240V; 50/60Hz 6W



**Model No : SIK-712N**

**INSECT KILLER**

SPECIAL UV-A TUBE 6W X 2PCS T5 BL  
EASY TO USE, INSTALL & SAFE OPERATION  
REMOVABLE COLLECTION TRAY FOR EASY CLEANING  
HIGH VOLTAGE INNER GRID FOR INSTANT KILLING  
NO POISONOUS VAPOUR - EMITTING ODOUR  
CHAIN FOR EASY HANGING  
OUTPUT VOLTAGE: 2700V  
COVERAGE: 40m2  
220-240V; 50/60Hz 12W



**Model No : SIK-720N**

**INSECT KILLER**

SPECIAL UV-A TUBE 10W X 2PCS T5 BL  
EASY TO USE, INSTALL & SAFE OPERATION  
REMOVABLE COLLECTION TRAY FOR EASY CLEANING  
HIGH VOLTAGE INNER GRID FOR INSTANT KILLING  
NO POISONOUS VAPOUR - EMITTING ODOUR  
CHAIN FOR EASY HANGING  
OUTPUT VOLTAGE: 2700V  
COVERAGE: 100m2  
220-240V; 50/60Hz 20W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SIK-706	15 PCS	0.1057	6291108475966	3975		9650
SIK-712N	6 PCS	0.0542	9714226140181	3100		7530
SIK-720N	6 PCS	0.0775	9714226140198	2170		5265

Model No : SIK-730N



**INSECT KILLER**

SPECIAL UV-A TUBE 15W X 2PCS T5 BL  
 EASY TO USE, INSTALL & SAFE OPERATION  
 REMOVABLE COLLECTION TRAY FOR EASY CLEANING  
 HIGH VOLTAGE INNER GRID FOR INSTANT KILLING  
 NO POISONOUS VAPOUR - EMITTING ODOUR  
 CHAIN FOR EASY HANGING  
 OUTPUT VOLTAGE: 2700V  
 COVERAGE: 120m2  
 220-240V; 50/60Hz 30W



Model No : SMR-111N



**MOSQUITO SWATTER**

ABS SHELL  
 3LAYER NET  
 1PC 0.2W LED LIGHT  
 QUICK RECHARGEABLE  
 3.7V 1200mAh 18650 LI-ION BATTER  
 USB CHARGING CABLE  
 CHARGING TIME : 4-5HOURS  
 3000V WORKING VOLTAGE  
 OUTPUT POWER :2W  
 INPUT/VOLTAGE: 5V -0.4A



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SIK-730N	6 PCS	0.0973	9714226140204	1725		4195
SMR-111N	24 PCS	0.077	9714226107160	8736		21192

Model No : SWB-001



**TV WALL BRACKET**

LED/LCD/PLASMA TV BRACKET  
 TILT WITH UP AND DOWN : +15  
 SWIVEL LEFT AND RIGHT : 180  
 SUITABLE FOR TV SIZE : 23"-55"  
 DISTANCE TO WALL : 75-390MM  
 MAX. VESA 400X400MM  
 MAX. LOADING CAPACITY : 35KGS



Model No : SWB-002




**TV WALL BRACKET**

LED/LCD/PLASMA TV BRACKET  
 TILT WITH UP AND DOWN: ±15°  
 SWIVEL LEFT AND RIGHT : 180°  
 SUITABLE FOR TV SIZE: 14"-42"  
 DISTANCE TO WALL: 75-390MM  
 MAX.VESA 200X200MM  
 MAX.LOADING CAPACITY :35KGS



Model No : SWB-003



**TV WALL BRACKET**

LED/LCD/PLASMA TV BRACKET  
 SUITABLE FOR TV SIZE: 17"-42"  
 DISTANCE TO WALL: 27MM  
 MAX.VESA 400X300MM  
 MAX.LOADING CAPACITY :35KGS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWB-001	4 PCS	0.052	9714226130588	2150	3850	5230
SWB-002	5 PCS	0.041	9714226130595	3420	6100	8300
SWB-003	12 PCS	0.026	9714226130601	12950	23000	31400



**Model No : SWB-004**



**TV WALL BRACKET**

LED/LCD/PLASMA TV BRACKET  
SUITABLE FOR TV SIZE: 14"-37"  
DISTANCE TO WALL: 25MM  
MAX.VESA 200X200MM  
MAX.LOADING CAPACITY :35KGS

**35**  
KGS

**Model No : SWB-007**



**TV WALL BRACKET**

LED/LCD/PLASMA TV BRACKET  
TILT WITH UP AND DOWN: ±15°  
SUITABLE FOR TV SIZE: 32"-65"  
DISTANCE TO WALL: 70MM  
MAX.VESA 600X400MM  
MAX.LOADING CAPACITY :55KGS

**55**  
KGS

MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SWB-004	20 PCS	0.037	9714226130618	15200	27000	37000
SWB-007	6 PCS	0.007245	9714226130649	3864	8005	9385

**Model No : SES-802**

**2WAY EXTENSION SOCKET**

2M LENGTH FULL COPPER AC CORD  
WITH INDEPENDENT SWITCH & LIGHT  
WITH SAFETY SHUTTER  
MAX LOAD: 13A  
MAX POWER:3250W  
VOLTAGE: 250V~ 50/60Hz

**3250**  
WATTS



**Model No : SES-803**

**3 WAY EXTENSION SOCKET**

3M LENGTH FULL COPPER AC CORD  
WITH INDEPENDANT SWITCH & LIGHT  
WITH SAFTY SHUTTER  
MAX LOAD:13A  
MAX POWER:3250W  
VOLTAGE : 250V~ 50/60Hz

**3250**  
WATTS



**Model No : SES-903**

**3WAY UNIVERSAL EXTENSION SOCKET**

3M LENGTH FULL COPPER AC CORD  
WITH INDICATOR LIGHT  
WITH SAFETY SHUTTER  
MAX LOAD: 13A  
MAX POWER: 3250W  
VOLTAGE :250V~ 50/60Hz

**3250**  
WATTS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SES-802	24 PCS	0.0488	6291108477908	13776		33456
SES-803	24 PCS	0.0604	6291108472750	11125	21060	27020
SES-903	24 PCS	0.0445	6291108476291	15120		36672

**Model No : SES-904U**



**3WAY EXTENSION SOCKET WITH USB PORT**

2 USB OUTPUT PORT  
3M LENGTH FULL COPPER AC CORD WITH INDEPENDANT SWITCH & LIGHT WITH SAFTY SHUTTER  
MAX LOAD:13A  
MAX POWER:3250W  
VOLTAGE : 250V~ 50/60Hz



**Model No : SES-905**



**5WAY UNIVERSAL EXTENSION SOCKET**

5M LENGTH FULL COPPER AC CORD WITH INDICATOR LIGHT WITH SAFETY SHUTTER  
MAX LOAD: 13A  
MAX POWER: 3250W  
VOLTAGE :250V~ 50/60Hz



**Model No : SES-1003**




**3WAY UNIVERSAL EXTENSION SOCKET**

5M LENGTH FULL COPPER AC CORD WITH INDICATOR LIGHT WITH SAFETY SHUTTER  
MAX LOAD: 13A  
MAX POWER: 3250W  
VOLTAGE :250V~ 50/60Hz



**Model No : SES-1005**



**5WAY UNIVERSAL EXTENSION SOCKET**

5M LENGTH FULL COPPER AC CORD WITH INDICATOR LIGHT WITH SAFETY SHUTTER  
MAX LOAD: 13A  
MAX POWER: 3250W  
VOLTAGE :250V~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SES-904U	24 PCS	0.0604	6291108472781	11125	21060	27020
SES-905	24 PCS	0.0584	6291108476307	11520		15160
SES-1003	24 PCS	0.0897	6291108476314	6240		15160
SES-1005	24 PCS	0.0897	6291108476321	6240		15160

**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT / 130,000 HOURS LIFE FOR LED BULB / 5000mAh LITHIUM RECHARGEABLE BATTERY / HYPER BRIGHT LED 7 WATT  
1000 METERS-COVERAGE RANGE  
2-3 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



**Model No : SLT-181**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT / 130,000 HOURS LIFE FOR LED BULB / 4000mAh LITHIUM RECHARGEABLE BATTERY / HYPER BRIGHT LED 5 WATT  
1500 METERS-COVERAGE RANGE FLASH LIGHT / 3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



**Model No : SLT-182**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT  
WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
RECHARGEABLE BATTERY / HYPER BRIGHT LED 3 WATT  
1000 METERS-COVERAGE RANGE FLASH LIGHT  
1 HOUR CONTINUOUS WORKING



**Model No : SLT-190**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT  
WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
RECHARGEABLE BATTERY / HYPER BRIGHT LED 5 WATT / 800 METERS-COVERAGE RANGE FLASH LIGHT / 2.5 HOURS CONTINUOUS WORKING



**Model No : SLT-281WP**



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLT-181	24 PCS	0.05451	9714226230639	12312	25536	29928
SLT-182	24 PCS	0.0632	9714226230646	10632	22008	25800
SLT-190	48 PCS	0.0841	9714226230707	15980	33103	38810
SLT-281WP	24 PCS	0.05770	9714226230738	8658	18258	21301

**Model No : SLT-382N**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT/WATER RESISTANT/SHOCK  
RESISTANT / 130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT / 1500 METERS-COVERAGE  
RANGE FLASH LIGHT / 3-4 HOURS CONTINUOUS WORKING /  
UNBREAKABLE GLASS



**Model No : SLT-383**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK  
RESISTANT / 150,000 HOURS LIFE FOR LED BULB /  
RECHARGEABLE BATTERY / HYPER BRIGHT LED 3 WATT  
1500 METERS-COVERAGE RANGE FLASH LIGHT  
4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS




**Model No : SLT-384**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK  
RESISTANT / 150,000 HOURS LIFE FOR LED BULB /  
RECHARGEABLE BATTERY / HYPER BRIGHT LED 3 WATT  
/ 2000 METERS-COVERAGE RANGE FLASH LIGHT / 5  
HOURS CONTINUOUS WORKING / UNBREAKABLE GLASS



**Model No : SLT-385**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY WITH 4C BATTERY  
WITH 4.8V 2500mAh RECHARGEABLE NI-CD BATTERY  
CORROSION RESISTANT/WATER / 150,000 HOURS LIFE FOR LED  
BULB / HYPER BRIGHT LED 5 WATT / 2000 METERS-COVERAGE RANGE  
FLASH LIGHT / 7 HOURS CONTINUOUS WORKING / UNBREAKABLE  
GLASS / \*\*ONLY ON LED BULB



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLT-382N	25 PCS	0.057649	9714226230844	12125	25150	29475
SLT-383	20 PCS	0.079	9714226 231025	7088	14683	17215
SLT-384	20 PCS	0.092	9714226231032	6086	12608	14782
SLT-385	20 PCS	0.00244	9714226232015	11400	23700	27800

**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT/WATER RESISTANT / SHOCK RESISTANT  
100,000 HOURS LIFE FOR LED BULB  
8000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 15 WATT / 415 METERS-COVERAGE RANGE  
4.5-13.5 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB  
IPX 5 : PROTECTED AGAINST LOW-PRESSURE WATER STREAM  
FROM ANY ANGLE / TYPE C CHARGING / POWER BANK FUNCTION



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
WITH 5D BATTERY / WITH 6V 3000mAh RECHARGEABLE NI-CD  
BATTERY / CORROSION RESISTANT / WATER RESISTANT / SHOCK  
RESISTANT / 150000 HOURS LIFE FOR LED BULB / HYPER BRIGHT  
LED 10 WATT / 2000 METERS-COVERAGE RANGE FLASH LIGHT  
12 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT/WATER RESISTANT / SHOCK RESISTANT  
150,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 10 WATT / 1500 METERS-COVERAGE RANGE  
1.5-2 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT/WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 5 WATT / 1500 METERS-COVERAGE RANGE  
1.5-2 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLT-386	40 PCS	0.0443	6291108478486	25280	52400	61400
SLT-484	15 PCS	0.005776	9714226231766	4847	10041	11772
SLT-601	30 PCS	0.0283	9714226231681	29700	61500	72090
SLT-681	30 PCS	0.0771	9714226231407	10890	22590	26460

**Model No : SLT-386**



**Model No : SLT-484**



**Model No : SLT-601**



**Model No : SLT-681**



**Model No : SLT-682**



**RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT/WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 5 WATT  
1500 METERS-COVERAGE RANGE  
3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS  
\*\*ONLY ON LED BULB



**Model No : SLT-1010**



**2PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT  
1000 METERS-COVERAGE RANGE  
2-3 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS  
\*\*ONLY ON LED BULB



**Model No : SLT-1011**



**2PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
4000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 5 WATT  
1500 METERS-COVERAGE RANGE FLASH LIGHT  
3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLT-682	30 PCS	0.0922	9714226231414	9090	18870	22110
SLT-1010	12 PCS	0.03795	9714226230745	8844	18336	21492
SLT-1011	12 PCS	0.044	9714226230752	7632	15816	18540

**Model No : SLT-1013**



**2PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT/  
WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT  
1500 METERS-COVERAGE RANGE FLASH LIGHT  
3-4HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS



**Model No : SLT-2011**



**2PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT  
1500 METERS-COVERAGE RANGE  
3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS  
\*\*ONLY ON LED BULB



**Model No : SLT-2111**



**3PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT  
130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT  
1000 METERS-COVERAGE RANGE  
2-3 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLT-1013	20 PCS	0.0635	6291108477694	8800	18260	21400
SLT-2011	15 PCS	0.07217	6291108475782	11100	12045	14130
SLT-2111	12 PCS	0.05313	9714226230912	6324	13092	15348

**Model No : SLT-2411**



**3PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT / 130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT  
1500 METERS-COVERAGE RANGE  
3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



**Model No : SLT-2511**



**4PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT / 130,000 HOURS LIFE FOR LED BULB  
4000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 5 WATT  
1500 METERS-COVERAGE RANGE  
3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



**Model No : SLT-3311N**



**3PCS COMBO RECHARGEABLE LED TORCH**

MACHINED AIRCRAFT ALUMINIUM BODY  
CORROSION RESISTANT / WATER RESISTANT / SHOCK RESISTANT / 130,000 HOURS LIFE FOR LED BULB  
5000mAh LITHIUM RECHARGEABLE BATTERY  
HYPER BRIGHT LED 7 WATT  
1500 METERS-COVERAGE RANGE  
3-4 HOURS CONTINUOUS WORKING  
UNBREAKABLE GLASS / \*\*ONLY ON LED BULB



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLT-2411	12 PCS	0.0616	9714226231018	5448	11292	13236
SLT-2511	12 PCS	0.0792	9714226231056	4236	8784	10296
SLT-3311N	15 PCS	0.0721	9714226231445	11100	12045	14130

**Model No : SPLT-108N**



**RECHARGEABLE LED TORCH**

1PC BRIGHT LED  
CHARGE INDICATOR  
LED BULB LIFE TIME : 10,000HOURS  
WITH 800mAh RECHARGEABLE LI-ION BATTERY  
CHARGING TIME : 10-12HOURS  
WORKING TIME : 2HOUR(1W) 2HOURS(COB)



**Model No : SPLT-112U**



**RECHARGEABLE LED TORCH**

1PC SMD BRIGHT LED  
LED BULB LIFE TIME: 10,000HOURS  
WITH CHARGING INDICATOR  
WITH 1500mAh RECHARGEABLE LI-ION BATTERY  
CHARGING TIME: 4-5HOURS  
WORKING TIME : 2.5-3HOURS(SUPER BRIGHT)  
,7-8HOURS(BRIGHT)  
POWER SOURCE: DC 5V

**Model No : SPLT-116U**



**RECHARGEABLE LED TORCH**

1PC SMD BRIGHT LED  
LED BULB LIFE TIME: 10,000HOURS  
WITH CHARGING INDICATOR  
WITH 1500mAh RECHARGEABLE LI-ION BATTERY  
CHARGING TIME: 4-5HOURS  
WORKING TIME : 2.5-3HOURS(SUPER BRIGHT)  
,7-8HOURS(BRIGHT)  
POWER SOURCE: DC 5V



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPLT-108N	120 PCS	0.082	9714226231728	40920	99600	
SPLT-112U	50 PCS	0.0668	6291108478752	21000	43500	51000
SPLT-116U	100 PCS	0.0528	6291108478769	53000	110000	129000

**Model No : SPLT-117U**



**RECHARGEABLE LED TORCH**

1PC SMD BRIGHT LED  
LED BULB LIFE TIME: 10,000HOURS  
WITH CHARGING INDICATOR  
WITH 2000mAh RECHARGEABLE LI-ION BATTERY  
CHARGING TIME: 8-9HOURS  
WORKING TIME : 2-3HOURS(SUPER BRIGHT)  
,7-8HOURS(BRIGHT)  
POWER SOURCE: DC 5V



**Model No : SPLT-121U**



**RECHARGEABLE LED TORCH**

1PC + 24PCS SMD BRIGHT LED  
LED BULB LIFE TIME: 10,000HOURS  
WITH CHARGING INDICATOR  
WITH 1200mAh RECHARGEABLE LI-ION BATTERY  
CHARGING TIME: 4-5HOURS  
WORKING TIME : STRONG 1-1.5HOURS(SIDE LIGHT)  
,LOW 3.5-4HOURS(SIDE LIGHT),FRONT LIGHT  
5-6HOURS  
POWER SOURCE: DC 5V



**Model No : SEL-677N**



**RECHARGEABLE EMERGENCY LANTERN**

40PCS FRONT + 22PCS SIDE BRIGHT LED  
SWITCH MODE : OFF,BRIGHT,SUPER BRIGHT AND SIDELIGHTS  
LED BULB LIFE TIME: 10,000HOURS  
WORKING TIME : SUPER BRIGHT 5 HOURS,BRIGHT 7 HOURS,SIDELIGHTS  
9 HOURS CHARGE INDICATOR  
SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
OVERCHARGE PROTECTION AND DEEP DISCHARGE PROTECTION  
BUILT-IN BATTERY : 6V 4.0AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
CHARGING TIME: 13HOURS  
POWER SOURCE: AC220-240V-50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SPLT-117U	60 PCS	0.0948	6291108478868	11700	36720	43200
SPLT-121U	180 PCS	0.05266	6291108473092	95760	199980	234000
SEL-677N	10 PCS	0.08	9714226230592	3500		8500

**Model No : SEL-687**



**RECHARGEABLE EMERGENCY LANTERN**

30PCS BRIGHT LED, SWITCH MODE: SUPER BIRGHT, BRIGHT, OFF AND USB  
LIGHT SOURCE: 30PCS BRIGHTEST 5630 LED, LED BULB LIFE TIME: 10,000  
HOURS LUMINOUS FLUX: SUPER BRIGHT 550 LUMENS; BRIGHT 50 LUMENS  
WORKING TIME: SUPER BRIGHT 10 HOURS;  
BRIGHT 40 HOURS WITH EFFECTIVE EFFICIENCY  
CHARGE INDICATOR SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
BUILT-IN BATTERY: 4V 3AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
CHARGING TIME: 10 HOURS  
POWER SOURCE: 220V-240V, 50Hz/60Hz, 8W



**Model No : SEL-693NS**



**SOLAR RECHARGEABLE LED LANTERN**

428PCS BRIGHT LED  
CHARGING INDICATOR  
HANDLE TO CARRY  
1200mAh RECHARGEABLE BATTERY  
BUILT IN SOLAR PANEL FOR CHARGING  
POWER SOURCE: AC 220-240V~ 50/60Hz  
CHARGING TIME : 10-15HOURS  
WORKING TIME : UP TO 3HOURS



**Model No : SEL-697SP**



**RECHARGEABLE EMERGENCY LANTERN**

44PCS FRONT + 18PCS SIDE BRIGHT LED  
SWITCH MODE : OFF,BRIGHT,SUPER BRIGHT AND SIDELIGHTS  
LED BULB LIFE TIME: 10,000 HOURS  
LUMINOUS FLUX : SUPPER BRIGHT 550 LUMENS ,BRIGHT 50LUMENS  
WORKING TIME: SUPER BRIGHT 8 HOURS,BRIGHT 30 HOURS,  
SIDELIGHTS 8 HOURS / CHARGE INDICATOR  
BATTERY CAPACITY INDICATOR FOR 50%,75%,100%  
SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
OVERCHARGE PROTECTION AND DEEP DISCHARGE PROTECTION  
BUILT-IN BATTERY : 6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
CHARGING TIME : 10HOURS / POWER SOURCE: AC220-240V- 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-687	12 PCS	0.0728	9714226231049	4608	9552	11208
SEL-693NS	80 PCS	0.0907	9714226231483	24800	51200	60000
SEL-697SP	10 PCS	0.08775	9714226231582	3200	6600	7700

**Model No : SEL-702**



**RECHARGEABLE EMERGENCY LANTERN**

30PCS BRIGHT LED  
 SWITCH MODE OFF, BRIGHT, AND SUPER BRIGHT  
 LIGHTING SOURCE:30PCS BRIGHTEST 5630 LEDS  
 LED BULB LIFE TIME:10,000 HOURS  
 LUMINOUS FLUX:SUPER BRIGHT 550 LUMENS: BRIGHT 50 LUMENS  
 WORKING TIME : SUPER BRIGHT 10 HOURS; BRIGHT 40 HOURS WITH  
 EFFECTIVE EFFICIENCY / CHARGE INDICATOR  
 SOLAR CHARGE FUNCION & POWER BANK FUNCION  
 OVERCHARGE PROTECTION AND DEEP DISCHARGE PROTECTION  
 BUILT-IN BATTERY:6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME:10 HOURS  
 POWER SOURCE:AC220-240V~ 50-60Hz



**Model No : SEL-703**



**RECHARGEABLE EMERGENCY LANTERN**

30PCS BRIGHT LED  
 6V DC SOCKET / CHARGE INDICATOR  
 WITH HANDLE  
 BUILT-IN BATTERY:4V 1.1AH  
 RECHARGEABLE SEALED LEAD-ACID BATTERY  
 POWER SOURCE:AC220-240V~50-60Hz  
 CHARGING TIME:8-10 HOURS  
 WORKING TIME:UP TO 4 HOURS



**Model No : SEL-704**



**RECHARGEABLE EMERGENCY LANTERN**

36PCS BRIGHT LED  
 6V DC SOCKET / CHARGE INDICATOR  
 WITH HANDLE  
 BUILT-IN BATTERY:4V 1.1AH  
 RECHARGEABLE SEALED LEAD-ACID BATTERY  
 POWER SOURCE:AC220-240V~50-60Hz  
 CHARGING TIME:8-10 HOURS  
 WORKING TIME:UP TO 4 HOURS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-702	10 PCS	0.00533	9714226231698	5250	10880	12750
SEL-703	100 PCS	0.000621	9714226231827	45000	93000	109000
SEL-704	100 PCS	0.000621	9714226231834	45000	93000	109000

**Model No : SEL-705N**



**SOLAR RECHARGEABLE LED LANTERN**

52PCS BRIGHT LED  
 CHARGE INDICATOR / WITH HANDLE  
 BUILT-IN BATTERY : 4V 1.6AH  
 RECHARGEABLE SEALED LEAD-ACID BATTERY  
 POWER SOURCE : AC220-240V 50/60Hz  
 CHARGING TIME : 10-12HOURS  
 WORKING TIME : UP TO 4HOURS



**Model No : SEL-707NS**



**SOLAR RECHARGEABLE LED LANTERN**

75PCS BRIGHT LED  
 CHARGING INDICATOR  
 HANDLE TO CARRY  
 3200mAh RECHARGEABLE BATTERY  
 BUILT IN SOLAR PANEL FOR CHARGING  
 POWER SOURCE: AC 220-240V~ 50/60Hz  
 CHARGING TIME : 10-15HOURS  
 WORKING TIME : UP TO 3HOURS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-705N	40 PCS	0.1051	9714226231841	10680		25880
SEL-707NS	30 PCS	0.0723	9714226231865	11700	24150	28200

**Model No : SEL-706N**



**RECHARGEABLE EMERGENCY LANTERN**

30PCS BRIGHT LED  
CHARGE INDICATOR  
WITH HANDLE  
BUILT-IN BATTERY : 4V 1.0AH  
RECHARGEABLE SEALED LEAD-ACID BATTERY  
POWER SOURCE : AC220-240V 50/60Hz  
CHARGING TIME : 10-12HOURS  
WORKING TIME : UP TO 4HOURS



**Model No : SEL-714S**



**RECHARGEABLE EMERGENCY LANTERN**

18PCS BRIGHT LED  
CHARGING INDICATOR  
HANDLE TO CARRY  
900mAh RECHARGEABLE BATTERY  
BUILT IN SOLAR PANEL FOR CHARGING  
POWER SOURCE: DC 6V  
CHARGING TIME : 10-15HOURS  
WORKING TIME : UP TO 3HOURS



**Model No : SEL-719**



**RECHARGEABLE EMERGENCY LANTERN**

30PCS SMD BRIGHT LED  
SWITCH MODE : OFF,BRIGHT,AND SUPER BRIGHT  
LED BULB LIFE TIME: 10,000HOURS  
DC 6V SOLAR CHARGE FUNCTION  
WITH CHARGING INDICATOR  
OVERCHARGE PROTECTION  
BUILT-IN 4V 1100mAh RECHARGEABLE SEALED LEAD-ACID BATTERY  
CHARGE TIME : 10-15HOURS  
WORKING TIME : 1-2HOURS(SUPER BRIGHT) ,2-3HOURS(BRIGHT)  
POWER SOURCE : 220-240 ~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-706N	48 PCS	0.1402	9714226231858	9600		23280
SEL-714S	100 PCS	0.0644	6291108478677	43500	90000	105600
SEL-719	60 PCS	0.0716	6291108473078	23460		56990

**Model No : SEL-720N**



**RECHARGEABLE LED LANTERN**

44PCS FRONT + 14PCS SIDE BRIGHT LED  
SWITCH MODE: OFF, BRIGHT ,SUPER BRIGHT AND SIDELIGHTS  
LED BULB LIFE TIME: 10,000 HOURS  
LUMINOUS FLUX: SUPER BRIGHT 260LUMENS; BRIGHT 180 LUMENS  
WORKING TIME: SUPER BRIGHT 1.5 HOURS; BRIGHT 12HOURS ,  
SIDELIGHT:12HOURS  
CHARGE INDICATOR  
SOLAR CHARGE FUNCTION  
OVERCHARGE PROTECTION  
BUILT-IN BATTERY: 4V 2.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
CHARGING TIME: 11HOURS  
POWER SOURCE: AC220V-240V~, 50Hz/60Hz



**Model No : SEL-721**



**RECHARGEABLE EMERGENCY LANTERN**

72PCS FRONT +36PCS SIDE BRIGHT LED  
SWITCH MODE : OFF,BRIGHT ,SUPER BRIGHT AND SIDELIGHTS  
LED BULB LIFE TIME: 10,000HOURS  
LUMINOUS FLUX : SUPER BRIGHT 550 LUMENS , BRIGHT 50LM  
WORKING TIME : SUPER BRIGHT 10HRS ,BRIGHT 50HRS ,SIDELIGHTS  
10HRS CHARGE INDICATOR  
SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
OVERCHARGE PROTECTION AND DEEP DISCHARGE PROTECTION  
BUILT-IN BATTERY : 6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY / CHARGING TIME: 10HOURS  
POWER SOURCE: AC220-240 ~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-720N	30 PCS	0.0971	6291108473085	8640	19104	21000
SEL-721	12 PCS	0.0841	6291108473115	4056		9820



Model No : SEL-722



**360° RECHARGEABLE EMERGENCY CAMPING LIGHT**

72PCS HIGH BRIGHT LED  
 SWITCH MODE: OFF, BRIGHT AND SUPER BRIGHT  
 LIGHTING SOURCE: 72PCS BRIGHTNESS 5630 LEDS  
 LED BULB LIFE TIME: 10,000 HOURS  
 LUMINOUS FLUX: SUPER BRIGHT 800 LUMENS; BRIGHT 100 LUMENS  
 WORKING TIME: SUPER BRIGHT 10 HOURS; BRIGHT 60 HOURS WITH EFFECTIVE EFFICIENCY / CHARGING INDICATOR  
 SOLAR CHARGING FUNCTION / POWER BANK FUNCTION  
 OVERCHARGE PROTECTION AND DISCHARGE PROTECTION  
 BUILT-IN 6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME: 10 HOURS / POWER SOURCE: AC 220-240V ~ 50/60Hz



Model No : SEL-722N



**RECHARGEABLE EMERGENCY LIGHT**

30PCS BRIGHT LED  
 STEPLESS BRIGHTNESS CONTROL  
 LED BULB LIFE TIME: 10,000 HOURS  
 LUMINOUS FLUX: SUPER BRIGHT 750LUMENS; BRIGHT 50 LUMENS  
 WORKING TIME: SUPER BRIGHT 5.5 HOURS\*; BRIGHT 50HOURS\* WITH EFFECTIVE EFFICIENCY  
 CHARGE INDICATOR  
 SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
 BUILT-IN BATTERY: 6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME: 20HOURS  
 POWER SOURCE: AC220V-240V~, 50Hz/60Hz ,6W



Model No : SEL-723S



**360° RECHARGEABLE EMERGENCY LIGHT**

50PCS BRIGHT LED  
 SOLAR PANEL CHARGING FUNCTION  
 6V DC SOCKET / LIGHT DIMMER FUNCTION  
 OVERCHARGE PROTECTION FUNCTION  
 CHARGE INDICATOR / BUILT-IN BATTERY : 4.2V 1.8AH  
 RECHARGEABLE SEALED LEAD-ACID BATTERY  
 POWER SOURCE: AC 220-240V~ 50/60Hz  
 CHARGING TIME : 12HOURS  
 WORKING TIME : 1-1.5HOURS(STRONG) ,4-5HOURS(LOW)



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-722	12 PCS	0.1173	6291108476604	2868		6960
SEL-722N	10 PCS	0.0729	6291108476604	3900	8000	9350
SEL-723S	30 PCS	0.15	6291108477434	5610		13650

**RECHARGEABLE SEARCH LIGHT**

7W BRIGHT LED  
 SWITCH MODE : BRIGHT ,SUPER BRIGHT ,BLINKING  
 LED BULB LIFE TIME: 10,000HOURS  
 CHARGING INDICATOR  
 PORTABLE CARRYING BELT  
 OVERCHARGE PROTECTION  
 4.2V 4600mAh RECHARGEABLE BATTERY  
 CHARGING TIME :7-9HOURS  
 WORKING TIME : 11-12HOURS(BRIGHT) ,5-5.5HOURS(SUPER BRIGHT)  
 POWER SOURCE : DC 5.8V



Model No : SSL-724



Model No : SSL-725B



**RECHARGEABLE SEARCH LIGHT WITH BULB**

1PC 10W HI-POWER BRIGHT LED+2PCS 3W COB LIGHT  
 3PCS OUTPUT SLOT(DC 4V)  
 FRONT LIGHT MODE: BRIGHT, SUPER BRIGHT, BLINKING LIGHT  
 BOTTOM LIGHT MODE: BRIGHT, SUPER BRIGHT  
 CHARGING INDICATOR  
 SOLAR CHARGING FUNCTION & POWER BANK FUNCTION  
 4V 6000mAh LEAD-ACID RECHARGEABLE BATTERY  
 CHARGING TIME:8-10HOURS  
 DURATION TIME:8-10HOURS



Model No : SEL-726



**RECHARGEABLE EMERGENCY LIGHT**

16PCS BRIGHT LED  
 5V DC SOCKET  
 CHARGE INDICATOR  
 WITH HANDLE  
 BUILT-IN BATTERY: 4V 1.2AH  
 RECHARGEABLE SEALED LEAD-ACID BATTERY  
 POWER SOURCE: DC 5V  
 CHARGING TIME: 10-12 HOURS  
 WORKING TIME: UP TO 4 HOURS



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SSL-724	18 PCS	0.109	6291108477441	4626		13304
SSL-725B	20 PCS	0.133	6291108477557	4200	8720	10220
SEL-726	100 PCS	0.0681	6291108477564	41100	85100	99800

Model No : SEL-727B



**RECHARGEABLE EMERGENCY LANTERN**

30PCS BRIGHT LED  
 SWITCH MODE: OFF, BRIGHT AND SUPER BRIGHT  
 LIGHTING SOURCE: 30PCS BRIGHTNESS 5030 LED  
 LED BULB LIFE TIME: 10,000 HOURS, LUMINOUS FLUX: SUPER BRIGHT 550 LUMENS; BRIGHT 50 LUMEN, WORKING TIME: SUPER BRIGHT 10 HOURS; BRIGHT 40 HOURS WITH EFFECTIVE EFFICIENCY, CHARGING INDICATOR  
 SOLAR CHARGING FUNCTION, POWER BANK FUNCTION  
 OVERCHARGE PROTECTION AND DISCHARGE PROTECTION  
 BUILT-IN 6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME: 10 HOURS  
 POWER SOURCE: AC 220-240V ~ 50/60Hz



Model No : SSP-903



**SOLAR PANEL**

HIGH CONVERSION RATE AND EFFICIENT OUTPUT  
 HIGH QUALITY AND HIGH TRANSMITTANCE OF TOUGHENED GLASS MULTI-USE FOR ALL KINDS OF SMALL POWER APPLIANCES  
 LIGHTWEIGHT AND PORTABLE ,EASY TO CARRY AND USE  
 LINE LENGTH : 3M  
 MAX POWER : 3W  
 WORKING VOLTAGE : 9V

Model No : SEL-2244



**2 IN 1 COMBO RECHARGEABLE LED LANTERN**

30PCS BRIGHT LED  
 SWITCH MODE: OFF, BRIGHT ,SUPER BRIGHT  
 LIGHTING SOURCE: 30PCS BRIGHT 5030 LED  
 LED BULB LIFE TIME: 10,000 HOURS  
 LUMINOUS FLUX: SUPER BRIGHT 550LUMENS; BRIGHT 50 LUMENS  
 WORKING TIME: SUPER BRIGHT 10 HOURS; BRIGHT 40HOURS WITH EFFECTIVE EFFICIENCY / CHARGE INDICATOR  
 SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
 OVERCHARGE PROTECTION AND DEEP DISCHARGE PROTECTION  
 BUILT-IN BATTERY: 4V 3AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME: 10HOURS  
 POWER SOURCE: 220V-240V~, 50Hz/60Hz 8W



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-727B	10 PCS	0.095	6291108477571	2950	6210	7160
SSP-903	40 PCS	0.05	6291108475706	22400		54400
SEL-2244	6 SETS	0.0727	9714226230974	2310	4800	5610

Model No : SEL-3355

**RECHARGEABLE EMERGENCY LANTERN & LED TORCH COMBO PACK**

**RECHARGEABLE EMERGENCY LANTERN**  
 30PCS BRIGHT LED  
 SWITCH MODE: SUPER BRIGHT, BRIGHT, OFF AND USB  
 LIGHT SOURCE: 30PCS BRIGHT 5630 LED  
 LED BULB LIFE TIME: 10,000 HOURS  
 LUMINOUS FLUX: SUPER BRIGHT 550LUMENS; BRIGHT 50 LUMENS  
 WORKING TIME: SUPER BRIGHT 10 HOURS; BRIGHT 40HOURS WITH EFFECTIVE EFFICIENCY / CHARGE INDICATOR  
 SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
 BUILT-IN BATTERY: 4V 3AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME: 10HOURS  
 POWER SOURCE: 220V-240V, 50Hz/60Hz, 8W



**RECHARGEABLE LED TORCH**  
 MACHINED AIRCRAFT ALUMINIUM BODY  
 CORROSION RESISTANT/WATER RESISTANT/ SHOCK RESISTANT  
 130,000 HOURS LIFE FOR LED BULB  
 5000mAh LITHIUM RECHARGEABLE BATTERY  
 HYPER BRIGHT LED 7 WATT  
 1500 METERS-COVERAGE RANGE FLASH LIGHT  
 2-3HOURS CONTINUOUS WORKING  
 UNBREAKABLE GLASS  
 \*\*ONLY ON LED BULB

**RECHARGEABLE EMERGENCY LANTERN & LED TORCH COMBO PACK**

**RECHARGEABLE EMERGENCY LANTERN**  
 33PCS BRIGHT LED  
 SWITCH MODE: OFF,BRIGHT,AND SUPER BRIGHT  
 LIGHTING SOURCE: 33PCS BRIGHTEST 5730 LED  
 LIFE TIME: 10,000HOURS  
 LUMINOUS FLUX: SUPER BRIGHT 550LUMENS ; BRIGHT 40LUMEN  
 WORKING TIME :SUPER BRIGHT 7-8HOURS,BRIGHT 20-22HOURS WITH EFFECTIVE EFFICIENCY / RED LED: CHARGE INDICATOR  
 OVERCHARGE PROTECTION AND DISCHARGE PROTECTION  
 FULL CHARGING TIME: 10-12HOURS / POWER SOURCE: AC110-240V~ 50/60Hz



Model No : SEL-3366

**RECHARGEABLE LED TORCH**  
 MACHINED AIRCRAFT ALUMINIUM BODY  
 CORROSION RESISTANT /WATER RESISTANT / SHOCK RESISTANT  
 130,000 HOURS LIFE FOR LED BULB  
 4000mAh LITHIUM RECHARGEABLE BATTERY  
 HYPER BRIGHT LED 5WATT / 1500 METERS-COVERAGE RANGE FLASH LIGHT  
 3-4 HOURS CONTINUOUS WORKING  
 UNBREAKABLE GLASS / \*\* ONLY ON LED BULB



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-3355	10 PCS	0.0845	9714226230998	3310	6860	8040
SEL-3366	12 PCS	0.1355	9714226231377	2472		6000

**Model No : SEL-3366**



**RECHARGEABLE EMERGENCY LANTERN & LED TORCH COMBO PACK**

**RECHARGEABLE EMERGENCY LANTERN**  
 30PCS FRONT +18PCS SIDE BRIGHT LED  
 SWITCH MODE: OFF, BRIGHT, SUPER BRIGHT AND SIDE LIGHTS  
 LED BULB LIFE TIME: 10,000 HOURS  
 LUMINOUS FLUX: SUPER BRIGHT 550LUMENS; BRIGHT 80 LUMENS  
 WORKING TIME: SUPER BRIGHT 10 HOURS; BRIGHT 40HOURS , SIDE LIGHTS:  
 12HOURS CHARGE INDICATOR  
 SOLAR CHARGE FUNCTION & POWER BANK FUNCTION  
 OVERCHARGE PROTECTION AND DEEP DESCHARGE PROTECTION  
 BUILT-IN BATTERY: 6V 4.5AH RECHARGEABLE SEALED LEAD-ACID BATTERY  
 CHARGING TIME: 10HOURS / POWER SOURCE: 220V-240V~, 50Hz/60Hz

**RECHARGEABLE LED TORCH**  
 MACHINED AIRCRAFT ALUMINIUM BODY  
 CORROSION RESISTANT/WATER RESISTANT/ SHOCK RESISTANT  
 130,000 HOURS LIFE FOR LED BULB / 5000mAh LITHIUM RECHARGEABLE  
 BATTERY / HYPER BRIGHT LED 7 WATT / 1500 METERS-COVERAGE RANGE  
 FLASH LIGHT / 3-4HOURS CONTINUOUS WORKING / UNBREAKABLE GLASS  
 \*\*ONLY ON LED BULB



**Model No : STL-006**



**RECHARGEABLE LED CLIP LAMP**

20+8PCS 0.2W BRIGHT LED  
 TOUCH SWITCH / WITH NON-SLIP CLIP  
 USB FAST CHARGING  
 LIGHT MODE : SUPER BRIGHT ,BRIGHT ,LOW  
 ADJUSTABLE HOLDER TUBE  
 COMFORTABLE NATURAL LIGHT AND SOFT LIGHTING SOURCE  
 WITH 1200mAh RECHARGEABLE LI-ION BATTERY  
 CHARGING TIME : 2HOURS  
 OPERATING TIME : SUPER BRIGHT 2H /BRIGHT 6H /LOW 12H  
 POWER SOURCE: DC 5V 500mA



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SEL-3366	10 PCS	0.0997	9714226231377	2800	5810	6820
STL-006	60 PCS	0.1252	9714226232169	13420		32588

**Model No : SLB-011**

**LED BULB**

11 WATT  
 990 LUMEN  
 COOL DAY LIGHT/6500K  
 LIFE TIME: 15000 HOURS  
 AC100-240V ~ 50/60Hz



**Model No : SLB-011C**

**3PCS COMBO LED BULB**

11 WATT  
 ENERGY EFFICIENCY: 4 STAR  
 990 LUMEN  
 COOL DAY LIGHT/6500K  
 LIFE TIME: 15000HOURS  
 15255 TIMES OF SWITCHING CYCLES  
 RATED CURRENT: 79Ma  
 220-240V AC 50/60Hz



**Model No : SLB-015**

**LED BULB**

15 WATT  
 1200 LUMEN  
 COOL DAY LIGHT/6500K  
 LIFE TIME: 15000 HOURS  
 AC200-240V ~ 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLB-011	50 PCS	0.02957	9714226231452	47345	98072	114981
SLB-011C	20 PCS	0.0352	6291108478257	15920	33000	38640
SLB-015	50 PCS	0.0007	9714226231704	40000	82857	97142

**Model No : SLB-015C**



**3PCS COMBO LED BULB**

15 WATT  
 ENERGY EFFICIENCY: 3 STAR  
 1350 LUMEN  
 COOL DAY LIGHT/6500K  
 LIFE TIME: 15000HOURS  
 15146 TIMES OF SWITCHING CYCLES  
 RATED CURRENT: 115Ma  
 220-240V AC 50/60Hz



**Model No : SLB-018**



**LED BULB**

18 WATT  
 ENERGY EFFICIENCY: 3 STAR  
 1440 LUMEN  
 COOL DAY LIGHT/6500K  
 LIFE TIME: 15000HOURS  
 15085 TIMES OF SWITCHING CYCLES  
 RATED CURRENT: 144Ma  
 220-240V AC 50/60Hz



**Model No : SRB-121R**



**RECHARGEABLE LED BULB**

12 PCS SUPER BRIGHT LED  
 AC/DC OPERATED \ PIN TYPE  
 WITH CHARGE INDICATOR \ WITH REMOTE CONTROL  
 DURATION TIME : 2.5 HRS  
 CHARGING TIME : 12 - 15 HRS  
 OVERCHARGE PROTECTION  
 4V 1.6h RECHARGEABLE SEALED LEAD-ACID BATTERY  
 POWER SUPPLY : AC200-240, 50/60Hz



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLB-015C	20 PCS	0.0553	6291108478264	10120	21000	24600
SLB-018	50 PCS	0.05729	9714226231711	24450		59350
SRB-121R	30 PCS	0.05013	9714226230660	18810	44000	44820

**4+1 LED FOLDING LAMP**

60PCS HIGH BRIGHT LED  
 FOLDABLE DESIGN / HIGH ENERGY EFFICIENCY  
 LIFE TIME APPROX. 35K HOURS  
 EXTRA B22 CONVERTOR / COOL DAY LIGHT/6500K  
 LUMEN :4200 LUMENS / AC 165-265V~ 50/60Hz 53W



**Model No : SLB-124**



**Model No : SLB-125**



**5+1 LED FOLDING LAMP**

78PCS HIGH BRIGHT LED  
 FOLDABLE DESIGN / HIGH ENERGY EFFICIENCY  
 LIFE TIME APPROX. 35K HOURS  
 EXTRA B22 CONVERTOR / COOL DAY LIGHT/6500K  
 LUMEN :4200 LUMENS / AC 165-265V~ 50/60Hz 60W



**HEAD LIGHT**

1PCS SMD BRIGHT LED  
 LED BLUB LIFE TIME :10,000HOURS  
 CHARGING INDICATOR / 1200mAh RECHARGEABLE  
 LI-ION BATTERY / CHARGE TIME: 15HOURS  
 WORKING TIME: 8HOUR(SUPER BRIGHT)  
 15HOURS(BRIGHT) / POWER SOURCE: DC 5V 1A



**Model No : SHL-333**



**3IN1 RECHARGEABLE HEAD LIGHT**

1PC SMD BRIGHT LED  
 LED BULB LIFE TIME: 10,000HOURS  
 CHARGING INDICATOR / 4500mAh, RECHARGEABLE LI-ION  
 BATTERY / CHARGE TIME: 12HOURS /  
 WORKING TIME:3HOURS(SUPER BRIGHT) 15HOURS(BRIGHT) /  
 INPUT: AC220-240V, 50/60Hz, 10W  
 \*WARRANTY ONLY ON LED BULB, LIMITED WARRANTY ON  
 OTHER PARTS. / \*IP65= WATER RESISTANT\*PROTECTED  
 AGAINST WATER JETS FROM ANY ANGEL"



**Model No : SHL-334**



MODEL No.	PCS/CTN	CBM PER ctn	BARCODE	QTY 20'	QTY 40'	QTY 40'Hq
SLB-124	50 PCS	0.1278	6291108475997	11000		27000
SLB-125	50 PCS	0.1907	6291108475980	7400		18000
SHL-333	100 PCS	0.049	6291108476192	57200	118400	138800
SHL-334	60 PCS	0.09243	6291108478271	18120	37620	44100



# SONASHI®

## CORPORATE OFFICE

Shaika Mariam Building, Suite No.205 2nd floor, Plot No.: P119-132, Nasser Square, Deira, Dubai, United Arab Emirates  
Tel : +97142211461 P.O.Box: 15683 Dubai, United Arab Emirates.

Sales Enquiry: [marketing@sonashi.ae](mailto:marketing@sonashi.ae) Enquiries: [www.sonashiuae.com/enquiries](http://www.sonashiuae.com/enquiries) Service Centres: [www.sonashiuae.com/servicecentre](http://www.sonashiuae.com/servicecentre)

[www.sonashiuae.com](http://www.sonashiuae.com)

**DOWNLOAD SONASHI  
CATALOGUE APP NOW!**

